



2024

DEKKER ZEVENHUIZEN

since 1930

Dekker Zevenhuizen is a family owned business founded in 1930 and has been a leader in the Dutch interior market for many years. Specialized in processing quality materials into customized worktops for the kitchen, bathroom and projects. Dekker also develops and supplies kitchen accessories such as taps, sinks and lighting.

Laminate

Dekker is known at home and abroad for its unique laminate production, which takes place in different high-end production facilities. Many materials and colors are exclusively available at Dekker, so you can offer distinctive products. In addition to the affordable TopLaminate, we also have DecorTop with its unique colours and structures, the compact TopCore and smart material Fenix in our range. In TopLaminate and DecorTop we also have a 'green' version: Greengridz®. Greengridz is more durable and less expensive than traditional plywood.


Stone and other worktops

Dekker has the most modern state of the art production in Europe for stone worktops. We develop exclusive stone collections. These include innovative colors and structures, such as the beautiful concrete and marble variations in composite stone and ceramics.

In addition, Dekker offers many other materials such as Granite, Solid Wood, Glass, Inox, Dekton and Corian.

Taps and kitchen accessories

In addition to a wide range of custom-made worktops, Dekker also has a large collection of kitchen accessories. Under our own brand Lanesto and Selsiuz we offer an accessible line of (all-in-one) taps, sinks and lighting that are characterized by a beautiful design and a good value for money. As a wholesaler we also offer brands such as Grohe and Quooker.




Customization for the bathroom

Dekker offers a unique range of customized washbasins and bathroom furniture, bathroom taps, shower systems and ceramic sanitary ware. The bathroom furniture distinguishes itself by its design and sleek finish. Unique is the production of washbasins and countertops to your own design. Customized washbasins in Quartz, Ceramic and Corian: everything is possible.

Distinctive

Dekker not only has a complete range, but is as market leader also a trendsetter. It identifies the developments in the industry to develop products and colours that are not only up-to-date and distinctive, but also tailored to the various markets. Add the innovative capacity, the high quality stone and laminate production and the advanced factories at far-reaching service and customer focus, and you get a one-stop supplier who takes care of you from design to after sales.



NETHERLANDS (HEADQUARTERS)

Office address
Nijverheidscentrum 2
2761 JP Zevenhuizen
The Netherlands



Contact
Phone +31 180 63 76 37
Email info@dznet.nl
Web www.dekkerzevenhuizen.nl

BELGIUM (OUREA)

Office address
Krielstraat 46A
9420 Erpe-Mere
Belgium



Contact
Phone +32 53 220 220
Email sales@oureakitchenware.be
Web www.oureakitchenware.be

GERMANY

Office address
Nijverheidscentrum 2
2761 JP Zevenhuizen
The Netherlands



Contact
Phone +31 180 63 76 37
Email info@dznet.nl
Web www.dekkerzevenhuizen.nl

SWEDEN (DEKKER NORDIC)

Office address
Källhultsvägen 9
670 10 Töcksfors
Sweden



Contact
Phone +46 573 216 55
Email info@dekkernordic.se
Web www.dekkernordic.se

MATERIAL

Properties

Material index

Each material has its own distinctive properties. How can you give your customer an overview of all the possibilities? Inspire him, offer him more - and advise him well? In the material index, your customer can see at a glance the advantages of the materials and their price range. At the top is the accessible TopLaminate®, at the bottom materials such as Corian and Glass. This allows you and your customer to match the worktop to their taste, use and budget.



The mark of responsible forestry

Only products designated as such are FSC®-certified.

| KITCHEN WORKTOPS MATERIAL PROPERTIES | | MAINTENANCE-FRIENDLY | LIFE-SPAN | SCRATCH-RESISTANT | HEAT-RESISTANT | CHIP-PROOF | Price index escalating |
|--------------------------------------|-----------------|----------------------|-----------|-------------------|----------------|------------|------------------------|
| | TopLaminate® | ■■■■□ | ■■■□□ | ■■□□□ | ■■□□□ | ■■■■■ | 100 |
| | DecorTop® | ■■■□□ | ■■■□□ | ■■□□□ | ■■□□□ | ■■■■■ | |
| | TopCore® | ■■■□□ | ■■■□□ | ■■□□□ | ■■■□□ | ■■■■■ | |
| | Composite stone | ■■■□□ | ■■■■■ | ■■■□□ | ■■■□□ | ■■■□□ | |
| | Obsidiana | ■■■□□ | ■■■■■ | ■■■□□ | ■■■□□ | ■■■□□ | |
| | Cosmolite | ■■■□□ | ■■■■■ | ■■■□□ | ■■■□□ | ■■■□□ | |
| | Granite | ■■■□□ | ■■■■■ | ■■■□□ | ■■■□□ | ■■■□□ | |
| | FENIX® | ■■■□□ | ■■■□□ | ■■□□□ | ■■■□□ | ■■■■■ | |
| | Ceramics | ■■■□□ | ■■■■■ | ■■■□□ | ■■■□□ | ■■■□□ | 150 |
| | Solid Wood | ■■□□□ | ■■■□□ | ■■□□□ | ■■□□□ | ■■■■■ | |
| | Inox | ■■■■■ | ■■■■■ | ■■□□□ | ■■■■■ | ■■■■■ | |
| | Corian® | ■■■□□ | ■■■■■ | ■■□□□ | ■■■□□ | ■■■■■ | |
| | Glass | ■■■□□ | ■■■■■ | ■■■□□ | ■■■■■ | ■■■□□ | 200 |

The properties of Dekton are similar to those of Evora Ceramics.

These kitchen countertops can be made with the sustainable Greengridz. Greengridz requires less raw materials and the CO₂ emissions during production are 60% lower.
 Cosmolite and Obsidiana have the same properties as composite stone but are made from 100% waste and are completely recyclable.

www.dekkerzevenhuizen.de **DEKKER**

SUSTAINABLE

customization

Are quality, price and environment important aspects for your consumer when buying a kitchen worktop? Then you can also contact Dekker. Environmental friendly production can be achieved in several ways; think of reusing products, producing with less material and/or energy and/or separating waste (so it becomes recyclable).

In addition to durability, aesthetics and functional properties of course still play an important role in consumer choice. Together with our suppliers we continuously develop and innovate making sustainable materials more and more beautiful!

Option 1: Use less material

Stop using unnecessary natural resources and make it thinner

- > Why use thick slabs when you can achieve the same result with thin slabs?
- > Not only 60% material savings, but also great savings in transportation and much easier to install due to much lower weight.
- > Example; Evora Quartz is underglued with the sustainable Greengridz

Option 2 : customized countertops of waste

Using beautiful, recycled materials with functionally the same high-quality properties

- > Why use only new quartz as raw material when there are also suitable, beautiful recycled materials, such as consumer-used glass or factory waste?
- > Together with binding resin and color pigments, beautiful surfaces are created that are also 100% recyclable.
- > Example: Obsidiana and Cosmolite®

We then process these new materials again with Greengridz undergluing, so that the advantages described in option 1 also apply to these materials.

Option 3: Lightweight panels

When fewer raw materials are needed for production and in the process the kitchen worktop is also lightweight it has many advantages

- > Why use heavy plywood when you can achieve the same result with a lightweight panel?
- > Fewer raw materials are required, and because the panel is lightweight, less fuel is needed to transport it.
- > Example: Greengridz finished with HPL

OBSIDIANA
Obsidiana

- > Produced from recycled glass
- > 100% recyclable

COSMOLITE
Cosmolite

- > Produced from industrial waste
- > 100% recyclable

#GREEN GRIDZ
Greengridz

- > lightweight panel
- > less raw materials needed

Vulcano Cloud

Vulcano Light

Meteor Ice


Beige Igea

SUSTAINABLE

Greengridz benefits

The advantages of Greengridz over plywood

- > Sustainable
- > More resistant to impacts
- > More resistant to water
- > More stable and lighter
- > More economical (also in side panels)
- > Available in 25, 32, 38, 50, 60, 80 mm thick
- > Finishing with TopLaminate, DecorTop and Fenix 0.9



| Base material comparison | Greengridz | Plywood |
|--------------------------|------------|---------|
| Shockproof | +++ | ++ |
| Moisture-proof | +++ | ++ |
| Lightweight | +++ | - |
| Stability | +++ | + |
| Easy to install | +++ | ++ |
| Heat resistant | ++ | ++ |
| Scratch-resistant | ++ | ++ |
| Sustainable | ++++ | + |
| Gross pricing | +++ | + |



FSC-certified

Greengridz® carries the FSC certificate of approval. So you have the guarantee that the wood comes from well-managed forests.



Ecological footprint

The production of Greengridz® requires fewer raw materials than that of traditional panel materials.



Biodegradable

This worktop-material is completely biodegradable.



Light weight

With its 8 kilos per square meter (40mm thickness), Greengridz® simplifies assembly - and that, in turn, fits within health and safety policy




Nordic Swan - certified

Greengridz® meets Nordic Swan's strict environmental requirements in all relevant stages of the life cycle and carries the Nordic Swan Ecolabel.



100% recyclable

Greengridz® can be 100% reused.



Less CO2 emissions

The panels are pressed faster, which saves energy. After all, the pressing takes place under high temperatures!



Economical in terms of transport

Because Greengridz® is light, transportation requires less fuel, further reducing CO2 emissions.



CARB2 certified

Greengridz® meets the strict standards of the California Air Resources Board (CARB). This means that formaldehyde emissions are within established limits (i.e., less than 0.08 ppm).

CO2 emissions compared to plywood





For the production of Greengridz worktops, really fewer raw materials are needed (1:3).



MULTIPLEX **75.30** (CO²)

GREENGRIDZ **15.91** (CO²)



Greengridz requires less transport of raw materials.

During the production process, much less energy is needed compared to plywood.



Due to the weight of Greengridz, transport to the distribution centre/ store requires significantly less energy.



Distribution centre or shop

CO² emission for transport.

MULTIPLEX **24,66** (CO²)

GREENGRIDZ **3.27** (CO²)



The advantage of the light weight of Greengridz is also reflected in the transport to the end user.



Total CO² emission:

MULTIPLEX **130.95** (CO²)

GREENGRIDZ **53.45** (CO²)

PRODUCT INFORMATION

TopLaminate, DecorTop, Fenix 0.9



TopLaminate, DecorTop and Fenix 0.9

Composition TopLaminate

hpl (high pressure laminate): multiple, melamine resin-soaked layers of kraft paper compressed under high pressure.

Composition DecorTop

1 mm hpl (high pressure laminate) with black core: is made of resin impregnated cellulose layers, with care consolidated under high pressure.

Composition Fenix 0.9

0.9 mm hpl (high pressure laminate): is made of several resin impregnated layers, which are compressed under high pressure. The top layer is the decor paper, which is provided with a nanotech-layer on the top. This ensures that the surface feels silky and has unique properties.

Underglueing

Waterproof glued Greengridz, Plywood or chipboard

(max.) dimensions TopLaminate

Plywood and chipboard: 5100 x 600 mm and 4000 x 1200 mm
Greengridz: 5100 x 1200 mm
(except GPR80: 4000 x 1200 mm)

(max.) dimensions DecorTop / Fenix 0.9

4000 x 1200 mm

Thickness


greengridz 25mm, 32mm, 38mm, 50mm, 60mm, 80mm
plywood 25mm, 32mm, 38mm
chipboard 32mm, 38mm

Weight

greengridz 38 mm 8 kg/m² plywood
38 mm 18 kg/m² chipboard 38 mm
25 kg/m²

Applications:

- > customized countertops
- > back panels
- > sidepanels



All materials can be supplied on base material of your choice. For the benefits of Greengridz see page 1.6 and 1.7

Advantages

- > Large selection of colors, edge finishes and textures
- > Due to the extra-thick laminate, DecorTop has a natural-looking surface with deep and coarse texture, while Fenix has an extremely matte appearance due to the Nanotech finishing
- > Large format so virtually unlimited possibilities in terms of model and rarely seams longitudinally
- > Low maintenance
- > Economical choice

FENIX[®]
09

Specific advantages

- > Special nanotech coating
- > Soft touch
- > Thermal restoration of superficial scratches possible
- > Antibacterial properties
- > Extreme matt surface
- > Fingerprintproof
- > Non static

Important

- > Use cutting boards and coasters (scratches, scorch marks and dents irreparable)!
- > Countertops in dark colors are not more susceptible to scratching than other tops. However, once scratches occur, they are more quickly visible (scratches are not covered by the warranty).
- > Apply wallpanels in this material behind cooktops in conjunction with a BP-Saver
- > Due to a combination of light and structure, optical color differences may occur between the countertop parts at corner joints. This is inherent to the material and no reason for reclamation.

TOP
LAMINATE

Specific concerns

- > All special wallpanels colors (alu and stainless steel back walls) are prone to scratching (scratches are not covered under warranty)

DECOR
TOP

Specific concerns

- > Owing to the deeper surface structure, cleaning demands a more intensive and regular method of approach.

PRODUCT INFORMATION

TopCore and Fenix 10



TopCore and Fenix 10

Composition TopCore

- > Multiple phenolic resin-soaked layers of kraft paper compressed under high pressure and temperature to form a solid laminate
- > The core is black, except for the colors in price group Premium (colored core)
- > The top layer is the decor paper
- > Top and bottom in color

Composition Fenix 10

- > Multiple phenolic resin-soaked layers of kraft paper compressed under high pressure and temperature to form a solid laminate
- > The core is black except for the colors in price group Premium, here the core has the same color as the decor paper
- > The top layer is the decor paper coated with a nanotech top layer
- > The nanotech topcoat gives the surface a silky smooth feel and some unique properties

Underglueing

Topcore and Fenix 10 are underglued with Greengridz strips. These strips are lightweight, highly rigid, biodegradable and 100% recyclable.

(max.) dimensions

4150 x 1500 mm
4150 x 1250 mm (Angola)

Thickness



10 mm

Weight

27^{kg/m²} (based on a 40 mm thickened countertop)

Applications:

- > customized countertops
- > wallpanels
- > sidepanels
- > window sills



Advantages

- > Waterproof thanks to the closed surface
- > As scratch and abrasion resistant as TopLaminate
- > Sturdy and compact and therefore even more impact-resistant than TopLaminate
- > Patterns continue into the edge thanks to V-Groove technology**
- > Hygienic and easy to clean

**see ordering information, matching patterns for exceptions (page 1.41)



Specific advantages TopCore

- > Unique colors and surface textures



Specific advantages Fenix 10

- > Special nanotech coating
- > Soft touch
- > Thermal restoration of superficial scratches possible
- > Antibacterial properties
- > Extreme matt surface
- > Fingerprintproof
- > Stays in shape (even with temperature changes)
- > Non static

Important

- > Use cutting board and coasters (scratches, scorch marks and dents irreparable)
- > Countertops in dark colors are not more susceptible to scratching than other tops, but once scratched, they are more likely to be visible (scratches are not covered under warranty)
- > It is possible that a speck of a different color may occasionally appear on your worktop. This is inherent in the material and not a reason for reclamation.
- > Apply wallpanels in this material behind cooktops in conjunction with a BP-Saver
- > Minimum countertop length for two or more contiguous parts is 110 mm (due to corner joint)



Specific concerns TopCore

- > With matte colors, fingerprints and grease are more likely to show up
- > Dark countertops with a coarse texture are more likely to show dirt (more difficult to remove)
- > Due to the deeper surface texture, cleaning requires a more intensive and regular approach
- > Due to a combination of light and structure, optical color differences may occur between the countertop parts at corner joints. This is inherent to the material and no reason for reclamation.

PRODUCT INFORMATION

Evora Quartz, Cosmolite, Obsidiana



Evora Quartz, Cosmolite, Obsidiana and Evora Compact Granite

Composition Evora Quartz

- > Natural quartz grains of various sizes (up to 93%)
- > Binding resin made on organic or polyester base
- > Pigments
- > Possible additives: granite granules, glass, mirror particles and crystallite

Composition Cosmolite

- > Recycled minerals from the stone industry of various sizes
- > Binding resin made from 25% bio-based
- > Pigments

Composition Obsidiana

- > Recycled glass of various sizes
- > Polyester-based binder resin
- > Pigments

Composition Evora Compact Granite

Igneous rocks (consisting of quartz, feldspar and micaceous) formed by cooling of magma that has moved through cracks and fissures of the Earth's crust penetrates.

Underglueing

Evora Quartz, Cosmolite and Obsidiana are underglued with Greengridz strips. These strips are lightweight, very rigid, biodegradable and 100% recyclable

Evora Compact Granite is fully underglued with a sandwich panel of magnesium board and PU foam.

Reinforced with tubes of recycled plastic

(max.) dimensions

3000 x 1350 mm

(max.) dimensions Evora Quartz

Single colors available in 3150 x 1350 mm or jumbo size 3210 x 1510 mm

(max.) dimensions Evora Compact Granite

2900 x 1350 mm

Thickness

12 mm

Evora Quartz: also in 20mm

Weight

35 kg/m²(based on a 40 mm thickened worktop)

Surface structure



- Honed
- Polished
- Velvet



- Polished
- Grain



- Polished



- Antique
- Riverwashed
- Lapato
- Honed
- Polished

Applications:

- > customized countertops
- > wallpanels
- > sidepanels
- > window sills
- > evora Quartz sinks (see custom bathroom catalog)

Particularities

Evora Compact Granite: larger dimensions than 2900 x 1350 mm are possible with some stone types. Ask your contact person at the office for the possibilities.



and Evora Compact Granite

Advantages

- › Natural look
- › More scratch-resistant than countertops of many other materials
- › Highly heat-resistant: BP-saver for wallpanels not required



Specific advantages

- › Hygienic and non-porous: food residues do not soak into it
- › Waterproof (does not require impregnation)
- › maintenance friendly
- › Patterns continue into the edge thanks to V-groove technology**

**see ordering information, matching patterns for exceptions (page 1.41)



Specific advantages

- › Unique (no countertop is the same) with robust appearance
- › Less prone to breakage than standard granite due to full undergluing
- › Light weight due to 12mm base material
- › Durable due to less material consumption than solid granite

Points to note:

- › Stone kitchen countertops are machine-made and consist mainly of natural (recycled) raw materials. Natural quartz or recycled glass or other materials form the basis supplemented with resin and dyes. For all materials, various pits, holes, surface scratches, veins, pigment accumulations and/or structural variations may occur. These are inherent to the material and no reason for complaint

- › Honed/Grain variants and Antique/Riverwashed finishes are more susceptible to staining due to their open structure; dark tops in particular appear unevenly tinted by light and ambient colors (virtually unaffected by light and mottled shades). These are inherent to the material and no reason for reclamation
- › For 20, 30, 40, 60, 80 and 100 mm high edge finishes, the top is thickened all around as standard
- › Use cutting board and coasters (scratches, scorch marks and breakage/thermoshock irreparable)
- › Stone sinks can discolor over time. This process is accelerated by a boiling water faucet. This is not a cause for reclamation.




Points of attention Evora Quartz

- › Countertops in Evora Quartz color Easy Star have small pits, holes and/or surface scratches due to the addition of pieces of mirror (for brilliance). The colors Argus, Hydra and Naga are produced with larger (natural) granules. This may result in small floors/holes. This is no reason for reclamation.




Points of attention Evora Compact Granite

- › Granite is a natural stone. The slabs are extracted from quarries around the world and each quarry has its own character. Certain types have great natural characteristics Color and texture differences from previously delivered sections or samples are therefore inherent in natural stone. Also possible are larger visible natural color concentrations that may resemble stains. These are inherent to the material and not a reason for reclamation.
- › In all edge finishes, the top is fully underglued as standard
- › Countertops are impregnated as standard. Keep the impregnation active, by using the supplied carekit



Contamination spot: small spot in a different color



Concentration spot: accumulation of one of the base colors



Surface disturbance: palpable pitting and surface disturbances



Surface disturbance: palpable surface disturbances, mainly visible in skimming light.

PRODUCT INFORMATION

Evora Ceramics and Dekton



Evora Ceramics, Dekton

Composition

- > 100% natural minerals (glass, quartz, porcelain)
- > Ultra-compact pressed
- > No binding agents and/or additives

Underglueing

Fully underglued with a sandwich panel of magnesium board and PU foam. Reinforced with tubes of recycled plastic (except 12 mm Dekton (solid))

(max.) dimensions Evora Ceramics

3200 / 3190 x 1500 mm

(max.) dimensions Dekton

3150 x 1400 mm

Thickness Evora Ceramics

6 mm

Thickness Dekton

8 mm / 12 mm (solid)

Weight Evora Ceramics

17 kg/m² (based on a 40 mm thickened worktop)

Weight of Dekton

25 kg/m² (based on a 40 mm thickened or solid 12 mm top)


Surface structure



- Honed
- Silk
- Lux
- Velvet
- Riverwashed



- Lux (polished)
- Satin (honed)



Applications:

- > customized countertops
- > wallpanels
- > sidepanels
- > window sills
- > tiles
- > sinks from Evora Ceramics (see custom bathroom catalog)

Details

All (additional) Dekton colors are also available on request in a countertop thickness of 20 mm. Please inquire with the sales department regarding price and delivery time.

Advantages

- › Natural look
- › Hygienic and non-porous: food residues do not soak into it
- › More stain resistant than other materials (do clean!)
- › Waterproof (does not require impregnation)
- › More scratch-resistant than countertops made of many other materials
- › Maintenance-friendly
- › More heat-resistant than countertops made of many other materials

Points of attention

- › Ceramics and Dekton are pretty constant in color and texture, but due to the natural base materials, minor color variations and disproportions cannot be ruled out. The tops are made from natural raw materials with clay as the main ingredient. Since this is a natural product, this can affect the color of the 'biscuit' (the layer under the top layer with design) and thus the appearance of the worktop as a whole. Color differences compared to previously delivered parts or samples are therefore inherent to the material. And no reason for complaint.
- › Common disproportions (which incidentally do not detract from the quality) are, for example, small pits in the surface; airblows (air bubbles) are small 'bumps' on the countertop that can be felt, but do not detract from the quality of the material and so-called high-contrast contamination spots (for example, white dots in a black material, or vice versa). Provided color samples can therefore only be used as an indication and deviations are not grounds for reclamation.
- › With some veined colors, it is possible to have the veins continue across different countertop sections or across countertop and wall- sidepanels. see page 1.30 and 1.31
- › Use cutting boards due to blunting of knives
- › Colors with a polished surface finish (Lux) are more susceptible to scratching because a small layer of glass is applied over the surface for this finish. This is not a cause for reclamation.
- › Use coasters for pans directly from the cooktop. Thermoshock can cause hairline cracks.
- › In all edge finishes, the top is fully thickened as standard
- › Ceramics are vulnerable to breakage and damage, for example when subjected to point or impact loads. Therefore, always carry ceramic countertops vertically, be careful during transport and assembly, take care when tightening taps, sockets or screws too tightly (max 5 N/m) or crookedly, and when connecting tops. Be careful with heavy/sharp objects that could potentially fall on the top. Any flakes that jump off a top are unfortunately irreparable.
- › The protruding edge above the undermount sink in ceramic is more sensitive to impact than with other countertop materials. Damage caused, for example, by bumping pans cannot be claimed. We therefore recommend choosing flush-mounted or TopZero sinks.
- › When using a faucet, always use a rosette. This distributes pressure around the tap hole and reduces the risk of breakage.
- › The edge of the base recess consists of two layers of ceramic material. This is tightly finished, but the seam remains slightly visible
- › If the material is not to be underglued, it will always be thickened during production to a minimum of 12 mm. (For Evora Ceramics 6 mm + 6 mm and Dekton 8 mm + 4 mm.) Please take this into account when specifying the desired dimensions.
- › Evora Ceramics colors such as Stucco light or Stucco dark have a slight undulation in the surface. This is accentuated by floodlighting and is not a reason for reclamation.

PRODUCT INFORMATION

Corian

CORIAN

Corian

Composition

- > Natural minerals (2/3)
- > Acrylic or polyester resin
- > Pigments

(max.) dimensions

3680 x 760 mm

Thickness

12 mm top layer

Weight

25^{kg/m²} (based on a 40 mm thickened worktop)

Applications:

- > customized countertops
- > wallpanels
- > sidepanels
- > sinks
- > window sills



Particularities:

For larger sizes, the worktops are extended by seamless gluing. Maximum sizes of a worktop are 3600 x 1200 mm (longer worktops are possible, but on request due to transport and installation)

CORIAN

Advantages

- > Low maintenance
- > Waterproof
- > Hygienic: food residues do not soak into it
- > Seamless bonding with filler mix
- > Easy to repair minor damage
- > Wide variety of colors and designs
- > Corian sinks are installed seamlessly

CORIAN

Points of attention:

- > Use cutting boards and coasters to avoid unnecessary repairs (or even irreparable damage)
- > Corian sinks without stainless steel bottom cannot be combined with a boiling water tap. Damage caused by the boiling water tap on your Corian worktop or Corian sink is no ground for reclamation
- > On dark colors, scratches and signs of use are more likely to be visible. This is no reason for reclamation
- > Before installation, deliver the worktop 24 hours before at the workplace and place it flat on the cabinets. This is to acclimate the worktop and to prevent dilation or shrinking of the worktop after installation.
- > Seamless gluing and machining of Corian only by a qualified fitter of Dekker Zevenhuizen (otherwise no warranty!). Please specify when ordering
- > If an integrated cooktop is chosen, we recommend mounting it slightly higher to avoid risks of impact and heat damage in the worktop.

inox

INOX

Inox

Composition

metal alloy with chromium and nickel as the main elements (ratio 18/10)

- > Inox or Col-Nox (colored) top coat
- > Support made of plywood or MDF
- > Frame of pine slats

Underglueing

1.2mm on plywood or MDF

(max.) dimensions

4000 x 1200 mm minus edge height, edge height V01 /F01 max. 3000 x 1200 mm.

Thickness

1,2 mm / 4 mm

Weight

approx. 18 kg/m² (based on 40 mm thickened top) approx. 32 kg/m² (based on 4 mm solid top)

Surface texture/export

- > Slippery
- > K320
- > Randomly brushed
- > Hot rolled
(only on 4 mm solid)



Applications:

- > customized countertops
- > wall- and side panels

Details

- > Parts up to 6000 mm in one piece are possible. Please contact the sales office for packaging, delivery and additional costs.
- > Inox can indeed rust, albeit only on the surface and not from itself but from prolonged contact with base metals or action of aggressive acids.

INOX

Advantages

- > Low maintenance
- > Waterproof
- > Heat resistant
- > Hygienic: food residues do not soak into it
- > Resistant to many non-domestic chemicals (except chlorine, salt solutions, acids and alkalis)
- > 100% recyclable

INOX

Points of attention

- > Use coasters to avoid unnecessary repairs (or even irreparable damage)
- > Use cutting board (scratches irreparable)

PRODUCT INFORMATION

Solid Wood



Solid Wood

Composition

Finger-jointed wood slats pressed together under high pressure and waterproof glued

(max.) dimensions

4150 x 1200 mm slat width: Standard 40 mm,
Royal ca. 85 mm

Thickness

30 or 40 mm

Weight

30 mm 23 kg/m²
40 mm 38 kg/m²

Version

3x sanded and oiled

Applications:

- > customized countertops
- > sidepanels
- > window sills



Details

- > Wood sourced from cultivated forests; slats only of AB quality (inspected for color, knots and fallwood damage).
- > Rustic selected from AC grade with knots



Advantages

- > Warm and natural look
- > Oil finish preserving natural properties
- > Each countertop is unique in color and markings
- > Gives the kitchen atmosphere and combines well with any other material



Points of attention

- > Dekker Zevenhuizen's wood kitchen countertops are always exclusively of AB quality. This means that all wood slats are checked for color, knots and fall wood damage, and only approved slats are used to manufacture the tops. These slats are joined (by finger-welding) and then pressed together under high pressure and waterproof glued. The wooden kitchen tops are made of 30 or 40 mm solid wood and finished with oil.
- > Wood is a natural product and discolours through light. Therefore, your sample always deviates from the worktop that is supplied (more compared to other countertop materials!).

- > Wood is a natural product so it can expand and shrink. Damage due to this effect is no reason for reclamation
- > To prevent the wood from drying out and cracking, it is important to regularly treat the kitchen countertop with the maintenance oil provided.
- > Wood reacts to moisture. If you have appliances that emit moisture, apply special moisture-resistant foil between the top and the appliance.
- > Special insulation material is available against heat generated by certain household appliances.
- > Use cutting board and coasters (scratches, dents and burns are irreparable)
- > We do not recommend applying white wash to dark woods.
- > For 60 and 80 mm high edge finishes, the top is thickened all around as standard.



Surface disturbance: tactile knots in the wood

Glass

GLASS

Glass

Composition

thermally toughened glass with coated underside and glossy or matt surface

(max.) dimensions

6 mm / 10 mm 3000 x 1200 mm

Thickness

6 mm (wallpanels) 10 mm

Weight


6 mm: 15 kg/m²

10 mm: 30 kg/m² (based on a 10 mm thick worktop)


Surface texture/output


6 mm

 Gloss

 Filo, line pattern

 Mat

 Rain, line pattern

 Fiori Lucido, flower pattern

10 mm

 Gloss

 Mat

Applications:

6 mm

> wallpanels

10 mm

> customized countertops

> wallpanels

> window sills



GLASS

Advantages

- > Low maintenance
- > Waterproof
- > Hygienic: food residues do not soak into it
- > More heat-resistant than many other materials

GLASS

Points of attention

- > Use cutting boards and coasters to avoid unnecessary repairs (or even irreparable damage)
- > Not uv-resistant (color difference due to light exposure possible over time)
- > Stains are visible earlier, especially on matte and dark surfaces and with light incidence (floodlighting)
- > The thickness of the glass also determine the color. Therefore please take into account the color difference between 6 and 10 mm glass

PRODUCT INFORMATION

AluSplash



AluSplash

Composition

Sandwich panel of 2 x 0.5mm thick aluminium with a fire retardant mineral core in between. The panels have been treated with a high quality lacquer, after which a heat-resistant coating has been applied.

(max.) dimensions

4100 x 1500 mm

Thickness

4 mm

Weight

7 kg/m²

Applications:

- > kitchen wallpanels
- > shower walls
colours only),
- > interior decoration



Details

The panels are covered with a protective film.



Advantages

- > Very easy to rework yourself
- > Heat resistant; suitable for mounting behind (gas) cooktop**
- > Economical choice
- > Edge finish in the same color as the panel possible
- > Quick and easy installation
- > Light weight
- > High quality coating

** If properly mounted, see points of interest below



Points of attention

- > Avoid using and/or striking metal or sharp objects (such as knives, pans, cans and other utensils) against the coated surface as this may cause scratches and/or dents. This is no reason for reclamation.
- > With a gas cooktop, make sure the pan is straight on the burner and the flame does not extend below the pan.
- > Ensure that the spout of a kettle is not pointed directly at the panel. Hot steam, air and/or boiling water released from the spout can cause the surface of the panel to become discolored or damaged.
- > Keep at least 1.5 mm space on each side of the wallpanels due to shrinking and expansion. This space can be sealed later.

- > Keep at least 30 mm space between hob edge and wallpanel
- > Calculate loose finishing profiles and operations separately.
Note : seal these profiles inside and outside to avoid corrosion
- > The AluSplash panel consists of two A-sides in a different color (except Silver- and Champaign Brushed). The color you order will be indicated by a sticker.
- > There are arrows on the protective film indicating installation/ mounting direction. The panels should all be installed in the same direction to avoid differences in gloss/color. Do not remove the protective film during installation but only after everything is fully assembled.

Frames and General concerns

Frames

Customized table legs and bases? Dekker Zevenhuizen realizes every idea with stability and quality as a starting point. Submit your sketch, design, technical drawing with the desired dimensions, choice of materials and desired final finish and we will create for you a perfectly finished product with a timeless character.

Stainless steel

Polished stainless steel "K320"

This is the most well-known type of stainless steel finish. Polished stainless steel is used for such things as countertops, cooker hoods and built-in appliances (oven, dishwasher, refrigerator, ...). K320 stands for grit 320 and indicates the fineness of the material. Such surface treatments create a grinding or brushing direction.

Craftsmanship and experience is needed to achieve the most perfect end result possible. Tolerances are undoubtedly there and these relate mainly to the visual aspect of the final result. The perception of at +- 1 m distance should not show any clearly visible deviations. Slight deformations in the surface may remain perceptible, but especially the incidence of light and the gloss level of the surface are decisive factors here.

Steel

Untreated

Untreated steel may show rust stains due to water or humidity. Treat these (periodically) with floor polish to avoid oxidation.

Powder coating RAL color

We can also powder coat the steel frame: negatively charged metal is dusted with positively charged powder. Due to static electricity, the powder sticks to the metal in a nice opaque layer. This allows us to provide the frames with any RAL color. Our guarantee of good protection against rust. RAL is a European color-matching system that defines colors for paints, coatings and plastics.

The following general points of interest apply to all countertops:

- › Never stand or sit on a worktop
- › Color and/or texture differences compared to supplied samples are not excluded and cannot be a reason for rejection/reclamation
- › Stains arising during assembly by third parties and/or stains arising during use of the worktop are not grounds for reclamation
- › For warranty terms and Terms and Conditions see: www.dekkerzevenhuizen.nl/klantportaal

PRODUCT INFORMATION

sinks

Stainless steel - stainless steel

Stainless steel consists of a combination of different metals (alloy). Chrome nickel steel 18/10 is used for sinks. The 18 stands for 18% chromium and the 10 stands for 10% nickel. Chrome nickel steel is known to be very corrosion resistant.



Advantages stainless steel

- > Heat resistant (boiling water tap possible)
- > maintenance friendly
- > 100% recyclable
- > UV-resistant
- > Lightweight (no support kit required)

Ceramic pvd - colored stainless steel with matte appearance

For a matte appearance, the stainless steel sink ceramic treated. There may be a nuance difference between the color of the pvd sink, the matching faucet and the other accessories.



Advantages ceramic pvd

- > Heat resistant (boiling water tap possible)
- > Matte look
- > 100% recyclable
- > UV-resistant
- > Lightweight (no support kit required)

Pvd - colored stainless steel with metallic glance

Pvd stands for Physical Vapor Deposition; The pvd color is created by molecules from a gas or vapor adhering to the stainless steel. This environmentally friendly production method not only makes the sink more resistant to scratching and corrosion, but also ensures that the metallic sheen and texture of brushed stainless steel are retained.

A pvd sink, unlike most other colored sinks, can be flush-mounted in TopLaminate, DecorTop or Fenix 0.9. There may be a nuance difference between the color of the pvd sink, the matching faucet and other accessories. The Lanesto Urban series is from pvd with a choice of Copper, Gold, Gun Metal, Patinated Brass or Rose Copper



Advantages Pvd

- > Heat resistant (boiling water tap possible)
- > Metal optics of stainless steel is retained
- > 100% recyclable
- > UV-resistant
- > Lightweight (no support kit required)

Fybertec and Tectonite

Fybertec is a thermosetting, fiberglass-reinforced Polyester. It consists of 60% mineral fillers and long glass fibers, and 40% polyester resin. Tectonite®, like Fybertec, is a fiber-reinforced polyester. With their granite-like appearance and unique texture, the sinks not only look beautiful, but are also highly heat and impact resistant. The innovative synthetic material is finished with a special coating that protects the surface from stains and bacterial growth. A Fybertec sink, unlike most other colored sinks, can be flush-mounted in TopLaminate, DecorTop or Fenix 0.9 The Tectonite sink is suitable for flush-mounting only in stone.



Fybertec



Tectonite

Benefits of Fybertec and Tectonite

- > Lightweight (no support kit required)
- > Heat resistant (boiling water tap possible)
- > UV-resistant
- > 100% recyclable



Lanesto Lyse Foggy Black

PRODUCT INFORMATION

sinks

Corian

Corian is a solid surface material composed of natural materials, an acrylic or polyester resin and pigments. Its homogeneous mass makes the surface virtually impermeable, and small scratches or indentations can be easily repaired. If you want to combine a Corian sink with a boiling water faucet, choose a stainless steel bottom. Corian sinks with stainless steel bottoms are available in all top colors.



Advantages Corian

- > Maintenance-friendly
- > Seamless bonding with the countertop is possible

Stone

Do you have a kitchen countertop from Evora Quartz, Evora Ceramics, Evora Granite, Dekton, Cosmolite or Obsidiana? Then you can let the material of your kitchen worktop continue in the sink. The sinks will then have the same properties as your kitchen worktop. By the way, you can also make a combination. Then the bottom of the sink is made of stainless steel (-pvd), and the sides are made of stone.



Fenix

Fenix® sinks are made of quartz, acrylic and nanotech particles. This gives them virtually the same beautiful, matte colors like the Fenix kitchen countertops.



Advantages Fenix

- > Heat resistant (boiling water tap possible)
- > Maintenance friendly
- > UV-resistant

Tile sink

The tile sink consists of a steel casing into which the original Winckelmans tiles are glued with a high-quality polymer glue. As a result, our sinks are of high quality and you can simply pour boiling hot water into them. So a boiling water tap is not a problem!



- > Heat resistant (boiling water tap possible)
- > Authentic appearance
- > Various color combinations possible
- > Easy to clean

Quartztec

Quartztec consists of 75% quartz. This makes it hard, and it has a natural appearance. For the remaining 25%, it consists of binders and pigments. In stone, the Quartztec sink is also suitable for flush installation.



Advantages Quartztec

- > Heat resistant (boiling water tap possible)
- > Robust
- > UV-resistant

Fragranite

Fragranite consists of 80% quartz and 20% acrylic resin. Because the material is so hard, the sink remains beautiful for a long time. Due to the special processing, the sink has a subtle optic, and feels warm to the touch. In stone, the Fragranite sink is also suitable for flush installation.



Advantages

- > Heat resistant (boiling water tap possible)
- > Virtually maintenance free
- > UV-resistant
- > Robust
- > Colored through and through

Considerations for all sinks

- > No sink is scratch resistant so be careful with sharp objects.

Fybertec, Tectonite, Fenix and stone are more scratch resistant than the other materials. For the (ceramic-) pvd sinks applies that in case of deep scratches the stainless steel that is under the color can become visible. This is no reason for complaint.

- > Always avoid using paint, chemicals and rusty objects.

In addition, with sinks from Fenix, be careful with hot oils.

- > A nuance difference may occur between the color of the pvd sink, matching faucet and other accessories. This is caused by different production batches and is intensified by light.

Points of attention stone sinks

- > Flat-bottom stone sinks have no slope. As a result, water inevitably remains in one or more corners of the sink. Warn your customer explicitly about this and, if necessary, recommend a version with an envelope or stainless steel bottom.
- > Stone sinks can discolor over time. This process can be accelerated by a boiling water faucet. We therefore recommend choosing a stainless steel base icm a boiling water tap.

ORDERING INFORMATION

general, ordering systems and order changes

General

Orders are processed by order processing. If there are any questions or missing data, we will contact you.

When calculating the price of a countertop, also take into account machining operations, such as making a cutout, and edge finishing. These should be calculated separately. **See example below;**

| Description | number | per pc/m ¹ | € total gross excl. |
|-------------------------------|--------|-----------------------|---------------------|
| Worktop part 120 x 60 cm | 1,2 | 211,00 | 265,00 |
| Worktop part 240 x 60 cm | 2,4 | 211,00 | 530,40 |
| PP-edge finishing | 4,2 | 55,00 | 231,00 |
| Angle Joint nr. 1 | 1 | 69,00 | 69,00 |
| Oblique side | 1 | 83,00 | 83,00 |
| Tap hole in worktop | 1 | 16,50 | 16,50 |
| Cut-out hob 56 x 49 cm | 1 | 31,00 | 31,00 |
| Lanesto DE 913 sink installed | 1 | 457,00 | 457,00 |
| Gross total | | | 1.683,10 |

DigiTops

DigiTops is an online ordering program that takes a lot of work off your hands, saving you time. The system has numerous useful features and is very user-friendly, as it knows all the possibilities but also the limitations of the various materials, such as the maximum dimensions. This prevents mistakes - and all the unpleasant consequences that come with them. You will quickly master the program - even if you have not worked with an online ordering program before. The ordering program is made available to you free of charge by Dekker Zevenhuizen.

Simar, Carat and Compusoft

Did you know that you can also order electronically from Simar, Carat and Compusoft? These are regularly updated with the new products, so you can order hassle-free.

Ordering Procedure


- > Order includes color, dimensions, all recesses (incl. type of sink and/or cooktop plus any diameter), position of dishwasher, front size for recesses, body size for high cabinet connection, location plus type of edge trim and preferably a kitchen drawing
- > Specify delivery to commission address on order incl. desired dates (in case of new construction new address) with daytime phone number (preferably also mobile number)
- > Moulds min. Four weeks, (for Solid Wood at least 5 weeks and Glass at least 6 weeks) before delivery week deliver full size and of solid material (wood), also make mention of this on order form and give date to driver (also see section 'Services and Service'). Always send a drawing and an explanation from your ordering program. If you send both, we will keep the drawing. Always check your order confirmation as well, because it is binding!

Order Confirmations

If you have ordered customized products, you will automatically receive an order confirmation by e-mail. Despite our care in processing your order, it may happen that the order confirmation does not correspond to your order. Therefore, to eliminate the possibility of wrong deliveries, please always check the order confirmation. Should you discover an error in it, please return the confirmation with your corrections stating "change - wrong confirmed!". You will then receive a correct confirmation as soon as possible.

Caution: never resend your original order to Dekker! Otherwise, the products will be ordered for the second time.

Dimensions



| | Greengridz | Plywood Chipboard | Quartz, Cosmolite Obsidiana TopCore Fenix, Corian | Granite Ceramics Dekton Inox | Solid Wood Glass | |
|-------------------|----------------|----------------------|---|---------------------------------------|---------------------|---|
| (A) | 600 mm | | | | | Standard depth |
| (B) | 30 mm | 30 mm | 40 mm | 50 mm | 100 mm | min. distance between cutout and side of the worktop |
| (C) | 440 mm | | | | | max. recess for a sink (incl. flange and with tap hole behind the bowl) |
| (D) | 60 mm | 60 mm | 40 mm | 50 mm | 50 mm | min. distance between cutouts front/back worktop |
| (E) | 50 mm | 40 mm | 50 mm | 50 mm | 50 mm | min. distance between tap hole center and worktop edge |
| (F) | 50 mm | 40 mm | 50 mm | 50 mm | 50 mm | min. distance between tap hole center and recess |
| (G) | 60 mm | 60 mm | 1/3 material 2/3 cutout | | | min. amount of worktop material at column cutout |
| (H) | 500 mm | | | | | max. hob cutout |
| (I) | 60 mm | 60 mm | 50 mm | 50 mm | 80 mm | min. distance between two cutouts |
| (J) | 110 mm | 110 mm | 50 mm | 50 mm | 150 mm | min. distance between recess and corner joint |
| (K) | 900 or 1050 mm | | | | | standard corner dimension |
| (L ¹) | 410 mm | | | | | max. outside dimensions at an angle of 900 x 900 mm |
| (L ²) | 620 mm | | | | | max. outside dimensions at an angle of 1050 x 1050 mm |
| (M) | 60 mm | | | | | min. front size at an angle |
| (R) | 9 mm | 9 mm | 9 mm | 9 mm | 13 mm | min. radius of a recess (never 100% squared due to risk of cracking) |


Dimensions

- > When calculating prices, round up lengths to 100 mm (min. 600 mm)
- > (Standard) size tolerance is 3mm (length, depth, height). For TopLaminate, DecorTop, Fenix09 and Alusplash it is 2mm (length, depth, height)
- > Keep at least 2 mm space between walls and cabinets (due to the possibility of expansion). For Corian at least 3 mm and Solid Wood 5 mm.
- > For intermediate stoves, the burners should be placed at least level with the top of the top. This is to prevent (fire) damage to the top and/or loosening of the edge trim.
- > If a corner or column recess or bevel with edge trim is used in the design of the countertop, the short side should be at least 50 mm.

ORDERING INFORMATION

corner joints and fork joints

Type of joints



× By default, these angles are 90° or 135°, but other angles are also possible. We are happy to customize your angles. Will you provide them to us on your drawing? See the images of the detail corner connection per material.

▲ Angled joint at TopLaminate, DecorTop, Fenix 0.9 and Solid Wood are falling-in.

With TopLaminate, DecorTop and Fenix 0.9 you will receive a installation set for each joint in the worktop, which consist of:

- > 2 coupling bolts with nuts
- > 1 pp strip**
- > 2 adjusting plates, complete with (adjusting) screws**
- > 1 tube of silicone sealant
- > mounting instructions

** Does not come with Greengridz

Detail corner joints



Corner joint detail for Evora Quartz, Cosmolite, Obsidiana, Evora Compact Granite, Evora Ceramics, Dekton and Glass



Detail corner joint on TopLaminate, DecorTop, Fenix 0.9 and Solid Wood



Detail joint angle connection at TopCore, Fenix 10 and Inox




Detail seamless corner joint at Corian.*
Note: despite seamless joint, decor is not continuous.

Fork joints


Fork joints are only possible for TopCore, Fenix10, Evora Quartz, Cosmolite, Obsidiana, Evora Compact Granite, Evora Ceramics and Dekton materials with a surface-mounted cooktop.

- > The fork joint is finished in the same way as the corner joint of the material in question.
- > The fork joint should be worked out/calculated as follows:

Type A.



Type B



2x cutout for Fork-A 1x hob cutout*
+ joint (max 2x 450 mm) + corner joints

We recommend type A because of the risk of breakage during transport/assembly, and also when assembling, make sure there is sufficient support under the joint.

*Hob cut-out for type B is max. 780 x 490 mm with a min. countertop depth of 600 mm. In case of larger hob cut-outs, no reclamations about breakage are possible.

- > For countertops in Glass do not allow fork joint.

* Seamless gluing and machining of Corian only by a qualified fitter of Dekker Zevenhuizen (otherwise no warranty). Please specify when ordering

ORDERING INFORMATION

matching patterns and color differences

Matching patterns

In the trend development of recent years, richer colors and patterns are emerging. The wilder patterns offered to us by nature, reflected in marbles and quartzites, have been seen in recent years in all materials from TopLaminate to ceramics.

Since kitchens often exceed existing top sizes in size and shape, it is important to realize how patterns can fit together and where the limitations are. Not every material, nor every color, lends itself to having a drawing fit across a transition.

TopLaminate, DecorTop, Fenix 09

For wallpanels and a corner joint, any veins, patterns or structures do not run through. This applies to the continuity of veins, strips and patterns from the countertop to the edge strips, wallpanels, sidepanels and joints. Please order countertops with protruding parts in one piece due to the passage of the slats, patterns or structures when using connection bolts!

TopCore, Fenix10 & Evora Quartz, Cosmolite and Obsidiana


Due to the advanced V-groove technique, the pattern of the worktop continues into the edge trim (**Note:** exceptions under heading Edge trim). It is not possible to continue the pattern over wallpanels, sidepanels and coupling joints.


Evora Ceramics, Evora Quartzite and Dekton

With the Evora Ceramics, Evora Quartzite (supplementary) and Dekton material types, there is the option for colors in which veins or patterns can be seen to run through to wallpanels, sidepanels and coupling joints. These are mainly colors where veins or patterns can be seen, think of marble looks. Depending on the color chosen, this can be done in Bookmatch or Veinmatch.



Vein matching - continuous veins


This means that the vein of a countertop part continues into another (connecting) part, wallpanel or sidepanel. For colors with the symbol for continuous veins (), vein matching is possible. Due to the higher risk and higher waste percentage, this finish is charged on. The surcharge for such a solution is €325 net excl. VAT per transition of each top (part), wallpanel and/or sidepanel and can be ordered with article number CER-VEINMATCH for countertops from Evora Ceramics.



example vein matching



Bookmatching - mirrored veins

With some colors from the Evora Ceramics, Evora Quartzite(supplementary) and Dekton program with marble look appearance, there is the unique possibility of countertops, wallpanels and sidepanels with mirrored structure  perform. The colors and patterns available as bookmatch are indicated in this price list. Because special countertop finishes have to be purchased for bookmatch finishes and because there are more costs associated with a bookmatch finish, this finish is charged on. The surcharge for such a solution is €325,- net excl. VAT per transition of each top (part), wallpanels and/or sidepanels and can be ordered with article number CER-BOOKMATCH for worktops from Evora Ceramics.



example bookmatching

Edge trim

- > The pattern of the countertop does not extend into the edge trim on TopLaminate, DecorTop and Fenix09
- > The pattern does continue in the edge trim on TopCore, Fenix10, Evora Quartz, Evora Granite, Cosmolite, Obsidiana, Evora Ceramics and Dekton except for exceptions;
 - > If the total size of the worktop plus edge(s) exceeds the maximum top size
 - > If a corner or column recess or bevel with edge trim is used in the countertop design



Detail of joint.

With patterned or high-contrast top layers of corner tops, color differences may occur when jointed, or due to light and/or print direction of the decor. This is inherent in the material and not a reason for reclamation.

Color Differences

Due to a combination of light incidence and structure, optical color differences may occur between countertop parts at corner joints. For TopLaminate, DecorTop, TopCore this is inherent to the material and no reason for reclamation.

- > For all stone types, including Solid Wood and Glass, please order all countertops at the same time due to differences in color and structure between batches (differences will be kept to a minimum, but some difference is unavoidable, especially with wallpanels); when measuring at a later date, please give us the plus-minus measurements, stating 'reserve'.
- > Reserved material (for skirts) must be ordered within one month of delivery of the countertop. With the exception of Glass, these must be ordered in one order.



Detail possible corner connection: countertop pattern does not run through by default.

There is a chance of color difference between parts in case of post-deliveries or redeliveries. This is not a reason for reclamation.


ORDERING INFORMATION

wallpanels

Rear walls

> BP-saver required with TopLaminate, DecorTop, Fenix 09

BP-saver



| | | | |
|--------------------|--------|-------|--------------|
| 540 x 150 mm (wxh) | 300031 | 44,00 | 53,24 |
| 600 x 150 mm (wxh) | 300030 | 49,00 | 59,29 |
| 900 x 150 mm (wxh) | 300032 | 54,00 | 65,34 |



Glass (4 mm thick) to protect the HPL wallpanel. Equipped with special mounting pins, allowing easy cleaning of the BP-saver. When mounting, keep at least 2 mm space with wallpanel.

Order

> For Inox wallpanels, always specify the brush direction

Assembly


Only attach the wallpanel to a straight, flat, dust- and moisture-free wall using vertical sealant beads for air circulation. Use acid-free adhesive sealant for mounting.

Furthermore, please note the following with the assembly:

- > Do not paste over wallpaper (it may come off)
- > The humidity in the wall should be below 2%
- > Fix/stamp the wallpanels until the sealant has dried (especially for large areas and if there is tension in the wallpanel). But definitely do not slide the wallpanel or lift it over an unprotected worktop!
- > For wallpanels of TopLaminate/ DecorTop/Fenix09, we

- recommend using Hybrifix 302 (definitely not Polymax)
- > If you use a finishing profile between countertop and wallpanel, make sure you seal it properly so that no water gets between the profile and the wallpanel

Dimensions



| | | TopLaminate DecorTop | TopCore Fenix | Quartz, Granite, Ceramics, Dekton, Cosmolite, Obsidiana | Inox Corian | Glass |
|-----|--|-------------------------|---|--|----------------|-------|
| (D) | min.distance between recess and outside top diagonal | 40 mm | 30 mm | 30 mm | 30 mm | 24 mm |
| (S) | min. distance between recess $\varnothing > 50$ mm (socket) and the outside of the top | 40 mm | mutually can against each other. Exterior > 30 mm | 30 mm | 30 mm | 30 mm |
| (T) | min. distance between recesses $\varnothing < 50$ mm and the outside of the top | 40 mm | 30 mm | 30 mm | 12 mm | 12 mm |
| (R) | min. radius of a recess | 9 mm | 4 mm | 8 mm | 6 mm | 6 mm |

sidepanels

Sidepanels

The dimensional tolerances between top, column and cabinets are very critical. We therefore recommend 2 mm per visible side overhang of the top in relation to the column.

Sidepanels under mitigation

In the design of a kitchen, there is the possibility of making the transition between countertop and sidepanel. We recommend choosing the classic (angled) joint, over a miter joint, since a miter joint carries additional risks, such as;

- > Sharp miters are more susceptible to impact damage in transport and during assembly
- > When miters are glued, it is often a rigid joint. By setting the kitchen or sagging
- > of house/floor can become stressed here resulting in damage (see Figure 1).

- > When 'locking' a kitchen between 2 miters, the intermediate dimension must be taken into account. The exact cupboard size must be given, plus 2 mm on each side (due to size tolerance of the material). Both in height and width (see figure 2). If this is not done, the joint will be under tension and lead to breakage or chip damage. All materials expand and contract, which makes a mitre joint between top and base impossible for wood-related products
- > There are additional costs associated with mitred sidepanels. These costs are €600 gross excl. VAT per running meter of edge finishing. **Please note that** both the edge finishing on the countertop and on the sidepanel are charged separately.




Figure 1:

- > rigid joint bonding mitred sidepanels




Figure 2:

- > Enclosed kitchen between mitred sidepanels
- Notice:** intermediate dimension plus 2 mm on each side


* increased chance of breakage on uneven surfaces

ORDERING INFORMATION

support and reinforcement

Work surface support and reinforcement

For designs and versions with free-hanging sections or spans, in many cases additional reinforcement is required to fall within the warranty terms. Below is the maximum overhang, overhang and span for each product group. This usually depends on countertop thickness, material and type of edge trim. The values indicated already include the standard support for the chosen material.



Technical regulations


These regulations are designed to prevent risk of breakage, cracks and the like. The dimensions are determined by practical experience. These regulations cover various aspects, including recesses and free-hanging parts. The technical regulations are linked to the warranty. If the dimensions are outside the regulations, Dekker does not give a warranty on the product concerned. In the situations indicated for overhang, overhang and span, the application of additional support and reinforcement is often necessary. The maximums of this extra reinforcement are indicated with the various materials (up to 3 mm sag falls within the tolerance). If it is still desirable to realize a specific design that falls outside the guaranteed values, the client must provide a sufficiently load-bearing structure to support the overhang or opt for a (steel) frame.

A number of (standard) solutions for this are provided in the Frames chapter. On the kitchen drawing, indicate which part is free-hanging and where the support from the kitchen ends.

Every situation is unique, but as a general rule of thumb, keep in mind that for every free-hanging part, at least 2x as much additional reinforcement should be on the kitchen. If the design shows larger spans or you have another structural issue, contact our sales department.

TopLaminate & Decortop & Fenix 0.9

For free-hanging parts and tops with a span, observe the maximum dimensions below (up to 3 mm sag is within the tolerance). If the distances are greater, additional support (by means of a bar support) is required table leg, (sidepanels) wall or L-profile) necessary. For options, see Frames section.




| countertop thickness (mm) | x = max. (mm): | x = max. (mm): | x = max. (mm): | x = max. (mm): |
|---------------------------|--------------------|-----------------|-----------------|-----------------|
| Greengridz 25 / 32 / 38 | 800 / 1400 / 1500 | 300 / 500 / 500 | 300 / 500 / 500 | 200 / 400 / 400 |
| Greengridz 50 / 60 / 80 | 1600 / 1800 / 1900 | 500 / 600 / 700 | 500 / 600 / 700 | 400 / 500 / 600 |
| Plywood 25 / 32 / 38 | 1200 / 1300 | 400 / 400 | 400 / 400 | 300 / 300 |
| Plywood 50 up to 100 | 1200 | 400 | 400 | 300 |
| Chipboard 32 / 38 | 700 / 800 | 200 / 250 | 200 / 250 | 150 / 200 |

Other materials(except Solid Wood and Glass)

The top section can be reinforced from an edge height of 30 mm (VF03) to minimize sagging (up to 3 mm sagging is within the tolerance) and provide a tight/ neat finish on the underside. The kitchen drawing should indicate which part is free hanging and where the support from the kitchen ends. Every situation is unique, but as a general rule of thumb, keep in mind that for every free-hanging section, at least 2x as much additional reinforcement should be on the kitchen (average calculation factor is 1.7). If the design shows larger spans, a cutout is planned near the free-hanging section,

or some other structural issue arises, contact the sales department.

When a solution is chosen with the application of a frame, it will default to being exposed at the bottom.




| countertop thickness (mm) | x = max. (mm): | x = max. (mm): | x = max. (mm): | x = max. (mm): |
|---------------------------|----------------|----------------|----------------|----------------|
| 30 mm | 800 | 200 | 200 | 200 |
| 40 mm | 1200 | 350 | 350 | 300 |
| 60 mm | 1500 | 400 | 350 | 300 |
| 80 mm | 1800 | 450 | 350 | 300 |
| 100 mm | 1800 | 450 | 350 | 300 |

CAUTION: for 4/10/13/20 mm solid tops and 13-20 mm thickened (VF02/ RV01/V01/V02/F01/F02), this applies should always be fully supported.

- > to prevent a worktop (without an extra glued construction) or thickened worktop from sagging, applying an extra reinforcement is required. For cabinets of 800 mm or larger, we recommend to make use of our support-set.
- > Cooktops with integrated (edge) extraction are often heavier than 20 kg. Use our support set for this. (Flush-mounted) cooktops with a build-in depth of ≥ 5 mm and/or a weight ≥ 20 kg (cooktops with integrated extractor) must be additionally supported from the cabinet in order to be (fully) tension-free.

This separate support set can be ordered under article number DIV-STEUN-GR.



Bottom finish

The underside of a worktop normally lies on top of the kitchen cabinets and is therefore not visible. Therefore, the underside is not finished as a visible side by default. The raw top underside and the construction of and with the undergluing strips is visible.

In some situations, such as a bar area, it may be desirable to finish the underside because it is visible and/or tangible. Depending on material and top thickness, the underside can be finished as an additional treatment :

- > Countertops with raised edge finish can be fully or partially finished at the bottom. This has a standard neutral finish. Please note that the finish does not provide support or reinforcement but is for sight finishing only.
- > For support or additional reinforcement, this must be clearly indicated separately on the order.
- > Solid tops with visible or tangible undersides can be polished in whole or in part. With the exception of Topcore and Fenix 10, as the underside is finished smooth as standard.

ORDERING INFORMATION

frames, solid tops and sinks

Frames

Every frame is unique in its dimensions, finish and design. Make sure you always clearly state the length, width and height dimensions on your request, as well as the desired tube size for the frame and for any legs. For the finish, it is important whether steel or stainless steel should be used and the RAL color of the powder coating.

We would also like to know the following information

- > which countertop (material) will be placed on the frame
- > in what thickness (to determine weight and stability) it should be carried out
- > how the edge finish should be
- > what the overhang to the support frame should be. In connection with the fixation of the countertop, it must be specified which material it consists of.
- > Floor type (smooth, flat tile, cast floor, rough natural stone), support surface, fixing options (check and mention if there is underfloor heating)
- > Should the underside of the legs, or the support surface: be welded shut, fitted with sliding blocks or fitted with regulating feet or fitted with PVC cap (standard black and limited also available in white version)

You will find order forms for this starting on page 18.14. When quoting or ordering, always send both top and frame at the same time so that all the information stays together. These can be sent to export@dznet.nl

Solid countertops


- > 10 to 30 mm countertops must be fully supported
- > check with the cooktop supplier the minimum countertop thickness for the chosen cooktop in connection with the possible use of a drawer under the cooktop.
- > for sinks with drainer; make sure there is enough space above the dishwasher
- > Keep in mind the clamps on flush mount sinks
- > for 4/10/13 mm countertops, sink unit fitting using wooden wedges (due to thickness of material); pay attention to cupboard dimensions; provide sufficient support for the countertop (due to sagging)

Sinks

- > only order from standard range due to extra time (assessment of quality and assembly method, no guaranteed delivery time) and costs (CAD/CAM drawing, test worktops); for exceptions, contact the sales department
- > delivery of sinks not possible
- > always specify the center size of the entire sink unit
- > for sinks with drainer section and other different models also indicate cabinet measurements (otherwise enclose kitchen drawing)
- > the mentioned cabinet width takes into account the space needed for the clamps and the net width of the cabinet. Smaller is possible, but then you might have to remove a piece from the body.
- > in solid wood never place two sinks directly next to each other (choose total unit!)
- > siphons are only supplied as standard with TopLaminate DecorTop and Fenix 09 (not with other tops), and with the exception of Lanesto Lugano 014
- > lanesto sinks include, if specified, the Magna cap (in separate bag with the drain kit). This can optionally be placed over the current plug, but is not removable once installed!
- > installation of surface-mounted sinks not possible (only cut-outs)

Listed front size (or c-size) for flush-mount sinks is the dimension between the front of the countertop and the edge (beginning) of the sink.

For (semi-)undermount sinks, the c-size is the dimension between the front of the countertop and the edge of the recess (the hole in the worktop). The listed sizes are our standard c-dimensions per sink. If you wish to deviate from this, please indicate this clearly on the order.



Stone sinks

Stone sinks form a unique combination with the countertop and are thus very decisive for the atmosphere and appearance of the kitchen. Whether or not it is executed with a bottom of stone or stainless steel, it can also influence the ease of use. Moreover, a stone sink can be fully customized to your needs. With stone sinks, however, keep in mind the following limitations:

- › Stone sinks are not available in all product groups and/or in all types. Please refer to the section on sinks.
- › With the front-mounted sink type (available on request), only the front receives the chosen surface texture. The rest of the sink has a honed, matte surface.
- › With some materials, Dekker uses a minimum internal radius in the corners, so it may not match the sink. The stone sink has angled corners (radius 0), relative to the minimum internal radius of the recess in the top.

Mounting method sinks

- › **TopLaminate, DecorTop and Fenix 0.9:** flush-mounted in plywood and Greengridz, note: not in chipboard (not waterproof). Semi-substructure only in straight plywood, with a minimum top thickness of 25 mm. To the left and right of the sink, 185 mm extra space is required due to the inserted plate. **Attention:** not in Greengridz, chipboard and Fenix 09. Flush-mounted and semi-flush-mounted are delivered assembled and equipped with a space-saving siphon (with the exception of the Lanesto Lugano 014).
- › **TopCore and Fenix 10:** semi-undermount (approx. 3 mm below the top layer), flush installation and complete substructure are delivered assembled

- › **Solid Surface:** with flush-mounted and full-undermount models, the sink is supplied separately. With rimless, the sink is supplied mounted
- › **Solid Wood:** with semi-undermount (approx. 8 mm below the top layer) and full undermount, the sink is supplied separately
- › **Evora Compact Granite and Evora Quartz:** for flush-mounted and underbuild, the sink is supplied separate. For rimless and mitred, the sink is delivered assembled
- › **Obsidiana and Cosmolite:** for flush mount and undermount, the sink will be supplied separately.
- › **Glass:** for flush mount and undermount, the sink is supplied separately. **Caution:** always use acid-free silicone sealant
- › **Evora Ceramics and Dekton:** for flush mount and undermount, the sink is supplied separately. For rimless and mitred, the sink is delivered assembled. The edge of the undermount recess consists of two layers of ceramic material. This is tightly finished, but the seam remains somewhat visible. **Caution:** with undermount, the protruding edge is more impact-sensitive. Damage caused by e.g. bumping pans cannot be claimed. We therefore recommend choosing flush-mounted or TopZero sinks.
- › **Stainless steel:** seamlessly welded in On some sink models, it is necessary to fix the fastening clips on the outside with spot welded connections (visible weld spots on the inside unavoidable). For surface-mounted sinks, see the "accessories" sales book.

DELIVERY AND TRANSPORTATION

orders

Delivery time 4-6 weeks, longer for colors outside the standard collection and in holiday periods. Depending on the size and material, tops, wallpanels and skirting boards are packed in sturdy cardboard or wooden crates

General

- › Installation instructions and maintenance advice are included in the form of a storage card. Warranty conditions can be found on our website.
- › Provide physically suitable lifting aids, proper storage facilities and free walking space upon delivery
- › Delivery to assembly address only on request (arrange transport to basements and/or floors yourself!)
- › Delivery of exceptionally heavy and/or unmanageable countertop parts only on the basis of subsequent calculation
- › Check your order carefully! Once the consignment note has been signed, complaints about any damage to the products will no longer be accepted.

For TopLaminate, DecorTop and Fenix09

Wooden packaging for extra protection is necessary for the following situations. The surcharge for this is € 229.00 gross excl. VAT per order.

- › Worktop with sink: wider than 600 mm and longer than 4000 mm
- › Tops without sink: wider than 900 mm and longer than 4000 mm

Residual material from cut-outs is never supplied with or after. With the exception of Corian; always be sure to keep it with the kitchen.

Please note: Due to the risk of breakage, large cut-outs or long tops may have a part of the cut-out still in the top. Please take this into account, especially if the consumer installs the countertop himself

Other materials

- › For tops of Evora Quartz, Evora Compact Granite, Ceramics, Cosmolite, Obsidiana, Inox and Solid Wood, a maintenance kit is calculated and included as standard.
- › In the case of Inox wallpanels, the subconstruction is delivered separately

Sinks:

After signing the consignment note, damage can no longer be claimed. We only deliver our sinks to the delivery addresses that are linked to your customer number. Sending by post is not possible. It can be sent by courier at an additional cost.

Consignment notes

Because you will be asked to sign for receipt, it is good to check whether each product has actually been delivered. Therefore, please count on delivery whether the number of packages on the consignment notes corresponds to what you receive. You then have five days to check the contents. You can report any incomplete delivery to your contact person at the office.

Is (a part of) a product damaged upon delivery? Do not process and/or install it, otherwise the warranty will expire. In such a case, please contact an inside sales representative.

Pickup address

Sometimes it is possible to pick up the ordered products yourself. Please call an inside sales representative about this in advance. The pickup address is:
Nijverheidscentrum 2, 2761 JP Zevenhuizen, The Netherlands.


DELIVERY DAYS

The Netherlands

- = Monday
- = Tuesday
- = Wednesday
- = Thursday
- = Friday

Belgium

- = Thursday



ASSEMBLY

manuals and mechanics courses

Installation (by your own technician)

Before assembling, we recommend that you clearly scan and read the storage card with QR code provided with your countertop. The top must be transported vertically; if you transport it horizontally, there is an increased risk of breakage. For this reason we advise you not to lift the top after laying it down.

Furthermore, the following points for attention apply:

- › assembly requires (at least) 2 mechanics
- › do not carry blade horizontally (flat) because of risk of breakage
- › level and load-bearing base cabinets
- › adequately support tops; make provisions for top sections that are not fully supported by base cabinets (e.g., angle lines on wall)
- › never place a top under tension, this may cause breakage
- › protect the top with cardboard or a blanket during assembly and with foil during tiling (due to the risk of dents and/or scratches)
- › self-assembly of undermount and flushmount sinks
- › level the sink with shims (do not use putty for this)
- › due to the risk of breakage, part of the cut-out may still be in the top in the case of large cut-outs. You must remove this reinforcement yourself. Please take this into account, especially when the consumer installs the top himself
- › Secure wallpanels only against a straight and level wall (never slide over unprotected worktop)

Material specific concerns

Corian

- › Store the worktop in a room at room temperature (20°C) for (min.) 24 hours. And with a humidity between 40% and 60% (for acclimatisation purposes)
- › work edges with orbital sander to prevent cracking
- › never use torque bolts and do not apply force when joining countertop sections (due to risk of weak spots caused by the mix running out of the seams)
- › do not remove excess adhesive until it is completely dry; if using orbital sander gradually increase grit size from 80 through 120 to 150, finish worktop with sandpaper (180/220 grit) and polish if necessary (Scotch Brite™ from 3M)
- › never screw directly into the countertop; for fastening to base cabinets apply adhesive sealant at points. If a defect is found after installation of the top, please report this in writing to the service department of Dekker. See chapter 21 'Services and service'.

Solid Wood

- › Store the worktop in a room at room temperature (20°C) for (min.) 24 hours. And with a humidity between 40% and 60% (for acclimatisation purposes)
- › Apply point-by-point silicone sealant to fasten the worktop to the base cabinets; screws are also an option, but only to fasten the front side (and work with slotted holes in the depth of the worktop!).
- › oil all cut-outs on the inside
- › Insulate the sides of the hob with heat-protection foil.

Free mechanic courses

Dekker provides one-day courses for your kitchen fitters. There are two courses: 'Worktops general' and 'Stone'. These training courses provide novice and experienced technicians with the tools they need for the correct assembly of kitchen worktops and accessories. Afterwards, they can solve various mounting problems on site and with minimal effort, such as:

- > remedying thickness differences
- > setting of corner joints
- > dent removal of sinks without the risk of long-term rust formation
- > filling pitting composite and tailoring making blemished skirting boards and rear walls
- > removing scratches in a sink
- > installation of siphons

The course also includes a factory tour of the Zevenhuizen

(general) and Alphen a/d Rijn (stone) plants. You can register free of charge with Ingrid Jongeneel, i.jongeneel@dznet.nl. Please mention your company name and the number of participants in your mail.

Assembly manuals

A storage card with QR code is included with all countertop materials upon delivery with a reference to the digital assembly instructions, use and maintenance advice and warranty conditions. You can also find these instructions and recommendations on www.dekkerzevenhuizen.nl/montage.



Worktop Evora Compact Granite Titanium (P)

MAINTENANCE

general

Daily maintenance of your kitchen countertop will ensure that you enjoy it longer. Every material is easy to maintain. Natural materials such as wood and stone do require extra attention.

Our maintenance products make maintaining your worktop even easier. Need to remove stubborn stains? We have put together tips for each material.

Tips

- › Never allow liquids to dry. Do not leave fats or foods on the worktop for an unnecessarily long time.
- › Hot pans can cause a burn. Always use a trivet near hot objects

- › Never cut directly on the kitchen top, always use a cutting board and do not slide hard, rough or sharp objects such as (unglazed) ceramics and ceramic knives across the top.
- › NEVER use aggressive cleaning agents such as paint remover, brush, metal or oven cleaners, chlorine, sink unblockers or other chemicals!
- › Textured kitchen countertops leave more dirt behind. Rinsing well with clean water and rubbing dry ensures that no dirt remains in the textured surface

More information

Want more information on maintaining specific materials, cleaning tips or ordering professional cleaners? Then visit: www.dekkerzevenhuizen.nl/onderhoud

Also check out the maintenance videos of the different materials at www.dekkerzevenhuizen.nl/onderhoud/onderhoudsadvies



MAINTENANCE

TopLaminate, DecorTop, TopCore and Fenix

Daily maintenance

Wipe your worktop daily with a cloth and a clean soapy water from some detergent. Always rinse thoroughly with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper. This will absorb any remaining dirt and any soap and water residues.

Periodic maintenance

To maintain your top you can also use Top Cleaner or cleaning spray from the Fenix maintenance kit, special cleaners that easily remove dirt from the laminate or Fenix and leave a wonderful fresh scent. These products are available in the online shop. Do always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper.

Removing specific stains

Grease, coffee/tea or red wine (shiny or brown spot)

Let the Top Cleaner, Fenix Cleaning Spray or a clean lather of some dish soap soak in for a while until the dirt begins to react. Then treat with a melamine sponge. Moisten it slightly and then squeeze it for enough friction. Always rinse well with lukewarm water and dry your blade with a clean, dry tea towel or kitchen paper.

Lime stains (Dull white or brown spots)

Let the cleaning vinegar work in for a while. Then treat with a melamine sponge. Moisten it slightly and then squeeze it out for sufficient friction. Always rinse thoroughly with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper. Make sure that cleaning vinegar does not come into contact with marble or bluestone.

Ink, paint or nicotine

Remove withdrawn ink, paint, nicotine or felt-tip pen stains with white spirit or turpentine and the melamine sponge. Always rinse well with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper.

Remove stubborn stains

Use a melamine sponge and a lather of some dish soap. For Fenix, just scrub well with a dry melamine sponge. Always rinse well with lukewarm water and dry your top with a

clean, dry tea towel or kitchen paper. Are the stains or circles lessened, but not yet completely gone? Then repeat this process. This treatment is not for the daily maintenance of your kitchen worktop!

Caution: NEVER use hard abrasives such as steel wool, sandpaper or diamond. They can permanently damage the countertop surface!

DecorTop and TopCore

Due to the deeper structure, dirt remains in the pores. This requires more intensive cleaning than with smooth surfaces.

Fenix

Work away superficial scratches with a dry melamine sponge. Friction creates heat. This activates thermal recovery.

Maintenance product

TopLaminate, DecorTop and TopCore

Top Cleaner

article number: 290126

A laminate cleaner for daily maintenance. Easily removes dirt from the laminate. www.dekkerzevenhuizen.com/shop



Fenix 10 & Fenix 0.9

Fenix NTM maintenance set

article number: 290129

This maintenance set contains a cleaning spray, a melamine sponge, a microfibre cloth and cleaning instructions. www.dekkerzevenhuizen.com/shop



MAINTENANCE

Evora Quartz, Cosmolite, Obsidiana,

Daily maintenance

Wipe your top daily with a kitchen towel and a clean soak of some dish soap. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper. This will absorb remaining dirt and any soap and water residue. For optimal results, choose the Evora Care Kit (Art. No. 290132). The Evora Daily Cleaner is for daily maintenance. Spray the Daily cleaner on the top and let it soak for 2-3 minutes. Wipe off with a damp cloth and dry the top with a clean, dry tea towel or kitchen paper.

Periodic maintenance

To easily remove stubborn dirt and signs of use, you can also use Evora Intensive Cleaner, a special cleaner for stone countertops. Apply Intensive Cleaner undiluted or diluted 1:5 with a non-scratching melamine sponge. Leave for 5-10 minutes and wipe off with a damp cloth. Always rinse well with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper.

Does the top have a matte surface (Honed, Velvet or Grain) or a textured surface (Antique, Lapato or Riverwashed)?

With a matte (honed) surface, grease marks and fingerprints are more likely to show up. Wipe your top more often with Daily Cleaner or a clean suds of some dishwashing detergent. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper. This will absorb residual dirt and any soap and water residue even better.

Evora Compact Granite

Granite is always impregnated. This prevents liquids from soaking into the kitchen worktop. By using our Evora Carekit for daily and periodic maintenance, this impregnation layer remains intact during the lifetime of the worktop. If you are in doubt as to whether the protection is still optimal (or has unexpectedly been damaged), test this by placing a drop of water on the kitchen worktop. If it remains a drop, the worktop is still sufficiently protected. If it flows out, please contact the sales department.

Removing specific stains

Grease, coffee/tea or red wine (shiny or brown spots)
Let the Evora Intensive Cleaner or a clean suds of some dish soap soak in for a while until the dirt begins to react. Then treat with a melamine sponge. Moisten it slightly and then squeeze it for enough friction. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper.

Evora Ceramics and Dekton

On a Lux (polished) surface, these stains may be more stubborn. When the stain can not be removed with the cleaner or a soapy water, use what diluted bleach and continue the steps as mentioned above.

Lime stains

 (Dull white or brown spots)

Let the Intensive Cleaner soak in for a while. Then treat with a melamine sponge. Moisten it slightly and squeeze these then out for sufficient friction. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper. For stubborn limescale, use a sanitary cleaner (Art. No. 290131). For Granite, a cleaning vinegar can also be used. Do not let this soak in too long. Be careful here that cleaning vinegar cannot come in contact with marble or hard stone.

Caution: With marble and (Belgian) hard stone NEVER use acidic liquids and aggressive cleaning agents. They damage the surface.

Ink, paint or nicotine

Remove the drawn-in stains of ink, paint, nicotine or felt pen initially with Intensive Cleaner undiluted. Let this take effect for 5 minutes. Then treat with a melamine sponge. Moisten it slightly and then squeeze it for sufficient friction. If this does not give adequate results, you can also use with benzene or turpentine. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper.

Evora Compact Granite, Evora Ceramics and Dekton

Removing stubborn stains

Polished (Lux) finishes

Use an abrasive sponge (with nylon side) and Evora Intensive Cleaner. Wet the sponge so that the Intensive Cleaner is sufficiently diluted and a polished surface cannot damage it.

Other finishes

Use an abrasive sponge (with nylon side) and liquid abrasive. Wet the sponge so that the abrasive is sufficiently diluted and cannot damage the surface. Always treat a larger area when doing this, as intensive use on a small area can lead to a gloss difference. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper. Have the stains, circles or scratches diminished but not completely gone? Then repeat this process. This treatment is not for the daily maintenance of your top!

Caution: NEVER use hard abrasives such as steel wool, sandpaper or diamond. They can permanently damage the blade surface!

Maintenance products

Evora Care Kit

article number: 290132

A cleaner for periodic maintenance. Removes easily dirt and signs of use of the Evora worktop.



Evora Care kit consists of a daily cleaner (500ml) and an intensive cleaner (250ml). In addition, the Evora Daily Cleaner can also be ordered separately (art.no.290133) (500ml). www.dekkerzevenhuizen.nl/shop

Dekker Sanitair cleaner

item number: 290131

Cleaner (500ml) for faucets and other sanitary ware. Cleans all surfaces quickly and streak-free.



www.dekkerzevenhuizen.com/shop

Dekker Melamine Sponge

Item number: 290001

Melamine sponge, easily polishes away stains.

www.dekkerzevenhuizen.nl/shop



MAINTENANCE

Corian, Inox

Corian

Daily maintenance

Wipe your worktop daily with a cloth and a clean soapy water from some detergent. Always rinse thoroughly with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper. This will absorb any remaining dirt and any soap and water residues.

Periodic maintenance

To maintain the original shine of the material, treat it regularly with an abrasive cleaner (Cif) and an abrasive sponge. Always rinse well with lukewarm water and dry the sink with a clean, dry tea towel or kitchen paper.

Removing specific stains

Grease and oil residues (shiny or brown spots)

Grease and oil residues can be removed with a microfiber cloth and some diluted bleach. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper.

Lime stains (dull white or brown spots)

Let the cleaning vinegar settle in for a while. Then treat with a melamine sponge. Moisten it slightly and then squeeze it out for sufficient friction. Always rinse thoroughly with lukewarm water and dry your worktop with kitchen paper. Make sure that cleaning vinegar does not come into contact with marble or bluestone.

Ink, paint or nicotine

Remove ink, paint, nicotine or felt-tip pen stains with benzine or turpentine. Always rinse thoroughly with lukewarm water and dry your worktop with a clean, dry tea towel or kitchen paper.

Removing stubborn stains

Use an abrasive sponge (with nylon side) and liquid abrasive. Wet the sponge so that the abrasive is sufficiently diluted and cannot damage a polished surface. Always treat a larger area when doing this; as intensive use on a small area can lead to a gloss difference. Always rinse well with lukewarm water and dry your top with a clean, dry tea towel or kitchen paper.

If this treatment is not sufficient, you can use fine-grained sandpaper, then polish the top with a scouring pad (Scotch Brite) or with a liquid abrasive with water. This will also remove small nicks and scratches. This treatment is not for the daily maintenance of your top!

Caution: NEVER use harsh abrasives such as steel wool or diamond. They can permanently damage the kitchen countertop surface.

Note: NEVER use aggressive chemicals such as acetone, chlorinated solutions, paint removers and strong acids. In case of spills, remove immediately with plenty of water!

Inox

Daily maintenance

Wipe your top daily with Inox Cleaner (art.no. 290128) or with clean soapy water. Always rinse well with lukewarm water, and dry your blade with a dry, clean fiber cloth. Rinsing and drying is essential; it ensures that remaining dirt and any soap and water residue is absorbed.

Removing specific stains

Grease and oil residue (shiny or brown spots)

Stains (grease, coffee, tea, red wine) can be treated with Inox Cleaner. Allow the cleaner to soak in and then clean your top with a slightly damp cloth or melamine sponge. Rinse with lukewarm water and dry thoroughly again.

Lime stains (dull white or brown spots)

Lime stains can be removed with cleaning vinegar. Rinse well with lukewarm water and dry the top completely. Be careful here with calciferous natural stones such as marble, hard stone, etc.

Ink, paint or nicotine

Ink, paint, nicotine or marker stains can be removed with benzene or turpentine. Rinse with lukewarm water and dry the worktop well.

and Solid Wood

Remove stubborn stains

For more stubborn stains (from e.g. hydrochloric acid, S39, Dunclan, cement and tile cleaner, drain unblocker, silver polish and chlorine) repeat treatment several times. Also, do not use hard abrasives such as steel wool, sandpaper or diamond. This is because they can damage the top surface.

Note: never use harsh cleaners such as paint strippers, brush, metal and oven cleaners, chlorine, sink de-stoppers or other chemicals.

Maintenance product

Inox Cleaner

article number: 290128

Inox cleaner for daily care. Easily removes dirt from the Inox and leaves a wonderful fresh scent after use.

www.dekkerzevenhuizen.com/shop



Solid Wood

Oiling

The kitchen countertop comes with a special maintenance oil, this prevents the wood from drying out and cracking. Therefore, it is important to treat the kitchen worktop with it regularly. The first weeks you will have to do this a little more often and when the kitchen top has its full and saturated look, there can be more time in between.

Keep the following maintenance schedule

- > Directly after installation
- > 2x (with an interval of 2 to 3 hours in between)
- > Day after this: 1x
- > First six weeks: once a week
- > After six weeks: approximately 4 times a year

- > With white wash colors, a special white wash oil is supplied.
- > Use the oil until the desired color is achieved.
- > Oil when the top is dry and dust-free. Because of the drying time and curing period, it is recommended to do it in the evening.
- > The operation of the supplied oil is optimal at a temperature of 22-30 °C and a humidity of 40-60%. >Dry wipes well after oiling due to risk of ignition

Regular oiling is also necessary after assembly. You can test the frequency yourself: If you drop a drop of water on the worktop and it soaks in, it needs to be re-oiled. If the water remains in the form of a globule, re-oiling is not yet necessary

Daily maintenance

Wipe the kitchen countertop daily with a damp cloth or plain soapy water, so most stains won't have a chance to soak in. However, iron (particles), alkalis and acids (such as soap and detergents) will have to be removed from the worktop immediately with plenty of water. However, moisture should not remain on the worktop for too long; therefore, dry your spots thoroughly. Do not use concentrated or abrasive agents and never treat the worktop with steel wool. Be careful with metals such as tin.

Periodic maintenance

To easily remove dirt and signs of use, you can use the special care oil for solid wood. This oil is specially developed for maintaining and treating solid wood countertops. The oil strengthens and protects the wood from dirt and moisture while leaving the wood structure intact. Also, do not use hard abrasives such as steel wool, sandpaper or diamond. This is because they can damage the surface of the top.

Remove stubborn stains

Remove the old oil layer by lightly sanding the kitchen countertop with sandpaper (180-grit paper). Always do this in the direction of the grain! Then clean, dry and dust the kitchen worktop. Depending on the result, repeat this treatment if desired and then treat the kitchen top with the special maintenance oil.

MAINTENANCE

Solid Wood, Glass

Tips

- > Wood reacts to moisture. If you have appliances that emit moisture, apply special moisture-resistant foil between the top and the appliance.
- > Special insulation material is available against heat generated by certain household appliances.

Maintenance product

Maintenance oil

article no. **Natural:** 290075

article no. **White Wash** 290074



www.dekkerzevenhuizen.com/shop

Glass

Daily maintenance

Wipe your blade daily with clean soapy water. Always rinse well with lukewarm water, and dry your top with a dry, clean fiber cloth. Rinsing and drying is essential; it ensures that remaining dirt and any soap and water residue are absorbed.

Removing specific stains

Lime stains (Dull white or brown spots)

Lime stains can be removed with cleaning vinegar. Rinse well with lukewarm water and dry the top completely. Be careful here with calciferous natural stones such as marble, hard stone, etc.

Ink, paint or nicotine

Ink, paint, nicotine or marker stains can be removed with benzene or turpentine. Rinse with lukewarm water and dry the worktop well.

Remove stubborn stains

You can also treat stubborn stains with a melamine sponge. Moisten it slightly and squeeze it well to get enough friction. Be sure to treat a larger area. Intensive use on a small area can lead to a difference in gloss. This treatment is iet for the daily maintenance of your top!

Caution: never use aggressive cleaners such as paint strippers, brush, metal and oven cleaners, chlorine, sink de-stoppers or other chemicals. Also, do not use harsh abrasives such as steel wool, sandpaper or diamond. This is because they can damage the top surface.

AluSplash

Daily maintenance

Wipe your wallpanels daily with a kitchen towel and a clean suds of some dish soap. Always rinse well with lukewarm water and dry your wallpanel with a clean, dry tea towel or kitchen paper

Periodic maintenance

Periodically treat with Vuplex (for high-gloss colors, art. no. 290147) or Matte Max (for Essenza and matte colors, art. no. 290148). This ensures that dirt remains easy to remove and that possible scratches become less visible. Use a microfiber cloth for this purpose.

Remove stubborn stains

Never use harsh cleaners such as baking soda, paint stripper, brush, metal and oven cleaners, chlorine, sink de-stoppers or other chemicals.

Note: NEVER use hard abrasives such as steel wool, sandpaper or diamonds. They can permanently damage the surface.

Caution: do not clean the wallpanel while it is still hot: wait to do so until it has cooled to room temperature.

Matte Maxx t.b.v. Essenza and matte colors.

Item number 290148

Cleaning and maintenance agent. Makes light scratches invisible.

www.dekkerzevenhuizen.com/shop



and AluSplash

Vuplex t.b.v. high gloss colors.
Item number 290147

Cleaning and maintenance agent. Makes
light scratches invisible.

www.dekkerzevenhuizen.com/shop



MAINTENANCE

sinks

MAINTENANCE RECOMMENDATION SINKS

To keep the sink beautiful, proper use and regular cleaning is necessary. Because sinks can be made of different materials, there is appropriate maintenance advice for each. The tips below will help you enjoy your sink for years to come.

Daily maintenance

Wipe down the sink daily with a sponge and some dish soap. Always rinse thoroughly with lukewarm water and dry with a clean, dry tea towel or kitchen paper. This will absorb remaining dirt and any soap and water residue.

Periodic maintenance

Stainless steel and (ceramic) pvd sinks

To remove stains and maintain the shine of the sink even longer, use Inox Care (Art. No. 290125) monthly. Apply a generous amount of the product to a damp soft cloth or sponge, rub the sink well with it, then rinse the unit with water. Then rub the basin dry.

Stone and other materials sinks

For a lasting shine, dissolve any (non-aggressive) detergent in warm water once a week and soak the basin for an hour. Then rinse well and rub the basin dry. Note: Do not use a scouring sponge or harsh detergent that may attack the sealant on stone sinks.

Fybertec sink

(Lanesto Lyse) you can treat it once every 2 months with a mineral oil (art.no. 290146) so that possible scratches and wear spots become less visible and the sink retains its shine. Always rub the entire surface with a soft cloth and allow to dry for 5 minutes. Then remove the excess oil.

Removing specific stains

Lime stains (Dull white and brown spots)

You can remove lime stains with a cleaning vinegar. Let it soak in for 5 minutes and remove the limescale with a melamine sponge (art. no. 290001). Then rinse with water and dry thoroughly. To avoid water/lime stains, wipe the sink dry with a clean cloth after use (especially for colored sinks).

Rust stains

Stainless steel (polished) and pvd sinks cannot rust by themselves. Rusting is always caused by outside influences. Do you see rust spots? Then clean the sink with a wet scouring pad and some liquid abrasive. Rinse with water and rub the bowl dry and do not use the sink for 6 to 10 hours.

Stains in Fybertec® sink (Lanesto Lyse)

In case of stains, mix baking soda (soda) in 3 liters of water and leave for half a day. Rinse the sink with plenty of water and dry with a soft cloth.

Important:

- > Because the sink is used daily, slight surface scratches and dents are inevitable.
- > The sink can be damaged if it is treated too roughly, for example, if cutlery or other heavy objects are placed too hard in the bowl. pvd sinks are subject to scratches, which can reveal the stainless steel underneath the color. This is not a reason for reclamation.
- > It is preferable not to use stainless steel cleaners (except Inox Care). This is because the same coating applied for protection can also stain the surface.
- > Do not use abrasives such as steel wool or a sharp brush, as these products can damage the surface.
- > Acids, rusty items and harsh substances attack the sink and can cause stains, rust spots or small holes in the sink. Examples include chlorine, sink uncloggers, silver polish, paint, dental cleaner, S39, hydrogen peroxide and hydrochloric acid (solutions).
- > It is better not to store chlorine and hydrochloric acid in the sink cabinet; their fumes can act on the material of the sink, as well as on your faucet, water heater, etc. In addition, make sure the bottles you keep in your sink cabinet are tightly closed so that the fumes cannot affect the stainless steel.
- > Be careful with cooking hot oil, frying fat and pans that come directly off the stove. These can damage the tray. Always use a pad.

If an aggressive substance does get into the sink, remove the agent immediately with plenty of water and soapy water. Then use Starglanz Inox Care (Art. No. 290125) to treat the sink. Again, rinse the spot thoroughly with water and rub the tray dry. It is recommended to repeat this treatment several times. Subsequent cleaning usually proves useless; the material is often already affected at that point, so that the stains keep returning.

Note: at pvd sinks with toothpaste, dishwasher cubes and cement residue. These corrode the bowl when not rinsed away immediately.

Inox Care**Item number:290125**

To remove stains and maintain the shine of a stainless steel (polished) sink even longer, use monthly inox care (art.no. 290125).

www.dekkerzevenhuizen.nl/shop

**Mineral oil for Lanesto Lyse Foggy Black****article number: 290146**

With this oil, potential scratches and scuffs will become less visible and the sink will retain its luster. www.dekkerzevenhuizen.nl/shop



warranty and returns

Quick Service

If a countertop is found not to fit during assembly, it is sometimes possible to fix the defect in our factories. Please contact your inside sales representative about the nature of the adjustment.

Adjustment to orders

If an adjustment is not urgent, or if the adjustment is more drastic, proceed as follows:

1. You submit a request to adjust (part of) a worktop. This is possible when you contact the office staff. Your contact person can also give you a cost estimate. You then make an appointment to have the worktop (part of) collected.
2. You will receive a confirmation letter from us. If you return it signed, you will receive a return slip with sticker. You stick the sticker on the item to be adjusted and inform Dekker when you have the goods ready to be picked up. Please make sure that the item is properly packaged to prevent damage during transport.
3. The driver may only take the article with him if the return sticker is attached to the packaging.
4. As soon as we have received the part to be adjusted, you will receive an order confirmation from us with all relevant information.

Please bear in mind: adjusting your order is at your own risk. Dekker Zevenhuizen is not liable for any damage during transport and / or alteration of the worktop.

Urgent orders for accessories

If you need the ordered accessories before your regular delivery day, you can have them mailed to you so that you can have them in your home within 24 hours. You can also have these postal shipments sent directly to your customer. The requirement for postal shipments is that the product can be packed in one of the postal shipping boxes up to a maximum of 800 x 400 x 400 mm and weigh no more than 23 kg. Express deliveries must be placed before 11 a.m. to be delivered the next day.

The handling fee is €15 net excl. VAT You can contact the sales representative for this.

Service

In Chapter 21 you will find several service guides that can help you solve problems. Should the need arise, you can fall back on Dekker's service team. You can request service by emailing export@dznet.nl.

If your complaint is well-founded and the warranty period has not yet expired, wages, materials and call-out costs will not be charged. However, consequential costs, inconvenience costs etc. cannot be reimbursed. If the warranty has already expired or the complaint proves to be unfounded, Dekker will request compensation for wages, materials and call-out costs. You will of course be kept informed of the handling of any problem.

Warranty

On all products in the catalog of Dekker Zevenhuizen warranty is given. The general warranty can be read at www.dekkerzevenhuizen.nl/voorwaarden.

Warranty conditions for custom countertops and sinks can be found at www.dekkerzevenhuizen.nl/garantie. The warranty applies from the week of delivery. You can find that delivery date on your order confirmation or waybill.

In you notice a damage to a custom-made worktop, you can still make a claim up to one week after the delivery week (see order confirmation or consignment note). After this period, the reclamation period expires. For sinks in custom-made worktops, a period of 48 hours after the day of delivery as stated on your order confirmation or consignment note applies.

The warranty is only valid for manufacturing faults, and only if the worktop or accessory has been installed and maintained according to the instructions. Damage caused by faults occurring before or during installation, by (improper) use or by incorrect maintenance will not be reimbursed.

Returns

Dekker Zevenhuizen takes items back:

1. In case of well-founded claims that fall within the stated warranty period and cannot be remedied by the service technician.
2. When Dekker, despite all due care in processing, packaging and transporting your orders, has delivered products that are damaged or do not correspond with the order confirmation.
3. In case of wrongly ordered products. This is always done in consultation with your contact person at the office, and only applies to kitchen accessories in the standard range. The items must have been delivered by Dekker, be in the original, undamaged and undescrbed packaging and still in Dekker's collection.
4. Items must be returned within 5 weeks of purchase date.
5. Items that are special ordered, out of range "and items where a delivery time is stated" cannot be returned.

Important: items no longer in the catalog will not be returned.

The following procedure applies to returns:

1. You fill out the return form when you physically have the product in our warehouse.
2. Please put the return form with the item(s) you wish to return. Returns are collected by default within three weeks of your notice.
3. The driver may return the goods only if the return form is attached.
4. The returned items will be inspected. Crediting follows automatically if the claim is justified. In the event of an unfounded claim, your regular contact person of the sales department will contact you. Once returned articles can unfortunately not be redelivered.

Do you have a service request?

Complete the Service Request form (Chapter 21 or digitally at www.dekkerzevenhuizen.com/portal) and send the completed form to: export@dznet.nl.

SUSTAINABLE

Dekker

DEKKER
SINCE 1930



Sustainability

As a family business, Dekker Zevenhuizen considers sustainability of paramount importance. The care for the environment goes beyond just the products. We also look at our production process, the staff and the environment. That is why Dekker has for years the ISO 9001- and 14001-certificate: the environmental management system that pays structural attention to the environment in the whole business. Moreover, Dekker is affiliated with CSR Netherlands. With the CSR Netherlands manifesto, Dekker endorses that in all business decisions it strives for a careful balance between people, planet and prosperity, and that in the purchase of products and services is strongly focused on social- and environmental aspects.

Corporate Social Responsibility Report

Dekker is among the leaders when it comes to CSR. This was shown in the Corporate Social Responsibility report, verified by MVO-register Nederland. You can request this report at www.dekkerzevenhuizen.nl/duurzaam-dekker or at www.mvo-register.nl

Certification worktops

Our products have various certificates that give you the guarantee of sustainability in the broadest sense of the word.



FSC®-certificate

The Forest Stewardship Council (FSC®) is an international organisation dedicated to the conservation and responsible management of forests worldwide. Only FSC®-certified companies can sell FSC®- products. Dekker Zevenhuizen is certified, and various of our products carry the FSC®-quality mark, such as our solid wood kitchen worktops, MDF for rear walls and Greengridz worktops. You therefore have the certainty that this wood comes from responsibly managed forests.




CARB2

Greengridz meets the highest standards for compounded wood products, as set by the California Air Resources Board (CARB). This means that the emission of formaldehyde is less than 0.08 ppm! This makes Greengridz one of the first board materials to meet the high requirements.



Nordic Swan Ecolabel

Nordic Swan Ecolabel is an environmental label that sets strict environmental requirements in all relevant phases of a product's life cycle. There are also strict requirements for the chemicals used in the products. The Nordic Swan Ecolabel is an eco-label scheme for the Scandinavian countries in particular, but is increasingly in demand in other countries. The aim of the quality mark is to reduce the impact of the production and consumption of goods on the environment.



NSF-certificate

NSF is the world's largest independent public health assessment agency. The body inspects periodically - and unannounced - whether the products meet the standards. The certificate tells you that the worktop material Evora Quartz and Corian are safe in contact with food.



Greenguard

Greenguard is a UL Environment label. The certificate proves that the panel material complies with the strictest guidelines in the field of polluting substances in the indoor environment. In this way they contribute to the creation of a healthy living environment. The worktop material Fenix®, Evora Quartz and Corian are Greenguard certified.

The Greenguard Gold-label ensures that the products are also suitable for environments such as schools and hospitals. The guidelines for the use of chemicals are stricter, and less emissions are allowed. Evora Quartz worktop materials are Greenguard-Gold certified.



AMK

AMK was founded in 1956 and is the trade and service association for the entire kitchen industry. It has more than 140 member companies. They are all well-known manufacturers of kitchen furniture, electrical / built-in appliances, worktops, sinks, accessories and their suppliers, the trade cooperatives for kitchens and service companies in the kitchen industry. The AMK is involved in the field of technology & standardization, marketing & public relations, internationalization and fairs and pursues the following goals:

- > Promoting the demand for individually planned (built-in) kitchens
- > Cross-sector, manufacturer-neutral support and promotion of companies operating in the kitchen industry
- > Definition of the standards of modern kitchens in terms of ergonomics, comfort, energy efficiency, etc.
- > Development of and participation in (international) standards, guidelines and regulations for kitchens to avoid error costs and complaints
- > Standards and guidelines for TopLaminate are defined in MERKBLATT 007 (see www.dekkerzevenhuizen.nl/gegevensbladen).

**TruStone**

Society and the Dutch and Flemish governments expect companies to make efforts for International Corporate Social Responsibility and sustainable supply chain management. In addition, this is laid down in international guidelines and obligations such as the principles of the United Nations for Business and Human Rights, the Guidelines for Multinational Enterprises of the Organization for Economic Co-operation and Development (OECD) and the core labor standards of the International Labor Organization (ILO). The Dutch and Flemish natural stone sector, together with the Dutch and Flemish governments, NGOs and trade unions, have made agreements for a more responsible production and purchase of natural stone. This joint initiative is called 'TruStone Initiative'.

Xertifix

Most of Dekker's natural stone comes from India. In addition to Dekker's own audits of its suppliers, Dekker has a partnership with XertifiX. XertifiX is an NGO dedicated to better working conditions and environmental protection in the Asian stone sector.



Worktop TopCore Sabini

Advantages



Extensive colour collection



Economical choice



Sustainable with Greengridz



Waterproof



Semi-undermount

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Veined pattern. By default, does not continue on transitions in the part of the worktops



Scratches sooner visible (due to the colour and structure combination)



Not available in AMWD (Plywood with water stop)



Differences in light can cause optical colour differences



Design contains knots



Grain direction



Large colour gradient in the worktops. Attention at joints



Decor contains decorative scratches



New colour in the collection

Approvals



Carb2



FSC®-certificate



Nordic Swan Ecolabel (applies only in combination with Greengridz)



AMK

For explanation, see Chapter 1, sustainable.





TOPLAMINATE

Contents:

- 2.3 Color options
- 2.16 Special wallpanel colours

Greengridz

- 2.18 Greengridz water stop
- 2.20 Greengridz straight
- 2.21 Greengridz straight corner joints
- 2.22 Greengridz straight edge finishes
- 2.23 Greengridz straight extra works

Plywood

- 2.24 AMWD 32
- 2.25 AMWD 32 extra works
- 2.26 RM (straight plywood)
- 2.27 RM corner connections
- 2.28 RM edge finishes
- 2.29 RM extra works

Wallpanels

- 2.30 Wallpanels
- 2.31 Wallpanels - extra works and profiles
- 2.32 Greengridz shelves

Sidepanels

- 2.34 Greengridz sidepanels
- 2.37 Plywood sidepanels



Worktop and shelf TopLaminate DE 2395 Athena

| Uni colors | color sample | full panel |
|--|--------------|------------|
| Color: U 11026 TC (U1026 TC) Cristal Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |
| Color: U 16002 MP (U1191 MP) Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |

| Wood repro's | color sample | full panel |
|---|--------------|------------|
| Color: 669 R Willow Max. dimensions: 4000 x 1200 Particularities: | | |
| Color: DE 5901 Nordic Wood Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |
| Color: DE 5902 Cozy Oak Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |
| Color: DE 5977 Roots Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |
| Color: H 1145 ST22 Soft Oak Max. dimensions: 4000 x 1200 5100 x 600 Particularities: | | |

*With Greengridz, the maximum dimensions are 4000/5100 x 1200 mm, depending on the maximum size of the color, see page 2.14
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Wood repro's | color sample | full panel |
|--|--------------|------------|
| Color: H 1146 ST22 Lord Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: H 2032 ST10 Quiet Oak Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: H 3157 ST12 Iroko Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: R 20027 RT (R4262RT) Frame Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: R 20028 RT (R4263RT) Walnut Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: R 20028 RT (R4264RT) Original Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: R 20041 RT (R4289RT) Temper Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |
| Color: R 20061 FG (R4366FG) Dakota Max. dimensions: 4000 x 1200 / 5100 x 600 Particularities: | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Wood repro's | color sample | full panel |
|---|--------------|------------|
| Color: R 20065 FG (R4371FG) Script Max. dimensions: 4000 ↑ 1200 5100 ↑ 600 Particularities: | | |
| Color: R 30021 R (R4896RT) Early Max. dimensions: 4000 ↑ 1200 5100 ↑ 600 Particularities: | | |
| Color: R 30023 MO (R5151MO) Tub Max. dimensions: 4000 ↑ 1200 5100 ↑ 600 Particularities: | | |
| Color: R 37003 FG (R5643FG) Elm Weed Max. dimensions: 4000 ↑ 1200 5100 ↑ 600 Particularities: | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18

Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Stone repro's | color sample | full panel |
|---|--------------|------------|
| <p>Color: 1931 C Mixed Grey</p> <p>Max. dimensions: 4000 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: 2502 F Quirky Grey</p> <p>Max. dimensions: 4000 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: 5026 T Curious</p> <p>Max. dimensions: 4000 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: 5133 S Primeval</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: 5568 P Terra</p> <p>Max. size: 4000 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: 6080 P Marbelous</p> <p>Max. dimensions: 4000 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: DE 2378 Balance</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> | | |
| <p>Color: DE 2380 Wave</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Stone repro's | color sample | full panel |
|--|--------------|------------|
| <p>Color: DE 2381 Statue White</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2382 Statue Black</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE2383 Navona</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2390 Rocky</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2391 Empire Black</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2392 Statue Grey</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2393 Inverno</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2394 Invictus</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Stone repro's | color sample | full panel |
|--|--------------|------------|
| <p>Color: DE 2395 Athena</p> <p>Max. dimensions: 4000 1200 5100 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2611 Terrazzo Classic</p> <p>Max. dimensions: 4000 1200 5100 600</p> | | |
| <p>Color: DE 2613 Subtile</p> <p>Max. dimensions: 4000 1200 5100 600</p> | | |
| <p>Color: DE 2615 Solid</p> <p>Max. dimensions: 4000 1200 5100 600</p> | | |
| <p>Color: DE 2617 Raw Black</p> <p>Max. dimensions: 4000 1200 5100 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2618 Green River</p> <p>Max. dimensions: 4000 1200 5100 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2619 Pirna</p> <p>Max. dimensions: 4000 1200 5100 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2620 Sandy Gravel</p> <p>Max. size: 4000 1200 5100 600</p> <p>Particularities: </p> | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Stone repro's | color sample | full panel |
|---|--------------|------------|
| <p>Color: DE 2621 Flash</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: DE 2800 Cobalt Black</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 094 ST9 Brown Tide</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 095 ST87 Riverstone</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 105 ST15 Marble White</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 121 ST76 Shadow</p> <p>Max. size: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 187 ST76 Industrial</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> | | |
| <p>Color: F 275 ST15 Astro</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Stone repro's | color sample | full panel |
|--|--------------|------------|
| <p>Color: F 628 ST16 Charred Stone</p> <p>Max. size: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 629 ST16 Metallic Black</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> | | |
| <p>Color: F 638 ST16 Move</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> | | |
| <p>Color: F 641 ST16 Gray Wash</p> <p>Max. size: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 76028 BR (R6234BR) Iron Man</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 76037 FG Rust Brown</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: F 812 ST76 Fairy White</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |
| <p>Color: S 60005 VO Minerva</p> <p>Max. dimensions: 4000 x 1200 5100 x 600</p> <p>Particularities: </p> | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.




| Stone repro's | color sample | full panel |
|--|--------------|------------|
| Color: S 61008 TC (6216TC) Brazil Max. dimensions: 4000 1200 5100 600 | | |
| Color: S 62009 FG (R6461FG) Sirocco Max. dimensions: 4000 1200 5100 600 | | |
| Color: S 62010 FG (R6462FG) Mixture Max. dimensions: 4000 1200 5100 600 | | |
| Color: S 68004 VO Atlas Max. dimensions: 4000 1200 5100 600 Particularities: | | |
| Color: S 68013 TC (R6424TC) System Max. dimensions: 4000 1200 5100 600 | | |
| Color: S 68021 VV (R6520VV) Strong Max. dimensions: 4000 1200 5100 600 Particularities: | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Fantasy decors | | color sample | full panel |
|------------------|-------------------------------------|--------------|------------|
| Color: | 2483 V (F329ST15) Pluto | | |
| Max. dimensions: | 4000 x 1200 | | |
| Particularities: | AMVVO | | |
| Color: | DE 2610 Variety | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | F 73010 TC (F7684TC) Fino | | |
| Max. dimensions: | 4000 x 1200 5100 x 600 | | |
| Color: | F 76016 MP (F7654MP) Harvest | | |
| Max. dimensions: | 4000 x 1200 5100 x 600 | | |
| Color: | F 79001 MP (F8340MP) Magnetic | | |
| Max. dimensions: | 4000 x 1200 5100 x 600 | | |
| Particularities: | | | |

*With Greengridz the maximum dimensions are 5100 x 1200 mm, see page 2.18
 Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

#GREENGRIDZ CO² EMISSION COMPARED TO PLYWOOD



| Colour | max. length (mm) | dessin | water stop | details |
|-------------------------------|------------------|---------------|------------|---------|
| 1931 C Mixed Grey | 4000 | Stone repro | no | |
| 2483 V (F329ST15) Pluto | 4000 | Fantasy decor | No | |
| 2502 F Quirky Grey | 4000 | Stone repro | no | |
| 5026 T Curious | 4000 | Stone repro | no | |
| 5133 S Primeval | 5100 | Stone repro | no | |
| 5568 P Terra | 4000 | Stone repro | no | |
| 6080 P Marbelous | 4000 | Stone repro | no | |
| 669 R Willow | 4000 | Wood repro | no | |
| DE 2378 Balance | 5100 | Stone repro | Yes | |
| DE 2380 Wave | 5100 | Stone repro | Yes | |
| DE 2381 Statue White | 5100 | Stone repro | Yes | |
| DE 2382 Statue Black | 5100 | Stone repro | Yes | |
| DE 2383 Navona | 5100 | Stone repro | Yes | |
| DE 2390 Rocky | 5100 | Stone repro | Yes | |
| DE 2391 Empire Black | 5100 | Stone repro | no | |
| DE 2392 Statue Grey | 5100 | Stone repro | Yes | |
| DE 2393 Inverno | 5100 | Stone repro | No | |
| DE 2394 Invictus | 5100 | Stone repro | No | |
| DE 2395 Athena | 5100 | Stone repro | no | |
| DE 2610 Variety | 5100 | Fantasy decor | yes | |
| DE 2611 Terrazzo Classic | 5100 | Stone repro | Yes | |
| DE 2613 Subtile | 5100 | Stone repro | Yes | |
| DE 2615 Solid | 5100 | Stone repro | Yes | |
| DE 2617 Raw Black | 5100 | Stone repro | Yes | |
| DE 2618 Green River | 5100 | Stone repro | No | |
| DE 2619 Pirna | 5100 | Stone repro | no | |
| DE 2620 Sandy Gravel | 5100 | Stone repro | No | |
| DE 2621 Flash | 5100 | Stone repro | no | |
| DE 2800 Cobalt Black | 5100 | Stone repro | Yes | |
| DE 5901 Nordic Wood | 5100 | Wood repro | No | |
| DE 5902 Cozy Oak | 5100 | Wood repro | Yes | |
| DE 5977 Roots | 5100 | Wood repro | no | |
| F 094 ST9 Brown Tide | 5100 | Stone repro | no | |
| F 095 ST87 Riverstone | 5100 | Stone repro | no | |
| F 105 ST15 Marble White | 5100 | Stone repro | Yes | |
| F 121 ST76 Shadow | 5100 | Stone repro | no | |
| F 187 ST76 Industrial | 5100 | Stone repro | Yes | |
| F 275 ST15 Astro | 5100 | Stone repro | Yes | |
| F 628 ST16 Charred Stone | 5100 | Stone repro | no | |
| F 629 ST16 Metallic Black | 5100 | Stone repro | Yes | |
| F 638 ST16 Move | 5100 | Stone repro | Yes | |
| F 641 ST16 Gray Wash | 5100 | Stone repro | no | |
| F 73010 TC (F7684TC) Fino | 5100 | Fantasy decor | yes | |
| F 76016 MP (F7654MP) Harvest | 5100 | Fantasy decor | yes | |
| F 76028 BR (R6234BR) Iron Man | 5100 | Stone repro | Yes | |
| F 76037 FG Rust Brown | 5100 | Stone repro | no | |
| F 79001 MP (F8340MP) Magnetic | 5100 | Fantasy decor | yes | |
| F 812 ST76 Fairy White | 5100 | Stone repro | No | |
| H 1145 ST22 Soft Oak | 5100 | Wood repro | No | |
| H 1146 ST22 Lord | 5100 | Wood repro | Yes | |


| Colour | max. length (mm) | dessin | water stop | details |
|-------------------------------|------------------|-------------|------------|---------|
| H 2032 ST10 Quiet Oak | 5100 | Wood repro | No | |
| H 3157 ST12 Iroko | 5100 | Wood repro | No | |
| R 20027 RT (R4262RT) Frame | 5100 | Wood repro | Yes | |
| R 20028 RT (R4263RT) Walnut | 5100 | Wood repro | no | |
| R 20029 RT (R4264RT) Original | 5100 | Wood repro | Yes | |
| R 20041 RT (R4289RT) Temper | 5100 | Wood repro | No | |
| R 20061 FG (R4366FG) Dakota | 5100 | Wood repro | Yes | |
| R 20065 FG (R4371FG) Script | 5100 | Wood repro | No | |
| R 30021 RT (R4896RT) Early | 5100 | Wood repro | Yes | |
| R 30023 MO (R5151MO) Tub | 5100 | Wood repro | Yes | |
| R 37003 FG (R5643FG) Elm Weed | 5100 | Wood repro | Yes | |
| S 60005 VO Minerva | 5100 | Stone repro | No | |
| S 61008 TC (R6216TC) Brasilia | 5100 | Stone repro | Yes | |
| S 62009 FG (R6461FG) Sirocco | 5100 | Stone repro | Yes | |
| S 62010 FG (R6462FG) Mixture | 5100 | Stone repro | Yes | |
| S 68004 VO Atlas | 5100 | Stone repro | no | |
| S 68013 TC (R6424TC) System | 5100 | Stone repro | Yes | |
| S 68021 VV (R6520VV) Strong | 5100 | Stone repro | Yes | |
| U 11026 TC (U1026TC) Cristal | 5100 | Unicolor | No | |
| U 16002 MP (U1191MP) Congo | 5100 | Unicolor | No | |

Explanation icons

- Scratches sooner visible (due to the colour and structure combination)
- Not available in AMWD (Plywood with water stop)
- Differences in light can cause optical colour differences
- Design contains knots
- Veined pattern. Does not run through at transitions of worktop. It does in the edge finishing
- Grain direction
- Decor contains decorative scratches
- New colour in the collection
- Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.

Discontinued colors 2024 (available while stock last)

- 3243-60 Groove
- DE 2612 Terrazzo Grey
- H 3766 ST22 Wenge
- M 9510 SM Brushed Argentum (rear wall color)



Detail possible corner connection.

Please note that due to a combination of light and texture, optical colour differences may occur between the worktop sections at corner joints.



Detail possible corner connection: worktop drawing does not run through by default.

Colours outside the standard collection

In addition to the colours in the colour overview, Dekker Zevenhuizen can often also supply other colours that are common in the market. These non-standard colours are available in all versions. Inquire with the office staff about the availability of the colour (for additional costs per set-up, see "extra works"). Note: These colours have not been tested by Dekker for scratch and stain sensitivity, especially with matte colours this can be a problem. No reclamation is possible on this.

Worktops with colours outside the standard collection are ordered per commission. Cancellation is not possible. Delivery time will be two weeks longer.

For product information about TopLaminate such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Easy | | color sample | full panel |
|------------------|----------------------------------|--------------|------------|
| Color: | DE 1400 Sparkle Gold | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | DE 1401 Sparkle Copper | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | DE 1402 Sparkle Brown | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | DE 9400 Cool Metal | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | DE 9401 Graphic Silver | | |
| Max. dimensions: | 4000 x 1200 | | |
| Color: | DE 9402 Warm Metal | | |
| Max. dimensions: | 4000 x 1200 | | |

Special wallpanel colours are sensitive to scratches (no guarantee!). They cannot postformed and are only suitable for wallpanels. Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.


| Classic | color sample | full panel |
|--|--------------|------------|
| Color: M 9610 SM Brushed Mirror Max. dimensions: 4000 x 1200 Particularities: | | |

Special wallpanel colours are sensitive to scratches (no guarantee!). They cannot be bent and are only suitable for wallpanels. Although the pictures in this chapter give you a good impression of our colors, there might be slight differences in reality. Therefore, we recommend to always consult your samples.



Worktop TopLaminate DE 2621 Flash

GPWKKR 32 order no. excl. VAT incl. VAT



| | | | | |
|----------------------------|--------------------|------------|--------|---------------|
| worktops up to 600mm deep | per m ¹ | GPWKKR-060 | 229,00 | 277,09 |
| worktops up to 750 mm deep | per m ¹ | GPWKKR-075 | 322,00 | 389,62 |
| worktops up to 900mm deep | per m ¹ | GPWKKR-090 | 328,00 | 396,88 |
| worktops up to 1200mm deep | per m ¹ | GPWKKR-120 | 395,00 | 477,95 |

The maximum length of Greengridz with water stop is 5100 mm

Available in the colors listed below









32 mm Greengridz with water stop

Corner connections

| | | | | | |
|---|--|----------|-------------|--------|---------------|
| Corner connection 1 (angle connection) | | per unit | GPWKKR-HV1 | 69,00 | 83,49 |
| Corner connection 2 (mitre coupling) | | per unit | GPWKKR-HV2 | 90,00 | 108,90 |
| Corner connection 3 (angled section with mitre joint) | | per unit | GPWKKR-HV3 | 475,00 | 574,75 |
| Corner connection 3a (slanted corner part with angled coupling) | | per unit | GPWKKR-HV3A | 517,00 | 625,57 |
| Corner connection 4 (full angle section with mitre joint) | | per unit | GPWKKR-HV4 | 742,00 | 897,82 |
| Corner connection 4a (full angle section with mitre joint) | | per unit | GPWKKR-HV4A | 742,00 | 897,82 |

Color Overview GPWKKR 32

| | | | |
|--------------------------|---------------------------|-------------------------------|-------------------------------|
| DE 2378 Balance | DE 2613 Subtile | F 638 ST16 Move | R 30021 RT (R4896RT) Early |
| DE 2380 Wave | DE 2615 Solid | F 73010 TC (F7684TC) Fino | R 30023 MO (R5151MO) Tub |
| DE 2381 Statue White | DE 2617 Raw Black | F 76016 MP (F7654MP) Harvest | R 37003 FG (R5643FG) Elm Weed |
| DE 2382 Statue Black | DE 2800 Cobalt Black | F 76028 BR (R6234BR) Iron Man | S 61008 TC (R6216TC) Brasilia |
| DE 2383 Navona | DE 5902 Cozy Oak | F 79001 MP (F8340MP) Magnetic | S 62009 FG (R6461FG) Sirocco |
| DE 2390 Rocky | F 105 ST15 Marble White | H 1146 ST22 Lord | S 62010 FG (R6462FG) Mixture |
| DE 2392 Statue Grey | F 187 ST76 Industrial | R 20027 RT (R4262RT) Frame | S 68013 TC (R6424TC) System |
| DE 2610 Variety | F 275 ST15 Astro | R 20029 RT (R4264RT) Original | S 68021 VV (R6520VV) Strong |
| DE 2611 Terrazzo Classic | F 629 ST16 Metallic Black | R 20061 FG (R4366FG) Dakota | |

| Different versions | | order no. | excl. VAT | incl. VAT |
|---|--|-----------------|-----------|---------------|
| Colors outside GPWKKR collection, though in standard collection | (surcharge per setup) per unit | GPWKKR-KBCTOES | 152,00 | 183,92 |
| Colours outside the collection (cancelling is not possible) | (surcharge per setup) per unit | HPL-KBCTOES | 368,00 | 445,28 |
| *colours outside the collection always on request! | | | | |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| Finishes | | | | |
| Cover end of GPWKKR 32 with ABS/PP in the color of the top | per m ¹ | GPWKKR-ABS-KOP | free | free |
| Separate masking strip (HPL) for end edge GPWKKR 32 | per m ¹ | GPWKKR-A-LOS | free | free |
| Rear GPWKKR 32 masking with ABS/PP in the color of the top | per m ¹ | GPWKKR-ABS-ACHT | 55,00 | 66,55 |
| Bonded water stop GPWKKR 32 | per m ¹ | GPWKKR-WKA-ZA | 229,00 | 277,09 |
| Cut outs | | | | |
| Cut-out for built-on hob or built-on sink |  per unit | GPWKKR-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) |  per unit | GPWKKR-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) |  per unit | GPWKKR-KRG035 | 25,50 | 30,86 |
| Extra works | | | | |
| Oblique side (with edge trim from 50 x 50 mm) |  per unit | GPWKKR-S-ABS | 83,00 | 100,43 |
| Rounded corner, taped with ABS/PP (radius min. 100 mm) |  per unit | GPWKKR-R-ABS | 104,00 | 125,84 |
| Double- or triple cut-out without edge finishing |  per unit | GPWKKR-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) |  per unit | GPWKKR-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) |  per unit | GPWKKR-KOL3-A | 108,00 | 130,68 |
| Calculate width cutting of tops (only for GPWKKR 32) | per unit | GPWKKR-BRZ | 25,50 | 30,86 |

Always calculate the extra works and edging finishings separately!

2

Green-
gridz

| GPR 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|---------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ GPR25SPE-025 | 146,00 | 176,66 |
| | worktops up to | 600mm deep | per m ¹ GPR25SPE-060 | 178,00 | 215,38 |
| | worktops up to | 650mm deep | per m ¹ GPR25SPE-065 | 201,00 | 243,21 |
| | worktops up to | 750 mm deep | per m ¹ GPR25SPE-075 | 236,00 | 285,56 |
| | worktops up to | 900mm deep | per m ¹ GPR25SPE-090 | 251,00 | 303,71 |
| | worktops up to | 1200mm deep | per m ¹ GPR25SPE-120 | 317,00 | 383,57 |


24 mm Greengridz without edge trim

The maximum length of GPR 25 is 5100 mm

| GPR 32 | | | | | |
|---|----------------|-------------|---------------------------------|--------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ GPR32SPE-025 | 149,00 | 180,29 |
| | worktops up to | 600mm deep | per m ¹ GPR32SPE-060 | 179,00 | 216,59 |
| | worktops up to | 650mm deep | per m ¹ GPR32SPE-065 | 202,00 | 244,42 |
| | worktops up to | 750 mm deep | per m ¹ GPR32SPE-075 | 241,00 | 291,61 |
| | worktops up to | 900mm deep | per m ¹ GPR32SPE-090 | 254,00 | 307,34 |
| | worktops up to | 1200mm deep | per m ¹ GPR32SPE-120 | 320,00 | 387,20 |

32 mm Greengridz without edge trim

The maximum length of GPR 32 is 5100 mm

| GPR 38 | | | | | |
|---|----------------|-------------|---------------------------------|--------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ GPR38SPE-025 | 187,00 | 226,27 |
| | worktops up to | 600mm deep | per m ¹ GPR38SPE-060 | 221,00 | 267,41 |
| | worktops up to | 650mm deep | per m ¹ GPR38SPE-065 | 244,00 | 295,24 |
| | worktops up to | 750 mm deep | per m ¹ GPR38SPE-075 | 292,00 | 353,32 |
| | worktops up to | 900mm deep | per m ¹ GPR38SPE-090 | 312,00 | 377,52 |
| | worktops up to | 1200mm deep | per m ¹ GPR38SPE-120 | 392,00 | 474,32 |

38 mm Greengridz without edge trim

The maximum length of GPR 38 is 5100 mm

| GPR 50 | | | | | |
|---|----------------|-------------|---------------------------------|--------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ GPR50SPE-025 | 187,00 | 226,27 |
| | worktops up to | 600mm deep | per m ¹ GPR50SPE-060 | 221,00 | 267,41 |
| | worktops up to | 650mm deep | per m ¹ GPR50SPE-065 | 244,00 | 295,24 |
| | worktops up to | 750 mm deep | per m ¹ GPR50SPE-075 | 292,00 | 353,32 |
| | worktops up to | 900mm deep | per m ¹ GPR50SPE-090 | 312,00 | 377,52 |
| | worktops up to | 1200mm deep | per m ¹ GPR50SPE-120 | 392,00 | 474,32 |

50 mm Greengridz without edge trim

The maximum length of GPR 50 is 5100 mm

| GPR 60 | | | | | |
|---|----------------|-------------|---------------------------------|--------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ GPR60SPE-025 | 187,00 | 226,27 |
| | worktops up to | 600mm deep | per m ¹ GPR60SPE-060 | 221,00 | 267,41 |
| | worktops up to | 650mm deep | per m ¹ GPR60SPE-065 | 244,00 | 295,24 |
| | worktops up to | 750 mm deep | per m ¹ GPR60SPE-075 | 292,00 | 353,32 |
| | worktops up to | 900mm deep | per m ¹ GPR60SPE-090 | 312,00 | 377,52 |
| | worktops up to | 1200mm deep | per m ¹ GPR60SPE-120 | 392,00 | 474,32 |

58 mm Greengridz without edge finish

The maximum length of GPR 60 is 5100 mm

| GPR 80 | | order no. | excl. VAT | incl. VAT |
|--------|----------------------------|---------------------------------|-----------|---------------|
| | worktops up to 250 mm deep | per m ¹ GPR80SPE-025 | 187,00 | 226,27 |
| | worktops up to 600mm deep | per m ¹ GPR80SPE-060 | 221,00 | 267,41 |
| | worktops up to 650mm deep | per m ¹ GPR80SPE-065 | 244,00 | 295,24 |
| | worktops up to 750 mm deep | per m ¹ GPR80SPE-075 | 292,00 | 353,32 |
| | worktops up to 900mm deep | per m ¹ GPR80SPE-090 | 312,00 | 377,52 |
| | worktops up to 1200mm deep | per m ¹ GPR80SPE-120 | 392,00 | 474,32 |

77mm Greengridz without edge trim

The maximum length of GPR 80 is 4000 mm

| Corner connections | | | | | | |
|----------------------|--|--|----------|---------------|--------|---------------|
| Corner connection 1 | (angle connection) | | per unit | GPRxxSPE-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) | | per unit | GPRxxSPE-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) | | per unit | GPRxxSPE-HV3 | 468,00 | 566,28 |
| Corner connection 3a | (slanted corner part with angled coupling) | | per unit | GPRxxSPE-HV3A | 522,00 | 631,62 |
| Corner connection 4 | (full angle section with mitre joint) | | per unit | GPRxxSPE-HV4 | 701,00 | 848,21 |
| Corner connection 4a | (full angle section with mitre joint) | | per unit | GPRxxSPE-HV4A | 701,00 | 848,21 |









Complete with mounting kit




Worktop TopLaminate F 095 ST87 Riverstone

2

Green-gridz








| Edge finish ABS/PP | | order no. | excl. VAT | incl. VAT |
|---|--------------|--|---------------------|---------------|
|   | ABS/PP 25 mm |  per m ¹ | GPR25SPE-ABS 55,00 | 66,55 |
| | ABS/PP 32 mm |  per m ¹ | GPR32SPE-ABS 55,00 | 66,55 |
| | ABS/PP 38 mm |  per m ¹ | GPR38SPE-ABS 55,00 | 66,55 |
| | ABS/PP 50 mm |  per m ¹ | GPR50SPE-ABS 107,00 | 129,47 |
| | ABS/PP 60 mm |  per m ¹ | GPR60SPE-ABS 124,00 | 150,04 |
| | ABS/PP 80 mm |  per m ¹ | GPR80SPE-ABS 161,00 | 194,81 |



2 mm ABS/PP-edge finishing 50 to 80 mm high including facet




ABS = PP

What is called ABS is actually PP. PP stands for polypropylene, a material that is more environmentally friendly than ABS. In addition, it is more resistant to heat and chemicals, and does not get yellow. Other than that, there are no differences: PP looks like ABS and is simply available in all the laminate colors in the collection. If you choose a front of ABS/PP, all other sides will be finished with it.

| Edge chiseled | | | | |
|---|------------|---|----------------------|---------------|
|   | PPFR 25 mm |  per m ¹ | GPR25SPE-PPFR 97,00 | 117,37 |
| | PPFR 32 mm |  per m ¹ | GPR32SPE-PPFR 97,00 | 117,37 |
| | PPFR 38 mm |  per m ¹ | GPR38SPE-PPFR 97,00 | 117,37 |
| | PPFR 50 mm |  per m ¹ | GPR50SPE-PPFR 144,00 | 174,24 |
| | PPFR 60 mm |  per m ¹ | GPR60SPE-PPFR 165,00 | 199,65 |



2 mm PPFR edge 50 and 60 mm high with facet

| Edge finishing Aluminum | | | | |
|---|-----------|--|--------------------|--------------|
|   | ALF 38 mm |  per m ¹ | GPR38SPE-ALF 76,00 | 91,96 |

3 mm aluminum edge finishing 38 mm high including facet


| Different versions | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|-----------------|-----------|---------------|
| Colours outside the collection (cancelling is not possible) | (surcharge per setup) | per unit | HPL-KBCTOES | 368,00 | 445,28 |
| Bottom side in the same color of the worktop | (min. 0,2 m ²) | per m ² | GPRxxSPE-A-ONDK | 107,00 | 129,47 |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| Finishes | | | | | |
| Seperate edge strip (HPL) to use for the sides up to 38 mm high | | per m ¹ | GPRxxSPE-A-LOS | 7,00 | 8,47 |
| Seperate edge stripe (HPL) for ends 50 to 80 mm | | per m ¹ | GPRxxSPE-A-LOSx | 21,00 | 25,41 |
| Cut outs | | | | | |
| Cut-out for built-on hob or built-on sink | | per unit | GPRxxSPE-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) | | per unit | GPRxxSPE-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) | | per unit | GPRxxSPE-KRG035 | 25,50 | 30,86 |
| Extra works | | | | | |
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | GPRxxSPE-SCH | 83,00 | 100,43 |
| Rounded corner up to 38 mm high (radius min. 50 mm)* | | per unit | GPRxxSPE-R-ABS | 104,00 | 125,84 |
| Rounded corner 50 to 80 mm high (radius min. 70 mm)* | | per unit | GPRxxSPE-R-ABSx | 130,00 | 157,30 |
| Inner rounding up to 38 mm high (radius min. 70 mm)* | | per unit | GPRxxSPE-BR-ABS | 130,00 | 157,30 |
| Inner rounding 50 up to 80 mm high (radius min. 100 mm)* | | per unit | GPRXXSPE-BRABSX | 142,00 | 171,82 |
| Double- or triple cut-out without edge finishing | | per unit | GPRxxSPE-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | GPRxxSPE-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | GPRxxSPE-KOL3-A | 108,00 | 130,68 |

Always calculate the extra works and edging finishings separately!
*not possible with an ALF-edge finishing

2

ply-wood

AMWD 32



| | | | order no. | excl. VAT | incl. VAT |
|----------------|-------------|--------------------|-------------|-----------|---------------|
| worktops up to | 600mm deep | per m ¹ | AMWD-RH-060 | 257,00 | 310,97 |
| worktops up to | 750 mm deep | per m ¹ | AMWD-RH-075 | 362,00 | 438,02 |
| worktops up to | 900mm deep | per m ¹ | AMWD-RH-090 | 370,00 | 447,70 |
| worktops up to | 1200mm deep | per m ¹ | AMWD-RH-120 | 448,00 | 542,08 |

The maximum length of worktop up to 600 mm deep is 5100 mm
The maximum length of worktop up to 750, 900 and 1200 mm is 4000 mm


32 mm plywood with water stop Available in the colors listed below

Corner connections

| | | | | | | |
|----------------------|--|--|----------|--------------|--------|-----------------|
| Corner connection 1 | (angle connection) | | per unit | AMWD-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) | | per unit | AMWD-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) | | per unit | AMWD-RH-HV3 | 536,00 | 648,56 |
| Corner connection 3a | (slanted corner part with angled coupling) | | per unit | AMWD-RH-HV3A | 580,00 | 701,80 |
| Corner connection 4 | (full angle section with mitre joint) | | per unit | AMWD-RH-HV4 | 837,00 | 1.012,77 |
| Corner connection 4a | (full angle section with mitre joint) | | per unit | AMWD-RH-HV4A | 837,00 | 1.012,77 |

Complete with mounting kit

AMWD 32, standard sizes (no extra works possible)



| | | | | |
|----------------------------|-------|---------------|--------|---------------|
| Dimensions ± 2500 x 600 mm | each* | ST-AMWD250060 | 413,00 | 499,73 |
| Dimensions ± 4000 x 600 mm | each* | ST-AMWD400060 | 606,00 | 733,26 |

* is calculated and confirmed per m¹

- > - Packed in cardboard incl. two edge strips.
- > colours according to collection, see below
- > colours outside collection not possible
- > size tolerance 50 mm
- > the ends are not sawn clean

32 mm plywood with water stop

Attention: different price group

Color overview AMWD 32


| | | | |
|--------------------------|---------------------------|-------------------------------|-------------------------------|
| DE 2378 Balance | DE 2613 Subtile | F 638 ST16 Move | R 30021 RT (R4896RT) Early |
| DE 2380 Wave | DE 2615 Solid | F 73010 TC (F7684TC) Fino | R 30023 MO (R5151MO) Tub |
| DE 2381 Statue White | DE 2617 Raw Black | F 76016 MP (F7654MP) Harvest | R 37003 FG (R5643FG) Elm Weed |
| DE 2382 Statue Black | DE 2800 Cobalt Black | F 76028 BR (R6234BR) Iron Man | S 61008 TC (R6216TC) Brasilia |
| DE 2383 Navona | DE 5902 Cozy Oak | F 79001 MP (F8340MP) Magnetic | S 62009 FG (R6461FG) Sirocco |
| DE 2390 Rocky | F 105 ST15 Marble White | H 1146 ST22 Lord | S 62010 FG (R6462FG) Mixture |
| DE 2392 Statue Grey | F 187 ST76 Industrial | R 20027 RT (R4262RT) Frame | S 68013 TC (R6424TC) System |
| DE 2610 Variety | F 275 ST15 Astro | R 20029 RT (R4264RT) Original | S 68021 VV (R6520VV) Strong |
| DE 2611 Terrazzo Classic | F 629 ST16 Metallic Black | R 20061 FG (R4366FG) Dakota | |

| Different versions | | order no. | excl. VAT | incl. VAT | |
|---|-----------------------|--------------------|---------------|-----------|---------------|
| Colors outside AMWD collection, but in standard collection | (surcharge per setup) | per unit | AMWD-KBCTOES | 152,00 | 183,92 |
| Colours outside the collection (cancelling is not possible) | (surcharge per setup) | per unit | HPL-KBCTOES | 368,00 | 445,28 |
| *colours outside the collection always on request! | | | | | |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| Finishes | | | | | |
| Mask off end of AMWD 32 with ABS/PP in the colour of the worktop | | per m ¹ | AMWD-ABS-KOP | free | free |
| Separate edge strip (HPL) for end side AMWD 32 | | per m ¹ | AMWD-A-LOS | free | free |
| Edge strip back side AMWD 32 with ABS/PP in the colour of the worktop | | per m ¹ | AMWD-ABS-ACHT | 55,00 | 66,55 |
| Glued water stop AMWD 32 | | per m ¹ | AMWD-WKA-ZA | 257,00 | 310,97 |
| Cut outs | | | | | |
| Cut-out for built-on hob or built-on sink | | per unit | AMWD-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) | | per unit | AMWD-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) | | per unit | AMWD-KRG035 | 25,50 | 30,86 |
| Extra works | | | | | |
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | AMWD-S-ABS | 83,00 | 100,43 |
| Rounded corner, taped with ABS/PP (radius min. 100 mm) | | per unit | AMWD-R-ABS | 104,00 | 125,84 |
| Double- or triple cut-out without edge finishing | | per unit | AMWD-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | AMWD-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | AMWD-KOL3-A | 108,00 | 130,68 |
| Saw worktop in the depth | | per unit | AMWD-BRZ | 25,50 | 30,86 |

Always calculate the extra works and edging finishings separately!


2

ply-wood

| RM 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|-------------|-----------|---------------|
|  | worktops up to 250 mm deep | per m ¹ | RM25SPE-025 | 161,00 | 194,81 |
| | worktops up to 600mm deep | per m ¹ | RM25SPE-060 | 192,00 | 232,32 |
| | worktops up to 650mm deep | per m ¹ | RM25SPE-065 | 217,00 | 262,57 |
| | worktops up to 750 mm deep | per m ¹ | RM25SPE-075 | 256,00 | 309,76 |
| | worktops up to 900mm deep | per m ¹ | RM25SPE-090 | 271,00 | 327,91 |
| | worktops up to 1200mm deep | per m ¹ | RM25SPE-120 | 339,00 | 410,19 |


25 mm plywood without edge finishing

The maximum length of worktop up to 600 mm wide is 5100 mm
For the other widths the maximum length is 4000 mm

| RM 32 | | | | | |
|---|----------------------------|--------------------|-------------|--------|---------------|
|  | worktops up to 250 mm deep | per m ¹ | RM32SPE-025 | 169,00 | 204,49 |
| | worktops up to 600mm deep | per m ¹ | RM32SPE-060 | 202,00 | 244,42 |
| | worktops up to 650mm deep | per m ¹ | RM32SPE-065 | 228,00 | 275,88 |
| | worktops up to 750 mm deep | per m ¹ | RM32SPE-075 | 274,00 | 331,54 |
| | worktops up to 900mm deep | per m ¹ | RM32SPE-090 | 287,00 | 347,27 |
| | worktops up to 1200mm deep | per m ¹ | RM32SPE-120 | 362,00 | 438,02 |


32 mm plywood without edge finishing

The maximum length of worktop up to 600 mm wide is 5100 mm
For the other widths the maximum length is 4000 mm

| RM 38 | | | | | |
|---|----------------------------|--------------------|-------------|--------|---------------|
|  | worktops up to 250 mm deep | per m ¹ | RM38SPE-025 | 210,00 | 254,10 |
| | worktops up to 600mm deep | per m ¹ | RM38SPE-060 | 250,00 | 302,50 |
| | worktops up to 650mm deep | per m ¹ | RM38SPE-065 | 277,00 | 335,17 |
| | worktops up to 750 mm deep | per m ¹ | RM38SPE-075 | 333,00 | 402,93 |
| | worktops up to 900mm deep | per m ¹ | RM38SPE-090 | 350,00 | 423,50 |
| | worktops up to 1200mm deep | per m ¹ | RM38SPE-120 | 445,00 | 538,45 |

38 mm plywood without edge finishing

The maximum length of worktop up to 600 mm wide is 5100 mm
For the other widths the maximum length is 4000 mm

| RM 50, 62, 80 and 98 | | | | | |
|---|----------------------------|--------------------|-------------|--------|---------------|
|  | worktops up to 250 mm deep | per m ¹ | RMxxSPE-025 | 210,00 | 254,10 |
| | worktops up to 600mm deep | per m ¹ | RMxxSPE-060 | 250,00 | 302,50 |
| | worktops up to 650mm deep | per m ¹ | RMxxSPE-065 | 277,00 | 335,17 |
| | worktops up to 750 mm deep | per m ¹ | RMxxSPE-075 | 333,00 | 402,93 |
| | worktops up to 900mm deep | per m ¹ | RMxxSPE-090 | 350,00 | 423,50 |
| | worktops up to 1200mm deep | per m ¹ | RMxxSPE-120 | 445,00 | 538,45 |

Plywood without edge finishing

The maximum length of worktop up to 600 mm deep is 5100 mm
For the other widths the maximum length is 4000 mm

| Type of joints | | | order no. | excl. VAT | incl. VAT |
|----------------------|--|--|-----------------------|-----------|---------------|
| Corner connection 1 | (angle connection) | | per unit RMxxSPE-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) | | per unit RMxxSPE-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) | | per unit RMxxSPE-HV3 | 526,00 | 636,46 |
| Corner connection 3a | (slanted corner part with angled coupling) | | per unit RMxxSPE-HV3A | 589,00 | 712,69 |
| Corner connection 4 | (full angle section with mitre joint) | | per unit RMxxSPE-HV4 | 792,00 | 958,32 |
| Corner connection 4a | (full angle section with mitre joint) | | per unit RMxxSPE-HV4A | 792,00 | 958,32 |

Complete with mounting kit

2












ply-wood

















Worktop TopLaminate DE 2618 Green River

2

ply-wood

| Edge finish ABS/PP | | order no. | excl. VAT | incl. VAT |
|--|---|--|--------------------|---------------|
|   <p>2 mm ABS/PP edge 25 to 38 mm high including facet</p> | ABS/PP 25 mm |  per m ¹ | RM25SPE-ABS 55,00 | 66,55 |
| | ABS/PP 32 mm |  per m ¹ | RM32SPE-ABS 55,00 | 66,55 |
| | ABS/PP 38 mm |  per m ¹ | RM38SPE-ABS 55,00 | 66,55 |
| | ABS/PP 50 mm |  per m ¹ | RM50SPE-ABS 163,00 | 197,23 |
| | ABS/PP 60 mm |  per m ¹ | RM60SPE-ABS 181,00 | 219,01 |
| | ABS/PP 80 mm |  per m ¹ | RM80SPE-ABS 218,00 | 263,78 |
|   <p>2 mm ABS / PP edge 50 to 98 mm high with facet</p> | ABS/PP 98 mm |  per m ¹ | RM98SPE-ABS 236,00 | 285,56 |
| | <p>ABS = PP What is called ABS, is in fact PP. PP stands for polypropylene, a material which is more eco-friendly material than ABS. Furthermore it has a better resistance to heat and chemical substances and it does not turn yellow. Furthermore, there are no other differences: PP looks like ABS and is available in all laminate colors of the collection. When you choose a front side of ABS/PP, all other sides will have the same edge finishing.</p> | | | |

| Edge chiseled | | | | |
|--|------------|--|---------------------|---------------|
|   <p>2 mm PPFR edge 25 to 38 mm high with facet</p> | PPFR 25 mm |  per m ¹ | RM25SPE-PPFR 97,00 | 117,37 |
| | PPFR 32 mm |  per m ¹ | RM32SPE-PPFR 97,00 | 117,37 |
| | PPFR 38 mm |  per m ¹ | RM38SPE-PPFR 97,00 | 117,37 |
| | PPFR 50 mm |  per m ¹ | RM50SPE-PPFR 200,00 | 242,00 |
| | PPFR 60 mm |  per m ¹ | RM60SPE-PPFR 221,00 | 267,41 |
|   <p>2 mm PPFR edge 50 and 62 mm high with facet</p> | | | | |

| Edge finishing Aluminum | | | | |
|---|-----------|--|-------------------|--------------|
|   <p>3 mm aluminum edge finishing 38 mm high including facet</p> | ALF 38 mm |  per m ¹ | RM38SPE-ALF 76,00 | 91,96 |
|   <p>3 mm aluminium edge finishing 62 mm high including facet</p> | | | | |

| Different versions | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|----------------|-----------|---------------|
| Colours outside the collection (cancelling is not possible) | (surcharge per setup) | per unit | HPL-KBCTOES | 368,00 | 445,28 |
| *colours outside the collection always on request! | | | | | |
| Bottom side in the same color of the worktop | (min. 0,2 m ²) | per m ² | RMxxSPE-A-ONDK | 107,00 | 129,47 |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| * thickened only possible in Greengridz | | | | | |

| Finishes | | | | | |
|--|--|--------------------|----------------|-------|--------------|
| Seperate edge strip (HPL) to use for the sides up to 38 mm high | | per m ¹ | RMxxSPE-A-LOS | 7,00 | 8,47 |
| Seperate edge strip (HPL) to use for the sides, for thicker than 38 mm | | per m ¹ | RMxxSPE-AO-LOS | 21,00 | 25,41 |

| Cut outs | | | | | |
|---|--|----------|----------------|-------|--------------|
| Cut-out for built-on hob or built-on sink | | per unit | RMxxSPE-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) | | per unit | RMxxSPE-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) | | per unit | RMxxSPE-KRG035 | 25,50 | 30,86 |

| Extra works | | | | | |
|---|--|----------|-----------------|--------|---------------|
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | RMxxSPE-SCH | 83,00 | 100,43 |
| Rounded corner up to 38 mm high (radius min. 50 mm)* | | per unit | RMxxSPE-R-ABS | 104,00 | 125,84 |
| Rounded corner in thickened version (radius min. 70 mm)* | | per unit | RMxxSPE-R-ABSx | 130,00 | 157,30 |
| Inner rounding up to 38 mm high (radius min. 70 mm)* | | per unit | RMxxSPE-BR-ABS | 130,00 | 157,30 |
| Inner rounding in thickened version (radius min. 100 mm)* | | per unit | RMxxSPE-BR-ABSx | 142,00 | 171,82 |
| Double- or triple cut-out without edge finishing | | per unit | RMxxSPE-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | RMxxSPE-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | RMxxSPE-KOL3-A | 108,00 | 130,68 |

Always calculate the extra work and edging finishings separately!
 * not possible with an ALF edge finish

2

ply-wood

2

wall panels

| NAW8, wallpanels EASY (incl. all countertop colors) | | | order no. | excl. VAT | incl. VAT |
|--|----------------------|--------------|------------------------------|-----------|---------------|
| | Wallpanels 100 up to | 250 mm high | per m ¹ NAW-0-025 | 78,00 | 94,38 |
| | Wallpanels up to | 600 mm high | per m ¹ NAW-0-060 | 105,00 | 127,05 |
| | Wallpanels up to | 900 mm high | per m ¹ NAW-0-090 | 180,00 | 217,80 |
| | Wallpanels up to | 1200 mm high | per m ¹ NAW-0-120 | 204,00 | 246,84 |
| The minimum height of a wallpanels is 100 mm. The maximum length is 4000 mm with the exception of: > The decors that have a maximum length of 5100 mm in the color chart: 5100 mm > Wallpanels up to 250 mm high: 3500 mm | | | | | |

To protect the wallpanell from heat, we always recommend installing a BP-saver (item 300030 or 300032).

| NAW8, wallpanels CLASSIC | | | | | |
|--|----------------------|--------------|------------------------------|--------|---------------|
| | Wallpanels 100 up to | 250 mm high | per m ¹ NAW-1-025 | 120,00 | 145,20 |
| | Wallpanels up to | 600 mm high | per m ¹ NAW-1-060 | 217,00 | 262,57 |
| | Wallpanels up to | 900 mm high | per m ¹ NAW-1-090 | 354,00 | 428,34 |
| | Wallpanels up to | 1200 mm high | per m ¹ NAW-1-120 | 438,00 | 529,98 |
| The minimum height of a wallpanel is 100 mm The maximum length is 4000 mm, except for rear walls up to 250 mm high: 3500 mm | | | | | |

To protect the wallpanell from heat, we always recommend installing a BP-saver (item 300030 or 300032).



Wallpanel TopLaminate DE 1400 Sparkle Copper

| Edge finishes wallpanel | | order no. | excl. VAT | incl. VAT |
|---|--------------------|---------------|-----------|--------------|
| Edging (with HPL), Easy collection ** | per m ¹ | NAW-A-NW | 20,50 | 24,81 |
| Edging (with HPL), Classic collection ** | per m ¹ | NAW-A-CPU | 35,50 | 42,96 |
| Loose edge strip (HPL) to use for the sides, Easy-collection | per m ¹ | NAW-A-LOS | 7,00 | 8,47 |
| Loose edge strip (HPL) to use for the sides, Classic-collection | per m ¹ | NAW-A-LOS-CPU | 21,50 | 26,02 |

** when edging two long sides, the minimum height is 40 mm

| Different versions wallpanels | | | | | |
|---|-----------------------|----------|-------------|--------|---------------|
| Colours outside the collection (cancelling is not possible) | (surcharge per setup) | per unit | HPL-KBCTOES | 368,00 | 445,28 |

*colours outside the collection always on request!

wall panels

| Additional edits to wallpanels | | | | | |
|--|--|--------------------|------------|--------|---------------|
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | NAW-SCHUIN | 83,00 | 100,43 |
| Rounded corner (radius min. 50 mm)* | | per unit | NAW-ROND | 104,00 | 125,84 |
| Inner rounding (radius min. 50 mm)* | | per unit | NAW-BR-A | 130,00 | 157,30 |
| Double- or triple cut-out without edge finishing | | per unit | NAW-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | NAW-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | NAW-KOL3-A | 108,00 | 130,68 |
| Wall sockets cut-outs (70 mm round) | | per unit | NAW-KRG070 | 30,00 | 36,30 |
| Parts to connect splashbacks | | per m ¹ | NAW-VEER | 27,50 | 33,28 |
| straight connection incl. parts to connect | | per unit | NAW-HVR | 21,50 | 26,02 |

Always calculate the extra work and edging finishings separately!

| Wallpanel profile screw-on model (max. 6000 mm) | | | | | |
|---|-----------------------------|--------------------|------------------|-------|--------------|
| | Length 2650 mm - aluminium | per unit | RAF-AWP-265-ALU | 44,50 | 53,85 |
| | Length 4100 mm - aluminium | per unit | RAF-AWP-410-ALU | 59,00 | 71,39 |
| | Made to measure - aluminium | per m ¹ | RAF-AWP-OPM1-ALU | 22,00 | 26,62 |
| | Made to measure - black | per m ¹ | RAF-AWP-OPM1-ZWA | 22,00 | 26,62 |

| 135° wallpanel profile (max. 6000mm) | | | | | |
|--------------------------------------|-----------|--------------------|--------------------|-------|--------------|
| | Aluminium | per m ¹ | RAF-AWP-135GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ | RAF-AWP-135GRD-ZWA | 22,00 | 26,62 |

| 90° wallpanel profile (max. 6000 mm) | | | | | |
|--------------------------------------|-----------|--------------------|-------------------|-------|--------------|
| | Aluminium | per m ¹ | RAF-AWP-90GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ | RAF-AWP-90GRD-ZWA | 22,00 | 26,62 |

| Wall connection profile Piccolo (incl. adhesive strip) | | | | | |
|--|--|----------|--------|-------|--------------|
| | Stainless steel look 14 x 14 x 3000 mm | per unit | 260665 | 26,00 | 31,46 |
| | ALU look 14 x 14 x 3000 mm | per unit | 260666 | 26,00 | 31,46 |

Please order the profiles together with the wallpanels for a complete delivery

2

wall panels

Greengridz shelves order no. excl. VAT incl. VAT



| | | | | |
|---|--------------------|------------|--------|---------------|
| Greengridz shelf 39 mm thick to 250 mm deep | per m ¹ | GPWP39-025 | 392,50 | 474,93 |
| Greengridz shelf 50 mm thick to 250 mm deep | per m ¹ | GPWP50-025 | 452,50 | 547,53 |
| Greengridz shelf 60 mm thick to 250 mm deep | per m ¹ | GPWP60-025 | 468,50 | 566,89 |


- > Incl.shelf supports
- > The maximum length is 4000 mm.

- > The shelf has laminate on the top and bottom . The front and end edges are made of ABS/PP.
- > worktop length: min. 300 mm, max. 4000 mm
- > Worktop depth: min. 170 mm, max. 250 mm



| | | | | |
|----------------------------|----------|-------------|-------|--------------|
| Recess for 57 mm spotlight | per unit | GPWP-SPOT57 | 31,00 | 37,51 |
| Cutout for spot of 68 mm | per unit | GPWP-SPOT68 | 31,00 | 37,51 |

- > Spot holes (optional) in the middle of the shelf. Please mark the centre distance in the sketch.
- > One fixing pin per 400 mm on average.
- > No spot hole possible at the height of a mounting pin.



example of the shelf carrier

| depth | depth(mm) | kg / m ² |
|-------|-----------|---------------------|
| | 170 | 180 |
| | 200 | 160 |
| | 250 | 100 |

maximum weights



Worktop and shelf TopLaminate DE 2395 Athena



Sidepanel 24 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| GPSTOL 25 | | | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|--------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL25-038 | 237,00 | 286,77 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL25-060 | 250,00 | 302,50 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL25-090 | 341,00 | 412,61 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL25-120 | 432,00 | 522,72 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL25-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | GPSTOL25-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | GPSTOL25-PPFR-F | 97,00 | 117,37 |

GPSTOL 32



Sidepanel 32 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|--------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL32-038 | 245,00 | 296,45 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL32-060 | 267,00 | 323,07 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL32-090 | 365,00 | 441,65 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL32-120 | 457,00 | 552,97 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL32-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | GPSTOL32-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | GPSTOL32-PPFR-F | 97,00 | 117,37 |

GPSTOL 39



Sidepanel 39 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|--------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL39-038 | 286,00 | 346,06 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL39-060 | 294,00 | 355,74 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL39-090 | 396,00 | 479,16 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL39-120 | 491,00 | 594,11 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL39-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | GPSTOL39-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | GPSTOL39-PPFR-F | 97,00 | 117,37 |
| ALF Alu edge finish on the front (instead of ABS/PP) | per m ¹ | GPSTOL39-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | per m ¹ | GPSTOL39-ALF-FL | 62,00 | 75,02 |

* Please indicate all edge finishes on the drawing. Water stop is standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

GPSTOL 50



Sidepanel 50 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|--------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL50-038 | 346,00 | 418,66 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL50-060 | 365,00 | 441,65 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL50-090 | 456,00 | 551,76 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL50-120 | 554,00 | 670,34 |

The maximum length is 3000 mm

extra work

| | | | | |
|---|--------------------|-----------------|--------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL50-ABS-FL | 66,00 | 79,86 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | GPSTOL50-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | GPSTOL50-PPFR-F | 104,00 | 125,84 |

GPSTOL 60



Sidepanel 58 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|--------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL60-038 | 362,00 | 438,02 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL60-060 | 374,00 | 452,54 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL60-090 | 469,00 | 567,49 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL60-120 | 562,00 | 680,02 |

The maximum length is 3000 mm

extra work

| | | | | |
|---|--------------------|-----------------|--------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL60-ABS-FL | 78,00 | 94,38 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | GPSTOL60-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | GPSTOL60-PPFR-F | 116,00 | 140,36 |

GPSTOL 80



Sidepanel 77 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|--------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | GPSTOL80-038 | 390,00 | 471,90 |
| Sidepanels up to | 600 mm deep | per m ¹ | GPSTOL80-060 | 407,00 | 492,47 |
| Sidepanels up to | 900 mm deep | per m ¹ | GPSTOL80-090 | 517,00 | 625,57 |
| Sidepanels up to | 1200 mm deep | per m ¹ | GPSTOL80-120 | 609,00 | 736,89 |

The maximum length is 3000 mm

extra work

| | | | | |
|---|--------------------|-----------------|-------|--------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | GPSTOL80-ABS-FL | 82,00 | 99,22 |
|---|--------------------|-----------------|-------|--------------|

* Please indicate all edge finishes on the drawing. Water stop is standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

2



Sidepanel 98 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

side panels

| GPSTOL 98 | | order no. | excl. VAT | incl. VAT |
|-------------------------------|---|------------------------------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ GPSTOL98-038 | 390,00 | 471,90 |
| Sidepanels up to | 600 mm deep | per m ¹ GPSTOL98-060 | 407,00 | 492,47 |
| Sidepanels up to | 900 mm deep | per m ¹ GPSTOL98-090 | 517,00 | 625,57 |
| Sidepanels up to | 1200 mm deep | per m ¹ GPSTOL98-120 | 609,00 | 736,89 |
| The maximum length is 3000 mm | | | | |
| extra work | | | | |
| | ABS/PP edge trim on top, bottom or back | per m ¹ GPSTOL98-ABS-FL | 87,00 | 105,27 |

* Please indicate all edge finishes on the drawing. Water stop is standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

STOL 25



Sidepanel 25 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|-------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | STOL-25-038 | 272,00 | 329,12 |
| Sidepanels up to | 600 mm deep | per m ¹ | STOL-25-060 | 306,00 | 370,26 |
| Sidepanels up to | 900 mm deep | per m ¹ | STOL-25-090 | 419,00 | 506,99 |
| Sidepanels up to | 1200 mm deep | per m ¹ | STOL-25-120 | 527,00 | 637,67 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | STOL-25-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | STOL-25-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | STOL-25-PPFR-FL | 97,00 | 117,37 |

STOL 32



Sidepanel 32 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|-------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | STOL-32-038 | 280,00 | 338,80 |
| Sidepanels up to | 600 mm deep | per m ¹ | STOL-32-060 | 316,00 | 382,36 |
| Sidepanels up to | 900 mm deep | per m ¹ | STOL-32-090 | 433,00 | 523,93 |
| Sidepanels up to | 1200 mm deep | per m ¹ | STOL-32-120 | 540,00 | 653,40 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | STOL-32-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | STOL-32-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | STOL-32-PPFR-FL | 97,00 | 117,37 |

STOL 39



Sidepanel 39 mm thick, two sides finished with TopLaminate, one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|-------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | STOL-39-038 | 331,00 | 400,51 |
| Sidepanels up to | 600 mm deep | per m ¹ | STOL-39-060 | 349,00 | 422,29 |
| Sidepanels up to | 900 mm deep | per m ¹ | STOL-39-090 | 469,00 | 567,49 |
| Sidepanels up to | 1200 mm deep | per m ¹ | STOL-39-120 | 581,00 | 703,01 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|---------------|
| ABS/PP edge trim on top, bottom or back | per m ¹ | STOL-39-ABS-FL | 55,00 | 66,55 |
| PPFR edge banding on front side (instead of ABS/PP) | per m ¹ | STOL-39-PPFR | 39,00 | 47,19 |
| PPFR chiseled edge finish. on top, bottom or back | per m ¹ | STOL-39-PPFR-FL | 97,00 | 117,37 |
| ALF Alu edge finish on the front (instead of ABS/PP) | per m ¹ | STOL-39-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | per m ¹ | STOL-39-ALF-FL | 62,00 | 75,02 |

* Please indicate all edge finishes on the drawing. Water stop is standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

Adjusting feet



Adjusting feet incl. insert nut
(minimum 10 mm, maximum 30 mm)

per 10 pieces.

order no.

STOL-STEL10

excl. VAT

26,00

incl. VAT

31,46

Notice: not possible in Greengridz sidepanels.

side panels



Worktop TopLaminate 6080 P Marbelous

MAKE YOUR VISIONS WORK.



Wood products that offer perspectives.

Pfleiderer turns your ideas into practical solutions with stylish Duropal decors, functional surfaces and innovative panels. Take a look at our unique product line and the 2021-2024 design collection!

[pfleiderer.com](https://www.pfleiderer.com)

DUROPAL

thermopal

 PFLEIDERER

Advantages



Extra thick laminate



Tactile coarse structure



Unique colors



Sustainable with greengridz



Semi-undermount

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



A veined pattern does not automatically continue in the other parts of the worktop.



Pattern direction is horizontal



Design contains knots



Grain direction



Large colour gradient in the worktops. Attention at joints



New color in the collection



Decor contains decorative scratches

Approvals



Carb2



FSC®-certificate



Nordic Swan Ecolabel (applies only in combination with Greengridz)



AMK

For explanation, see Chapter 1, sustainable.



DECORTOP

Contents:

3.3 Color options

Greengridz

3.9 Greengridz

3.10 Greengridz corner joints

3.13 Greengridz extra works

Plywood

3.14 RM (straight plywood)

3.15 RM corner joints and edge finishes

3.16 RM extra works


Wallpanels

3.17 Wallpanels

Sidepanels

3.19 Greengridz sidepanels

3.22 Plywood sidepanels



Worktop DecorTop Coast

| Classic | color sample | full panel |
|---|--------------|------------|
| Color: Blend Rock Max. dimensions: 4000 1200 | | |
| Color: Braveheart Max. dimensions: 4000 1200 | | |
| Color: Calipso Max. dimensions: 4000 1200 | | |
| Color: Clay Max. dimensions: 4000 1200 | | |
| Color: Coast Max. dimensions: 4000 1200 | | |
| Color: Cobra Max. dimensions: 4000 1200 Particularities: | | |
| Color: Cosmic Max. dimensions: 4000 1200 | | |
| Color: Country Max. dimensions: 4000 1200 Particularities: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic | color sample | full panel |
|---|--------------|------------|
| Color: Craft Max. dimensions: 4000 1200 | | |
| Color: Discovery Max. dimensions: 4000 1200 Particularities: | | |
| Color: Eclipse Max. dimensions: 4000 1200 Particularities: | | |
| Color: Ethnic Max. dimensions: 4000 1200 | | |
| Color: Grizzly Max. dimensions: 4000 1200 Particularities: | | |
| Color: Groove Max. dimensions: 4000 1200 Particularities: | | |
| Color: Merope Max. dimensions: 4000 1200 | | |
| Color: Modest Gold Max. dimensions: 4000 1200 | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic | color sample | full panel |
|--|--------------|------------|
| Color: Moonscape Max. dimensions: 4000 1200 | | |
| Color: Nature Max. dimensions: 4000 1200 | | |
| Color: Ranger Max. dimensions: 4000 1200 Particularities: | | |
| Color: Rocket Max. dimensions: 4000 1200 | | |
| Color: Rusty Max. dimensions: 4000 1200 Particularities: | | |
| Color: Saturn Max. dimensions: 4000 1200 Particularities: | | |
| Color: Starship Max. dimensions: 4000 1200 | | |
| Color: Treasure Max. dimensions: 4000 1200 Particularities: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Colour | ABS / PP | maximum size | particularities |
|----------------|----------|----------------|-----------------|
| Classic | | | |
| Blend Rock | No | 4000 x 1200 mm | |
| Braveheart | yes | 4000 x 1200 mm | |
| Calipso | no | 4000 x 1200 mm | |
| Clay | yes | 4000 x 1200 mm | |
| Coast | No | 4000 x 1200 mm | |
| Cobra | No | 4000 x 1200 mm | |
| Cosmic | yes | 4000 x 1200 mm | |
| Country | No | 4000 x 1200 mm | |
| Craft | yes | 4000 x 1200 mm | |
| Discovery | no | 4000 x 1200 mm | |
| Eclipse | yes | 4000 x 1200 mm | |
| Ethnic | yes | 4000 x 1200 mm | |
| Grizzly | no | 4000 x 1200 mm | |
| Groove | No | 4000 x 1200 mm | |
| Merope | No | 4000 x 1200 mm | |
| Modest Gold | No | 4000 x 1200 mm | |
| Moonscape | No | 4000 x 1200 mm | |
| Nature | yes | 4000 x 1200 mm | |
| Ranger | yes | 4000 x 1200 mm | |
| Rocket | yes | 4000 x 1200 mm | |
| Rusty | no | 4000 x 1200 mm | |
| Saturn | No | 4000 x 1200 mm | |
| Starship | No | 4000 x 1200 mm | |
| Treasure | yes | 4000 x 1200 mm | |

Explanation particulars

- Pattern direction is horizontal
- Design contains knots
- A veined pattern does not automatically continue in the other parts of the worktop.
- Grain direction
- Decor contains decorative scratches
- New color in the collection
- Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.

Discontinued colors 2024 (available while stock last)

Wild Silver



Detail possible corner connection.



Detail possible corner connection: worktop drawing does not run through by default.

Please note that due to a combination of light and texture, optical colour differences may occur between the worktop sections at corner joints.

For product information on DecorTop such as benefits, points of interest, ordering, supplying or maintaining this material, see Chapter 1 General Information.



Worktop DecorTop Groove

#GREENGRIDZ CO² EMISSION COMPARED TO PLYWOOD

3



For the production of Greengridz worktops, fewer raw materials are needed (1:3).




MULTIPLEX 75,30 (CO²)

GREENGRIDZ 15.91 (CO²)

Greengridz requires less transport of raw materials.



During the production process, much less energy is needed compared to plywood.



CO² emission for transport.

MULTIPLEX 24,66 (CO²)

GREENGRIDZ 3.27 (CO²)

Due to the weight of Greengridz, transport to the distribution centre/ store requires significantly less energy.

Distribution centre or shop



Total CO² emission:

MULTIPLEX 130.95 (CO²)

GREENGRIDZ 53.45 (CO²)

The advantage of the light weight of Greengridz is also reflected in the transport to the end user.



The structure of the lightweight construction consists of a patented GRID system.



| DTGPR 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTGPR25-025 | 158,00 | 191,18 |
| | worktops up to | 600mm deep | per m ¹ DTGPR25-060 | 198,00 | 239,58 |
| | worktops up to | 650mm deep | per m ¹ DTGPR25-065 | 225,00 | 272,25 |
| | worktops up to | 750 mm deep | per m ¹ DTGPR25-075 | 264,00 | 319,44 |
| | worktops up to | 900mm deep | per m ¹ DTGPR25-090 | 284,00 | 343,64 |
| | worktops up to | 1200mm deep | per m ¹ DTGPR25-120 | 359,00 | 434,39 |

24 mm Greengridz without edge trim

The maximum length of DTGPR 25 is 4000 mm

| DTGPR 32 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTGPR32-025 | 165,00 | 199,65 |
| | worktops up to | 600mm deep | per m ¹ DTGPR32-060 | 200,00 | 242,00 |
| | worktops up to | 650mm deep | per m ¹ DTGPR32-065 | 227,00 | 274,67 |
| | worktops up to | 750 mm deep | per m ¹ DTGPR32-075 | 272,00 | 329,12 |
| | worktops up to | 900mm deep | per m ¹ DTGPR32-090 | 287,00 | 347,27 |
| | worktops up to | 1200mm deep | per m ¹ DTGPR32-120 | 364,00 | 440,44 |

32 mm Greengridz without edge trim

The maximum length of DTGPR 32 is 4000 mm

| DTGPR 38 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTGPR38-025 | 197,00 | 238,37 |
| | worktops up to | 600mm deep | per m ¹ DTGPR38-060 | 242,00 | 292,82 |
| | worktops up to | 650mm deep | per m ¹ DTGPR38-065 | 267,00 | 323,07 |
| | worktops up to | 750 mm deep | per m ¹ DTGPR38-075 | 326,00 | 394,46 |
| | worktops up to | 900mm deep | per m ¹ DTGPR38-090 | 342,00 | 413,82 |
| | worktops up to | 1200mm deep | per m ¹ DTGPR38-120 | 440,00 | 532,40 |

38 mm Greengridz without edge trim

The maximum length of DTGPR 38 is 4000 mm

| DTGPR 50 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTGPR50-025 | 197,00 | 238,37 |
| | worktops up to | 600mm deep | per m ¹ DTGPR50-060 | 242,00 | 292,82 |
| | worktops up to | 650mm deep | per m ¹ DTGPR50-065 | 267,00 | 323,07 |
| | worktops up to | 750 mm deep | per m ¹ DTGPR50-075 | 326,00 | 394,46 |
| | worktops up to | 900mm deep | per m ¹ DTGPR50-090 | 342,00 | 413,82 |
| | worktops up to | 1200mm deep | per m ¹ DTGPR50-120 | 440,00 | 532,40 |

50 mm Greengridz without edge trim

The maximum length of DTGPR 50 is 4000 mm

3
Green-
gridz

DTGPR 60



| | | | | |
|----------------------------|--------------------|-------------|--------|---------------|
| worktops up to 250 mm deep | per m ¹ | DTGPR60-025 | 197,00 | 238,37 |
| worktops up to 600mm deep | per m ¹ | DTGPR60-060 | 242,00 | 292,82 |
| worktops up to 650mm deep | per m ¹ | DTGPR60-065 | 267,00 | 323,07 |
| worktops up to 750 mm deep | per m ¹ | DTGPR60-075 | 326,00 | 394,46 |
| worktops up to 900mm deep | per m ¹ | DTGPR60-090 | 342,00 | 413,82 |
| worktops up to 1200mm deep | per m ¹ | DTGPR60-120 | 440,00 | 532,40 |

58 mm Greengridz without edge finish

The maximum length of DTGPR 60 is 4000 mm

DTGPR 80



| | | order no. | excl. VAT | incl. VAT |
|----------------------------|--------------------|-------------|-----------|---------------|
| worktops up to 250 mm deep | per m ¹ | DTGPR80-025 | 197,00 | 238,37 |
| worktops up to 600mm deep | per m ¹ | DTGPR80-060 | 242,00 | 292,82 |
| worktops up to 650mm deep | per m ¹ | DTGPR80-065 | 267,00 | 323,07 |
| worktops up to 750 mm deep | per m ¹ | DTGPR80-075 | 326,00 | 394,46 |
| worktops up to 900mm deep | per m ¹ | DTGPR80-090 | 342,00 | 413,82 |
| worktops up to 1200mm deep | per m ¹ | DTGPR80-120 | 440,00 | 532,40 |

77mm Greengridz without edge trim









The maximum length of DTGPR 80 is 4000 mm



Corner connections

| | | | | | | |
|----------------------|--|--|----------|--------------|--------|---------------|
| Corner connection 1 | (angle connection) | | per unit | DTGPRxx-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) | | per unit | DTGPRxx-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) | | per unit | DTGPRxx-HV3 | 489,00 | 591,69 |
| Corner connection 3a | (slanted corner part with angled coupling) | | per unit | DTGPRxx-HV3A | 553,00 | 669,13 |
| Corner connection 4 | (full angle section with mitre joint) | | per unit | DTGPRxx-HV4 | 750,00 | 907,50 |
| Corner connection 4a | (full angle section with mitre joint) | | per unit | DTGPRxx-HV4A | 763,00 | 923,23 |









Complete with mounting kit



Edge Finishing DecorTop

| | | | | | | | |
|---|---|----------|---|--------------------|--------------|--------|---------------|
|  <p>1 mm DT edge 25 to 38 mm high with facet</p> |  | DT 25 mm |  | per m ¹ | DTGPR25-DT25 | 55,00 | 66,55 |
| | | DT 32 mm |  | per m ¹ | DTGPR32-DT32 | 55,00 | 66,55 |
| | | DT 38 mm |  | per m ¹ | DTGPR38-DT38 | 55,00 | 66,55 |
| | | DT 50 mm |  | per m ¹ | DTGPR50-DT50 | 107,00 | 129,47 |
| | | DT 60 mm |  | per m ¹ | DTGPR60-DT60 | 124,00 | 150,04 |
| | | DT 80 mm |  | per m ¹ | DTGPR80-DT80 | 161,00 | 194,81 |

| | |
|---|---|
|  <p>1 mm DT-edge finishing 50 to 80 mm high with facet</p> |  |
|---|---|

Edge finish ABS/PP




| | | | | | order no. | excl. VAT | incl. VAT |
|--|---|--------------|--|--------------------|---------------|-----------|---------------|
|  <p>2 mm ABS/PP edge 25 to 38 mm high including facet</p> |  | ABS/PP 25 mm |  | per m ¹ | DTGPR25-ABS25 | 55,00 | 66,55 |
| | | ABS/PP 32 mm |  | per m ¹ | DTGPR32-ABS32 | 55,00 | 66,55 |
| | | ABS/PP 38 mm |  | per m ¹ | DTGPR38-ABS38 | 55,00 | 66,55 |
| | | ABS/PP 50 mm |  | per m ¹ | DTGPR50-ABS50 | 107,00 | 129,47 |
| | | ABS/PP 60 mm |  | per m ¹ | DTGPR60-ABS60 | 124,00 | 150,04 |
| | | ABS/PP 80 mm |  | per m ¹ | DTGPR80-ABS80 | 161,00 | 194,81 |

| | |
|--|---|
|  <p>2 mm ABS/PP-edge finishing 50 to 80 mm high including facet</p> |  |
|--|---|

This edge finish is only available with the following colors: Braveheart, Clay, Cosmic, Craft, Eclipse, Ethnic, Nature, Ranger, Rocket, Treasure

ABS = PP
 What is called ABS is actually PP. PP stands for polypropylene, a material that is more environmentally friendly than ABS. In addition, it is more resistant to heat and chemicals, and does not get yellow. Other than that, there are no differences: PP looks like ABS and is simply available in all the laminate colors in the collection. If you choose a front of ABS/PP, all other sides will be finished with it.

Edge finishing Aluminum












| | | | | | | | |
|---|---|-----------|---|--------------------|-------------|-------|--------------|
|  <p>3 mm aluminum edge finishing 38 mm high with facet</p> |  | ALF 38 mm |  | per m ¹ | DTGPR38-ALF | 76,00 | 91,96 |
|---|---|-----------|---|--------------------|-------------|-------|--------------|

3

Green-
gridz




Worktop DecorTop Ethnic

| Different versions | | | order no. | excl. VAT | incl. VAT |
|---|---|--------------------|-----------------|-----------|---------------|
| Bottom side in the same colour of the worktop | (min. 0,2 m ²) | per m ² | DTGPRxx-A-ONDK | 135,00 | 163,35 |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| Finishes | | | | | |
| Seperate edge strip (DT) to use for the sides up to 38 mm high | | per m ¹ | DTGPRxx-DT-LOS | 9,00 | 10,89 |
| Seperate edge strip (DT) for front side 50 to 80 mm | | per m ¹ | DTGPRxx-DTO-LOS | 27,50 | 33,28 |
| Cut outs | | | | | |
| Cut-out for built-on hob or built-on sink |  | per unit | DTGPRxx-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) |  | per unit | DTGPRxx-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) |  | per unit | DTGPRxx-KRG035 | 25,50 | 30,86 |
| Extra works | | | | | |
| Oblique side (with edge trim from 50 x 50 mm) |  | per unit | DTGPRxx-S | 83,00 | 100,43 |
| Rounded corner DT up to 38 mm high (radius min. 100 mm)* |  | per Unit | DTGPRxx-R-DT | 104,00 | 125,84 |
| Rounded corner DT 50 up to 80 mm high (radius min. 100 mm)* |  | per unit | DTGPRxx-R-DTO | 130,00 | 157,30 |
| Inner rounding DT up to 38 mm high (radius min. 100 mm)* |  | per Unit | DTGPRxx-BR-DT | 130,00 | 157,30 |
| Inner rounding 50 up to 80 mm high (radius min. 100 mm)* |  | per unit | DTGPRxx-BR-DTO | 142,00 | 171,82 |
| Double- or triple cut-out without edge finishing |  | per unit | DTGPRxx-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) |  | per unit | DTGPRxx-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) |  | per unit | DTGPRxx-KOL3-A | 108,00 | 130,68 |

Always calculate the extra works and edging finishings separately!
 *not possible with an ALF-edge finishing


3

ply-wood

| DTRM 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTRM25-025 | 170,00 | 205,70 |
| | worktops up to | 600mm deep | per m ¹ DTRM25-060 | 215,00 | 260,15 |
| | worktops up to | 650mm deep | per m ¹ DTRM25-065 | 245,00 | 296,45 |
| | worktops up to | 750 mm deep | per m ¹ DTRM25-075 | 289,00 | 349,69 |
| | worktops up to | 900mm deep | per m ¹ DTRM25-090 | 303,00 | 366,63 |
| | worktops up to | 1200mm deep | per m ¹ DTRM25-120 | 391,00 | 473,11 |


25 mm plywood without edge finish

The maximum length of DTRM 25 is 4000 mm

| DTRM 32 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTRM32-025 | 186,00 | 225,06 |
| | worktops up to | 600mm deep | per m ¹ DTRM32-060 | 225,00 | 272,25 |
| | worktops up to | 650mm deep | per m ¹ DTRM32-065 | 256,00 | 309,76 |
| | worktops up to | 750 mm deep | per m ¹ DTRM32-075 | 308,00 | 372,68 |
| | worktops up to | 900mm deep | per m ¹ DTRM32-090 | 325,00 | 393,25 |
| | worktops up to | 1200mm deep | per m ¹ DTRM32-120 | 412,00 | 498,52 |


32 mm plywood without edge finish

The maximum length of DTRM 32 is 4000 mm

| DTRM 38 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTRM38-025 | 223,00 | 269,83 |
| | worktops up to | 600mm deep | per m ¹ DTRM38-060 | 275,00 | 332,75 |
| | worktops up to | 650mm deep | per m ¹ DTRM38-065 | 303,00 | 366,63 |
| | worktops up to | 750 mm deep | per m ¹ DTRM38-075 | 369,00 | 446,49 |
| | worktops up to | 900mm deep | per m ¹ DTRM38-090 | 388,00 | 469,48 |
| | worktops up to | 1200mm deep | per m ¹ DTRM38-120 | 497,00 | 601,37 |

38 mm plywood without edge finish

The maximum length of DTRM 38 is 4000 mm

| DTRM 50, 62, 80 en 98 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ DTRMxx-025 | 223,00 | 269,83 |
| | worktops up to | 600mm deep | per m ¹ DTRMxx-060 | 275,00 | 332,75 |
| | worktops up to | 650mm deep | per m ¹ DTRMxx-065 | 303,00 | 366,63 |
| | worktops up to | 750 mm deep | per m ¹ DTRMxx-075 | 369,00 | 446,49 |
| | worktops up to | 900mm deep | per m ¹ DTRMxx-090 | 388,00 | 469,48 |
| | worktops up to | 1200mm deep | per m ¹ DTRMxx-120 | 497,00 | 601,37 |

plywood without edge finish

The maximum length of DTRM is 4000 mm

| Type of joints | | order no. | excl. VAT | incl. VAT |
|----------------------|--|-----------|-------------|-----------------------|
| Corner connection 1 | (angle connection) | per unit | DTRMxx-HV1 | 69,00 83,49 |
| Corner connection 2 | (mitre coupling) | per unit | DTRMxx-HV2 | 90,00 108,90 |
| Corner connection 3 | (angled section with mitre joint) | per unit | DTRMxx-HV3 | 554,00 670,34 |
| Corner connection 3a | (slanted corner part with angled coupling) | per unit | DTRMxx-HV3A | 620,00 750,20 |
| Corner connection 4 | (full angle section with mitre joint) | per unit | DTRMxx-HV4 | 866,00 1047,86 |
| Corner connection 4a | (full angle section with mitre joint) | per unit | DTRMxx-HV4A | 882,00 1067,22 |

Complete with mounting kit

| Edge Finishing DecorTop | | order no. | excl. VAT | incl. VAT |
|---|----------|--------------------|-------------|----------------------|
| <p>1 mm DT edge 25 to 38 mm high with facet</p> | DT 25 mm | per m ¹ | DTRM25-DT25 | 55,00 66,55 |
| | DT 32 mm | per m ¹ | DTRM32-DT32 | 55,00 66,55 |
| | DT 38 mm | per m ¹ | DTRM38-DT38 | 55,00 66,55 |
| | DT 50 mm | per m ¹ | DTRM50-DT50 | 163,00 197,23 |
| | DT 60 mm | per m ¹ | DTRM60-DT60 | 181,00 219,01 |
| <p>1 mm DT-edge finishing 50 to 98 mm high with facet</p> | DT 80 mm | per m ¹ | DTRM80-DT80 | 218,00 263,78 |
| | DT 98 mm | per m ¹ | DTRM98-DT98 | 236,00 285,56 |

| Edge finish ABS/PP | | order no. | excl. VAT | incl. VAT |
|--|--------------|--------------------|--------------|----------------------|
| <p>2 mm ABS/PP edge 25 to 38 mm high including facet</p> | ABS/PP 25 mm | per m ¹ | DTRM25-ABS25 | 55,00 66,55 |
| | ABS/PP 32 mm | per m ¹ | DTRM32-ABS32 | 55,00 66,55 |
| | ABS/PP 38 mm | per m ¹ | DTRM38-ABS38 | 55,00 66,55 |
| | ABS/PP 50 mm | per m ¹ | DTRM50-ABS50 | 163,00 197,23 |
| | ABS/PP 60 mm | per m ¹ | DTRM60-ABS60 | 181,00 219,01 |
| <p>2 mm ABS / PP edge 50 to 98 mm high with facet</p> | ABS/PP 80 mm | per m ¹ | DTRM80-ABS80 | 218,00 263,78 |
| | ABS/PP 98 mm | per m ¹ | DTRM98-ABS98 | 236,00 285,56 |


This edge finish is only available with the following colors: Braveheart, Clay, Cosmic, Craft, Eclipse, Ethnic, Nature, Ranger, Rocket, Treasure

ABS = PP

What is called ABS, is in fact PP. PP stands for polypropylene, a material which is more eco-friendly material than ABS. Furthermore it has a better resistance to heat and chemical substances and it does not turn yellow. Furthermore, there are no other differences: PP looks like ABS and is available in all laminate colors of the collection. When you choose a front side of ABS/PP, all other sides will have the same edge finishing.

| Edge finishing Aluminum | | order no. | excl. VAT | incl. VAT |
|---|-----------|--------------------|------------|--------------------|
| <p>3 mm aluminum edge finishing 38 mm high with facet</p> | ALF 38 mm | per m ¹ | DTRM38-ALF | 76,00 91,96 |

3 mm aluminum edge finishing 38 mm high with facet



3 mm aluminium edge finishing 62 mm high including facet

| Different versions | | | order no. | excl. VAT | incl. VAT |
|---|--------------------|----------------|-----------|---------------|-----------|
| Bottom side in the same colour of the worktop* (min. 0,2 m ²) | per m ² | DTRMxx-A-ONDK | 135,00 | 163,35 | |
| Wooden packaging for worktops (for the criteria, see product information) (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 | |
| * thickened only possible in Greengridz | | | | | |
| Finishes | | | | | |
| Separate edge strip (HPL) to use for the sides up to 38 mm high | per m ¹ | DTRMxx-DT-LOS | 9,00 | 10,89 | |
| Separate edge strip (HPL) to use for the sides, for thicker than 38 mm | per m ¹ | DTRMxx-DTO-LOS | 27,50 | 33,28 | |
| Cut outs | | | | | |
| Cut-out for built-on hob or built-on sink | per unit | DTRMxx-KPL | 31,00 | 37,51 | |
| Tap hole in worktop (mention diameter) | per unit | DTRMxx-KRG | 16,50 | 19,97 | |
| Tap hole in the kitchen sink (mention diameter) | per unit | DTRMxx-KRG035 | 25,50 | 30,86 | |
| Extra works | | | | | |
| Oblique side (with edge trim from 50 x 50 mm) | per unit | DTRMxx-S | 83,00 | 100,43 | |
| Rounded corner DT up to 38 mm high (radius min. 100 mm)* | per Unit | DTRMxx-R-DT | 104,00 | 125,84 | |
| Rounded corner DT for worktops thicker version (radius min. 100 mm) | per Unit | DTRMxx-R-DTO | 130,00 | 157,30 | |
| Inner rounding DT up to 38 mm high (radius min. 100 mm)* | per Unit | DTRMxx-BR-DT | 130,00 | 157,30 | |
| Inner rounding in thickened version (radius min. 100 mm)* | per unit | DTRMxx-BR-DTO | 142,00 | 171,82 | |
| Double- or triple cut-out without edge finishing | per unit | DTRMxx-KOLOM | 53,00 | 64,13 | |
| Corner cut out with edging finishing (two sides) | per unit | DTRMxx-KOL-A | 88,00 | 106,48 | |
| Column cut out with edging finishing (three sides) | per unit | DTRMxx-KOL3-A | 108,00 | 130,68 | |

Always calculate the extra work and edging finishings separately!
 *not possible with an ALF-edge finishing

| DT-NAW wallpanels (all worktop colors) | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------------|--------------------|-----------|-----------|---------------|
| | Wallpanels 100 up to 250 mm high | per m ¹ | DTNAW-025 | 95,00 | 114,95 |
| | Wallpanels up to 600 mm high | per m ¹ | DTNAW-060 | 135,00 | 163,35 |
| | Wallpanels up to 900 mm high | per m ¹ | DTNAW-090 | 219,00 | 264,99 |
| | Wallpanels up to 1200 mm high | per m ¹ | DTNAW-120 | 256,00 | 309,76 |
| <p>The minimum height of a wallpanel is 100 mm The maximum length of a wallpanel with DecorTop is 4000 mm, with the exception of wallpanels up to 250 mm high: max. 3500 mm</p> | | | | | |

To protect the wallpanel from heat, we always recommend installing a BP-saver (item 300030 or 300032).

| Additional edits to wallpanels | | | | | |
|---|--|--------------------|--------------|--------|---------------|
| Masking with DecorTop in the color of the wallpanel * | | per m ¹ | DTNAW-DT | 32,50 | 39,33 |
| Seperate edge strip (DT) to use for the sides | | per m ¹ | DTNAW-DT-LOS | 9,00 | 10,89 |
| * when masking two long sides, the minimum height is 40 mm | | | | | |
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | DTNAW-SCHUIN | 83,00 | 100,43 |
| Rounded corner (radius min. 50 mm)* | | per unit | DTNAW-ROND | 104,00 | 125,84 |
| Inner rounding (radius min. 50 mm)* | | per unit | DTNAW-BR-A | 130,00 | 157,30 |
| Double- or triple cut-out without edge finishing | | per unit | DTNAW-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | DTNAW-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | DTNAW-KOL3-A | 108,00 | 130,68 |
| Wall sockets cut-outs (70 mm round) | | per unit | DTNAW-KRG070 | 30,00 | 36,30 |
| Parts to connect splashbacks | | per m ¹ | DTNAW-VEER | 27,50 | 33,28 |
| straight connection incl. parts to connect | | per unit | DTNAW-HVR | 21,50 | 26,02 |
| Always calculate the extra work and edging finishings separately! | | | | | |

| Wallpanel profile screw-on model (max. 6000 mm) | | | | | |
|---|-----------------------------|--------------------|------------------|-------|--------------|
| | Length 2650 mm - aluminium | per unit | RAF-AWP-265-ALU | 44,50 | 53,85 |
| | Length 4100 mm - aluminium | per unit | RAF-AWP-410-ALU | 59,00 | 71,39 |
| | Made to measure - aluminium | per m ¹ | RAF-AWP-OPM1-ALU | 22,00 | 26,62 |
| | Made to measure - black | per m ¹ | RAF-AWP-OPM1-ZWA | 22,00 | 26,62 |

| 135° wallpanel profile (max. 6000mm) | | | | | |
|--------------------------------------|-----------|--------------------|--------------------|-------|--------------|
| | Aluminium | per m ¹ | RAF-AWP-135GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ | RAF-AWP-135GRD-ZWA | 22,00 | 26,62 |

| 90° wallpanel profile (max. 6000 mm) | | | | | |
|--------------------------------------|-----------|--------------------|-------------------|-------|--------------|
| | Aluminium | per m ¹ | RAF-AWP-90GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ | RAF-AWP-90GRD-ZWA | 22,00 | 26,62 |

| Wall connection profile Piccolo (incl. adhesive strip) | | | | | |
|--|--|----------|--------|-------|--------------|
| | Stainless steel look 14 x 14 x 3000 mm | per unit | 260665 | 26,00 | 31,46 |
| | ALU look 14 x 14 x 3000 mm | per unit | 260666 | 26,00 | 31,46 |

Please order the profiles together with the wallpanels for a complete delivery

3

| Greengridz shelves | order no. | excl. VAT | incl. VAT |
|--------------------|-----------|-----------|-----------|
|--------------------|-----------|-----------|-----------|



| | | | | |
|---|--------------------|--------------|--------|---------------|
| Greengridz shelf 39 mm thick to 250 mm deep | per m ¹ | DTGPWP39-025 | 418,50 | 506,39 |
| Greengridz shelf 50 mm thick to 250 mm deep | per m ¹ | DTGPWP50-025 | 471,50 | 570,52 |
| Greengridz shelf 60 mm thick to 250 mm deep | per m ¹ | DTGPWP60-025 | 481,50 | 582,62 |

- > Incl.shelf supports
- > The maximum length is 4000 mm.


- > The wall shelf is laminated on the top and bottom . The front and end edges are finished with DT or ABS/PP (if available).
- > worktop length: min. 300 mm, max. 4000 mm
- > Worktop depth: min. 170 mm, max. 250 mm

wallpanels



| | | | | |
|----------------------------|----------|-------------|-------|--------------|
| Recess for 57 mm spotlight | per unit | GPWP-SPOT57 | 31,00 | 37,51 |
| Cutout for spot of 68 mm | per unit | GPWP-SPOT68 | 31,00 | 37,51 |

- > Spot holes (optional) in the middle of the shelf. Please mark the centre distance in the sketch.
- > One fixing pin per 400 mm on average.
- > No spot hole possible at the height of a mounting pin.



example of the shelf carrier

| depth | depth(mm) | kg / m ² |
|-------|-----------|---------------------|
| | 170 | 180 |
| | 200 | 160 |
| | 250 | 100 |

maximum weights



Worktop DecorTop Craft

DTGPSTOL 25



Sidepanel 24 mm thick, three sides finished with DT *

| | | per m ¹ | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|----------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | | DTGPSTOL25-038 | 252,00 | 304,92 |
| Sidepanels up to | 600 mm deep | | DTGPSTOL25-060 | 285,00 | 344,85 |
| Sidepanels up to | 900 mm deep | | DTGPSTOL25-090 | 394,00 | 476,74 |
| Sidepanels up to | 1200 mm deep | | DTGPSTOL25-120 | 501,00 | 606,21 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|--------------|
| DT edge trim at top, bottom or back | per m ¹ | DTGPSTOL-25-A-F | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | per m ¹ | DTGPSTOL-25-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | per m ¹ | DTGPSTOL-25ABSF | 55,00 | 66,55 |

DTPSTOL 32



Sidepanel 32 mm thick, three sides finished with DT *

| | | | | | |
|------------------|--------------|--------------------|----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTGPSTOL32-038 | 265,00 | 320,65 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTGPSTOL32-060 | 304,00 | 367,84 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTGPSTOL32-090 | 418,00 | 505,78 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTGPSTOL32-120 | 530,00 | 641,30 |

The maximum length is 4000 mm.

extra works

| | | | | |
|---|--------------------|-----------------|-------|--------------|
| DT edge finishing top-, bottom- or backside | per m ¹ | DTGPSTOL-32-A-F | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | per m ¹ | DTGPSTOL-32-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | per m ¹ | DTGPSTOL-32ABSF | 55,00 | 66,55 |

DTGPSTOL 39



Sidepanel 39 mm thick, three sides finished with DT *

| | | | | | |
|------------------|--------------|--------------------|----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTGPSTOL39-038 | 312,00 | 377,52 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTGPSTOL39-060 | 342,00 | 413,82 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTGPSTOL39-090 | 458,00 | 554,18 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTGPSTOL39-120 | 573,00 | 693,33 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|--------------|
| DT edge finishing top-, bottom- or backside | per m ¹ | DTGPSTOL-39-A-F | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | per m ¹ | DTGPSTOL-39-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | per m ¹ | DTGPSTOL-39ABSF | 55,00 | 66,55 |
| ALF Alu edge finish on the front (instead of DT) | per m ¹ | DTGPSTOL-39-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | per m ¹ | DTGPSTOL-39ALFF | 62,00 | 75,02 |

* Please indicate all edge finishes on the drawing. Water stop are standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

3



Sidepanel 50 mm thick, three sides finished with DT *


sidepanels

| DTGPSTOL 50 | | | order no. | excl. VAT | incl. VAT |
|---|--------------|--------------------|-----------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTGPSTOL50-038 | 365,00 | 441,65 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTGPSTOL50-060 | 394,00 | 476,74 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTGPSTOL50-090 | 508,00 | 614,68 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTGPSTOL50-120 | 623,00 | 753,83 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTGPSTOL-50-A-F | 66,00 | 79,86 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTGPSTOL-50-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTGPSTOL-50ABSF | 66,00 | 79,86 |

| DTGPSTOL 60 | | | | | |
|---|--------------|--------------------|-----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTGPSTOL60-038 | 375,00 | 453,75 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTGPSTOL60-060 | 403,00 | 487,63 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTGPSTOL60-090 | 521,00 | 630,41 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTGPSTOL60-120 | 638,00 | 771,98 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTGPSTOL-60-A-F | 78,00 | 94,38 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTGPSTOL-60-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTGPSTOL-60ABSF | 78,00 | 94,38 |

| DTGPSTOL 80 | | | | | |
|---|--------------|--------------------|-----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTGPSTOL80-038 | 401,00 | 485,21 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTGPSTOL80-060 | 445,00 | 538,45 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTGPSTOL80-090 | 574,00 | 694,54 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTGPSTOL80-120 | 704,00 | 851,84 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTGPSTOL-80-A-F | 82,00 | 99,22 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTGPSTOL-80-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTGPSTOL-80ABSF | 82,00 | 99,22 |

* Please indicate all edge finishes on the drawing. Water stop are standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

| DTGPSTOL 98 | | order no. | excl. VAT | incl. VAT |
|--|---|------------------------------------|-----------|---------------|
|  <p>Sidepanel 98 mm thick, three sides finished with DT *</p> | Sidepanels up to 380 mm deep | per m ¹ DTGPSTOL98-038 | 401,00 | 485,21 |
| | Sidepanels up to 600 mm deep | per m ¹ DTGPSTOL98-060 | 445,00 | 538,45 |
| | Sidepanels up to 900 mm deep | per m ¹ DTGPSTOL98-090 | 574,00 | 694,54 |
| | Sidepanels up to 1200 mm deep | per m ¹ DTGPSTOL98-120 | 704,00 | 851,84 |
| | The maximum length is 3000 mm | | | |
| extra work | | | | |
| | DT edge finishing top-, bottom- or backside | per m ¹ DTGPSTOL-98-A-F | 87,00 | 105,27 |
| | ABS/PP edge trim on front (instead of DT) | per m ¹ DTGPSTOL-98-ABS | free | free |
| | ABS/PP edge trim on top, bottom or back | per m ¹ DTGPSTOL-98ABSF | 87,00 | 105,27 |

3

sidepanels

* Please indicate all edge finishes on the drawing. Water stop are standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**



3



Sidepanel 25 mm thick, three sides finished with DT *

| DTSTOL 25 | | | order no. | excl. VAT | incl. VAT |
|---|--------------|--------------------|----------------|-----------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTSTOL-25-038 | 301,00 | 364,21 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTSTOL-25-060 | 349,00 | 422,29 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTSTOL-25-090 | 481,00 | 582,01 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTSTOL-25-120 | 611,00 | 739,31 |
| The maximum length is 4000 mm. | | | | | |
| extra works | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTSTOL-25-A-FL | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTSTOL-25-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTSTOL-25-ABSF | 55,00 | 66,55 |

sidepanels



Sidepanel 32 mm thick, three sides finished with DT *

| DTSTOL 32 | | | | | |
|---|--------------|--------------------|----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTSTOL-32-038 | 311,00 | 376,31 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTSTOL-32-060 | 360,00 | 435,60 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTSTOL-32-090 | 494,00 | 597,74 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTSTOL-32-120 | 626,00 | 757,46 |
| The maximum length is 4000 mm. | | | | | |
| extra works | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTSTOL-32-A-FL | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTSTOL-32-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTSTOL-32-ABSF | 55,00 | 66,55 |



Sidepanel 39 mm thick, three sides finished with DT *

| DTSTOL 39 | | | | | |
|--|--------------|--------------------|-----------------|--------|---------------|
| Sidepanels up to | 380 mm deep | per m ¹ | DTSTOL-39-038 | 365,00 | 441,65 |
| Sidepanels up to | 600 mm deep | per m ¹ | DTSTOL-39-060 | 399,00 | 482,79 |
| Sidepanels up to | 900 mm deep | per m ¹ | DTSTOL-39-090 | 535,00 | 647,35 |
| Sidepanels up to | 1200 mm deep | per m ¹ | DTSTOL-39-120 | 669,00 | 809,49 |
| The maximum length is 4000 mm. | | | | | |
| extra works | | | | | |
| DT edge finishing top-, bottom- or backside | | per m ¹ | DTSTOL-39-A-FL | 55,00 | 66,55 |
| ABS/PP edge trim on front (instead of DT) | | per m ¹ | DTSTOL-39-ABS | free | free |
| ABS/PP edge trim on top, bottom or back | | per m ¹ | DTSTOL-39-ABSF | 55,00 | 66,55 |
| ALF Alu edge finish on the front (instead of ABS/PP) | | per m ¹ | DTSTOL-39-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | | per m ¹ | DTSTOL-39-ALF-F | 62,00 | 75,02 |

* Please indicate all edge finishes on the drawing. Water stop are standard finished on three sides. Other sides can be finished on surcharge. If you order a colour with a texture, clearly state the texture direction. Always send the kitchen drawing or a situation sketch. **Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels**

Setting feet



| | | | | |
|----------------------------------|--------------|---------------|-------|--------------|
| Adjustable feet incl. bold 30 mm | p. 10 piece. | DTSTOL-STEL10 | 26,00 | 31,46 |
|----------------------------------|--------------|---------------|-------|--------------|

Note: Not possible in Greengridz sidepanels.

Advantages



Impact resistant



Innovative design



Tactile coarse structure



V-groove



Semi-undermount

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Veined pattern. By default, does not continue on transitions in the part of the worktops



Pattern direction is horizontal



Pattern direction is diagonal.



Core in color of the worktop



Black core



Spot sensitive surface



Large colour gradient in the worktops. Attention at joints



Decor contains decorative scratches



New color in the collection

Approvals



Greenguard



NSF

For explanation, see Chapter 1, sustainable.





TOPCORE


























Contents:

- 4.3 Color options
- 4.8 Base material
- 4.9 Edge finishes and extra works
- 4.10 Wallpanels, skirts and window sills
- 4.11 Extra works and sidepanels
































4








Worktop TopCore Goldfinch

| Classic | color sample | full panel |
|---|---|--|
| <p>Color: Aqua Grey</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Cross Over</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:   </p> |  |  |
| <p>Color: Eagle</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Floating Black</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> |  |  |
| <p>Color: Goldfinch</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Grandala</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Hawk</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> |  |  |
| <p>Color: Jupiter</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Classic | color sample | full panel |
|--|---|--|
| <p>Color: Lightning</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:   </p> |  |  |
| <p>Color: Maya Gold</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Oxide Brown</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Smokey Black</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> |  |  |
| <p>Color: Sparrow</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> |  |  |
| <p>Color: Starling</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Steep Black</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |
| <p>Color: Steep Grey</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities:  </p> |  |  |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Classic | | color sample | full panel |
|------------------|---|---|--|
| Color: | Swallow |  |  |
| Thickness: | 10 mm | | |
| Max. dimensions: | 4150 x 1500 | | |
| Particularities: |  | | |
| <hr/> | | | |
| Color: | Twilight |  |  |
| Thickness: | 10 mm | | |
| Max. dimensions: | 4150 x 1500 | | |
| Particularities: |   | | |

4


Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Premium | color sample | full panel |
|---|--------------|------------|
| <p>Color: Fakir</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Mahal</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Marmori</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Sabini</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Solid White</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Virtuous</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Color: | thickness | maximum size | particularities |
|--------|-----------|--------------|-----------------|
|--------|-----------|--------------|-----------------|

| Classic | | | |
|----------------|-------|----------------|--|
| Aqua Grey | 10 mm | 4150 x 1500 mm | |
| Cross Over | 10 mm | 4150 x 1500 mm | |
| Eagle | 10 mm | 4150 x 1500 mm | |
| Floating Black | 10 mm | 4150 x 1500 mm | |
| Goldfinch | 10 mm | 4150 x 1500 mm | |
| Grandala | 10 mm | 4150 x 1500 mm | |
| Hawk | 10 mm | 4150 x 1500 mm | |
| Jupiter | 10 mm | 4150 x 1500 mm | |
| Lightning | 10 mm | 4150 x 1500 mm | |
| Maya Gold | 10 mm | 4150 x 1500 mm | |
| Oxide Brown | 10 mm | 4150 x 1500 mm | |
| Smokey Black | 10 mm | 4150 x 1500 mm | |
| Sparrow | 10 mm | 4150 x 1500 mm | |
| Starling | 10 mm | 4150 x 1500 mm | |
| Steep Black | 10 mm | 4150 x 1500 mm | |
| Steep Grey | 10 mm | 4150 x 1500 mm | |
| Swallow | 10 mm | 4150 x 1500 mm | |
| Twilight | 10 mm | 4150 x 1500 mm | |
| Premium | | | |
| Fakir | 10 mm | 4150 x 1500 mm | |
| Mahal | 10 mm | 4150 x 1500 mm | |
| Marmori | 10 mm | 4150 x 1500 mm | |
| Sabini | 10 mm | 4150 x 1500 mm | |
| Solid White | 10 mm | 4150 x 1500 mm | |
| Virtuous | 10 mm | 4150 x 1500 mm | |



4

Explanation particulars

- In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
- Pattern direction is horizontal
- Pattern direction is diagonal.
- Core in color of the worktop
- Black core
- Spot sensitive surface
- Decor contains decorative scratches
- New color in the collection
- Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.

Discontinued colors 2024 (available while stock last)

- Ash Grey
- Steep Silver



Detail possible (corner) joint.





Detail possible corner connection: worktop drawing does not run through by default.







Notice: due to a combination of light and texture, optical color difference may occur between the countertop parts at a corner joint.

For product information about TopCore such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.




4

| Classic | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|---------------|---------------|
|  | worktops up to 300mm deep | per m ¹ TC10-1-030 | 133,00 | 160,93 |
| | worktops up to 600mm deep | per m ¹ TC10-1-060 | 230,00 | 278,30 |
| | worktops up to 650mm deep | per m ¹ TC10-1-065 | 254,00 | 307,34 |
| | worktops up to 700mm deep | per m ¹ TC10-1-070 | 307,00 | 371,47 |
| | worktops up to 800mm deep | per m ¹ TC10-1-080 | 344,00 | 416,24 |
| | worktops up to 900mm deep | per m ¹ TC10-1-090 | 372,00 | 450,12 |
| | worktops up to 1000mm deep | per m ¹ TC10-1-100 | 455,00 | 550,55 |
| | worktops up to 1100mm deep | per m ¹ TC10-1-110 | 514,00 | 621,94 |
| | worktops up to 1200mm deep | per m ¹ TC10-1-120 | 539,00 | 652,19 |
| | worktops up to 1350mm deep | per m ¹ TC10-1-135 | 622,00 | 752,62 |
| worktops up to 1500mm deep | per m ¹ TC10-1-150 | 705,00 | 853,05 | |











| Premium | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|---------------|
|  | worktops up to 300mm deep | per m ¹ TC10-2-030 | 203,00 | 245,63 |
| | worktops up to 600mm deep | per m ¹ TC10-2-060 | 364,00 | 440,44 |
| | worktops up to 650mm deep | per m ¹ TC10-2-065 | 389,00 | 470,69 |
| | worktops up to 700mm deep | per m ¹ TC10-2-070 | 444,00 | 537,24 |
| | worktops up to 800mm deep | per m ¹ TC10-2-080 | 483,00 | 584,43 |
| | worktops up to 900mm deep | per m ¹ TC10-2-090 | 513,00 | 620,73 |
| | worktops up to 1000mm deep | per m ¹ TC10-2-100 | 601,00 | 727,21 |
| | worktops up to 1100mm deep | per m ¹ TC10-2-110 | 663,00 | 802,23 |
| | worktops up to 1200mm deep | per m ¹ TC10-2-120 | 687,00 | 831,27 |
| | worktops up to 1350mm deep | per m ¹ TC10-2-135 | 791,00 | 957,11 |
| worktops up to 1500mm deep | per m ¹ TC10-2-150 | 863,00 | 1.044,23 | |

| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|--|--|-----------|---------------|
| Corner connection 1 | (angle connection) |  per unit TC-HV1 | 52,00 | 62,92 |
| Corner connection 2 | (mitre coupling) |  per unit TC-HV2 | 100,00 | 121,00 |
| Corner connection 3 | (angled section with mitre joint) |  per unit TC10-HV3 | 628,00 | 759,88 |
| Corner connection 3a | (slanted corner part with angled coupling) |  per unit TC10-HV3A | 628,00 | 759,88 |
| Corner connection 4 | (full angle section with mitre joint) |  per unit TC10-HV4 | 808,00 | 977,68 |
| Corner connection 4a | (full angle section with mitre joint) |  per unit TC10-HV4A | 808,00 | 977,68 |









Complete with assembly kit.






| Edge finishing double facet | | order no. | excl. VAT | incl. VAT |
|---|--|--|-----------|-----------|
|  |  2F |  per m ¹ TC-2F | 50,00 | 60,50 |

10 mm double facet edge

| Edge finish mitre | | | | | | |
|---|---|--|--------|---------------|--|--|
|  |  VF01* |  per m ¹ TC-VF01 | 112,00 | 135,52 | | |
| | VF02 |  per m ¹ TC-VF02 | 112,00 | 135,52 | | |
| | VF03 |  per m ¹ TC-VF03 | 112,00 | 135,52 | | |
| | VF04 |  per m ¹ TC-VF04 | 112,00 | 135,52 | | |
| | VF06 |  per m ¹ TC-VF06 | 125,00 | 151,25 | | |
| | VF08 |  per m ¹ TC-VF08 | 138,00 | 166,98 | | |
|  | VF10 |  per m ¹ TC-VF10 | 149,00 | 180,29 | | |
| | * Not for Solid White: calculate 2F (due to the coloured core and uni-colour) Other edge thickness on request. For the finishing of a high closet always calculate the complete side. | | | | | |

Mitre edge 20 mm up to 100 mm
incl. facet

| Cut outs | | | | | | |
|---|--|--|--------|---------------|--|--|
| Cut-out for built-up hob or built-up sink with a max. depth of 60 cm | |  per unit TC-KOOK-OP1 | 101,00 | 122,21 | | |
| Cut-out built-on hob with a depth larger than 600 mm | |  per unit TC-KOOK-OP2 | 136,00 | 164,56 | | |
| Cut out integrated hot plate (send a technical drawing please) | |  per unit TC-VIB-UIT-KOOK | 230,00 | 278,30 | | |
| Cut-out for a "fork"-joint Type A (calculate this price two times), max. size of 20 x 45 cm | |  per unit TC-KOOK-OP | 68,00 | 82,28 | | |
| Tap hole in worktop (mention diameter) | |  per unit TC-KRG | 32,50 | 39,33 | | |
| Tap hole in the kitchen sink (mention diameter) | |  per unit TC-KRG035 | 25,50 | 30,86 | | |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | |  per unit TC-KPL-ROND | 101,00 | 122,21 | | |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | |  per unit TC-UITVKKL | 177,00 | 214,17 | | |

| Extra works | | | | | | |
|---|--|--|--------|---------------|--|--|
| Oblique side (with edge trim from 50 x 50 mm) | |  per unit TC-S | 83,00 | 100,43 | | |
| Rounded corner up to radius 300 mm, without edge finishing* | |  per unit TC-R30 | 189,00 | 228,69 | | |
| Rounded corner from radius 300 mm, without edge finishing* | |  per unit TC-R31 | 349,00 | 422,29 | | |
| Double cut-out (two sides), without edge finishing | |  per unit TC-KOL-A | 95,00 | 114,95 | | |
| Triple cut-out (three sides), without edge finishing | |  per unit TC-KOL3-A | 123,00 | 148,83 | | |

Double- or triple cut-outs are always finished with an inner radius of 5 mm.
Always calculate the extra works and edging finishings separately!

| | | | | |
|--|--------------------|---------------|--------|---------------|
| Under-gluing for dishwasher (600 x 600 mm) | per unit | TC-ONDZ-VW | 80,28 | 97,14 |
| Full underglue (where no additional reinforcement is required) | per m ² | TC-ONDZ-MAS | 223,00 | 269,83 |
| Extra reinforcement for with free-hanging parts from a worktop thickness of 30 mm (VF03), (See Chapter 1 ordering information, support and reinforcement) | per m ² | TC-ONDZ-VERST | 380,00 | 459,80 |

| Classic 10 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|---|--------------------|-------------|-----------|-----------------|
| Wallpanels up to 50 mm high | per m ¹ | TCNAW-1-005 | 25,00 | 30,25 |
| Wallpanels up to 100 mm high | per m ¹ | TCNAW-1-010 | 45,00 | 54,45 |
| Wallpanels up to 200 mm high | per m ¹ | TCNAW-1-020 | 90,00 | 108,90 |
| Wallpanels up to 300 mm high | per m ¹ | TCNAW-1-030 | 133,00 | 160,93 |
| Wallpanels up to 400 mm high | per m ¹ | TCNAW-1-040 | 152,00 | 183,92 |
| Wallpanels up to 500 mm high | per m ¹ | TCNAW-1-050 | 192,00 | 232,32 |
| Wallpanels up to 600 mm high | per m ¹ | TCNAW-1-060 | 230,00 | 278,30 |
| Wallpanels up to 700 mm high | per m ¹ | TCNAW-1-070 | 307,00 | 371,47 |
| Wallpanels up to 800 mm high | per m ¹ | TCNAW-1-080 | 344,00 | 416,24 |
| Wallpanels up to 900 mm high | per m ¹ | TCNAW-1-090 | 372,00 | 450,12 |
| Wallpanels up to 1000 mm high | per m ¹ | TCNAW-1-100 | 455,00 | 550,55 |
| Wallpanels up to 1100 mm high | per m ¹ | TCNAW-1-110 | 514,00 | 621,94 |
| Wallpanels up to 1200 mm high | per m ¹ | TCNAW-1-120 | 539,00 | 652,19 |
| Wallpanels up to 1350 mm high | per m ¹ | TCNAW-1-135 | 622,00 | 752,62 |
| Wallpanels up to 1500 mm high | per m ¹ | TCNAW-1-150 | 705,00 | 853,05 |
| Premium 10 mm thick (without edge finish) | | | | |
| Wallpanels up to 50 mm high | per m ¹ | TCNAW-2-005 | 35,50 | 42,96 |
| Wallpanels up to 100 mm high | per m ¹ | TCNAW-2-010 | 62,00 | 75,02 |
| Wallpanels up to 200 mm high | per m ¹ | TCNAW-2-020 | 154,00 | 186,34 |
| Wallpanels up to 300 mm high | per m ¹ | TCNAW-2-030 | 203,00 | 245,63 |
| Wallpanels up to 400 mm high | per m ¹ | TCNAW-2-040 | 270,00 | 326,70 |
| Wallpanels up to 500 mm high | per m ¹ | TCNAW-2-050 | 336,00 | 406,56 |
| Wallpanels up to 600 mm high | per m ¹ | TCNAW-2-060 | 364,00 | 440,44 |
| Wallpanels up to 700 mm high | per m ¹ | TCNAW-2-070 | 444,00 | 537,24 |
| Wallpanels up to 800 mm high | per m ¹ | TCNAW-2-080 | 483,00 | 584,43 |
| Wallpanels up to 900 mm high | per m ¹ | TCNAW-2-090 | 513,00 | 620,73 |
| Wallpanels up to 1000 mm high | per m ¹ | TCNAW-2-100 | 601,00 | 727,21 |
| Wallpanels up to 1100 mm high | per m ¹ | TCNAW-2-110 | 663,00 | 802,23 |
| Wallpanels up to 1200 mm high | per m ¹ | TCNAW-2-120 | 687,00 | 831,27 |
| Wallpanels up to 1350 mm high | per m ¹ | TCNAW-2-135 | 791,00 | 957,11 |
| Wallpanels up to 1500 mm high | per m ¹ | TCNAW-2-150 | 863,00 | 1.044,23 |

Calculate per part: round up to 100 mm, minimum 600 mm.

| Finishes of wallpanels | | order no. | excl. VAT | incl. VAT |
|--|--|------------------------------|-----------|--------------|
| Polishing visible side - single facet (1F) | | per m ¹ TCNAW-1F | 31,50 | 38,12 |
| Polishing visible side - double facet (2F) | | per m ¹ TCNAW-2F | 50,00 | 60,50 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ TCNAW-I45 | 80,00 | 96,80 |

| Recessed wallpanels | | | | |
|--|--|-------------------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit TCNAW-WCD | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit TCNAW-KPL-ROND | 101,00 | 122,21 |

| Additional edits to wallpanels | | | | |
|--|--|-----------------------|--------|---------------|
| Beveled side (with edge finishing from 50 x 50 mm) | | per unit TCNAW-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit TCNAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit TCNAW-R31 | 349,00 | 422,29 |
| Double cut-out (two sides), without edge finishing | | per unit TCNAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit TCNAW-KOL3-A | 123,00 | 148,83 |

Double- or triple cut-outs are always finished with an inner radius of 5 mm. Always calculate the extra works and edging finishings separately!

| Sidepanel type A semi freestanding | | | | | |
|------------------------------------|-------------------------------|---------------------------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ TCSTOL-A-030 | 409,00 | 494,89 | |
| | Sidepanels up to 650mm deep | per m ¹ TCSTOL-A-065 | 750,00 | 907,50 | |
| | Sidepanels up to 900 mm deep | per m ¹ TCSTOL-A-090 | 1.025,00 | 1.240,25 | |
| | Sidepanels up to 1200 mm deep | per m ¹ TCSTOL-A-120 | 1.299,00 | 1.571,79 | |
| | Sidepanels up to 1500mm deep | per m ¹ TCSTOL-A-150 | 1.610,00 | 1.948,10 | |
| Sidepanel width, 30 to 100 mm | | | | | |

| Sidepanel type B freestanding | | | | | |
|-------------------------------|-------------------------------|---------------------------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ TCSTOL-B-030 | 682,00 | 825,22 | |
| | Sidepanels up to 650mm deep | per m ¹ TCSTOL-B-065 | 1.058,00 | 1.280,18 | |
| | Sidepanels up to 900 mm deep | per m ¹ TCSTOL-B-090 | 1.365,00 | 1.651,65 | |
| | Sidepanels up to 1200 mm deep | per m ¹ TCSTOL-B-120 | 1.707,00 | 2.065,47 | |
| | Sidepanels up to 1500mm deep | per m ¹ TCSTOL-B-150 | 2.012,00 | 2.434,52 | |
| Sidepanel width, 30 to 100 mm | | | | | |

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished with TopCore.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.

Advantages



Soft touch



Fingerprint proof



Extreme matt surface



Self-repairing capacity



Anti-bacterial properties

Icons



Fenix 10



Fenix 0.9

Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Pattern direction is horizontal



Bottom side in the same colour



Core in colour of the worktop



Black core



Veined pattern



Large color gradient in the worktops.
Attention at joints

Approvals



FSC®-certificate



Greenguard



NSF



Carb2
(Fenix 0.9 in combination with Greengridz)



Nordic Swan Ecolabel
(Fenix 0.9 in combination with Greengridz)



AMK

For explanation, see Chapter 1, sustainable.



FENIX

Contents

Fenix 10

- 5.3 Color options
- 5.6 Base material
- 5.7 Edges, finishes and extra works
- 5.8 Wallpanels, skirts and window sills
- 5.9 Extra works and sidepanels
- 5.10 sinks

Fenix 0.9

- 5.12 Color options
- 5.16 Greengridz
- 5.18 Greengridz edge finishes
- 5.19 Greengridz extra works
- 5.20 RM (straight plywood)
- 5.21 RM corner joints and edge finishes
- 5.22 RM extra works
- 5.23 Wallpanels and extra works
- 5.24 Greengridz sidepanels
- 5.27 Plywood sidepanels



worktop Fenix Angola

| Classic | color sample | full panel |
|---|--------------|------------|
| <p>Color: Angola</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1250</p> <p>Particularities: </p> | | |
| <p>Color: Bold Black</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Brown Sugar</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Cast Iron</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Gray Land</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Heavy Metal</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Soft Steel</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |

5
Fenix 10

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Premium | color sample | full panel |
|---|--------------|------------|
| <p>Color: Beige Arizona</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Castoro Ottawa</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Forest Green</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Ghost White</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Grigio Aragona</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Ice Cream</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Night Blue</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |
| <p>Color: Pure Brown</p> <p>Thickness: 10 mm</p> <p>Max. dimensions: 4150 1500</p> <p>Particularities: </p> | | |

5

Fenix 10



| Color: | thickness | maximum size | particularities |
|-----------------------|-----------|-----------------|-----------------|
| Classic | | | |
| Angola (3464) | 10 mm | 4150 x 1250 mm! | |
| Bold Black (0720) | 10 mm | 4150 x 1500 mm | |
| Brown Sugar (2629) | 10 mm | 4150 x 1500 mm | |
| Cast Iron (0718) | 10 mm | 4150 x 1500 mm | |
| Gray Land (0724) | 10 mm | 4150 x 1500 mm | |
| Heavy Metal (2630) | 10 mm | 4150 x 1500 mm | |
| Soft Steel (2638) | 10 mm | 4150 x 1500 mm | |
| Premium | | | |
| Beige Arizona (0748) | 10 mm | 4150 x 1500 mm | |
| Castoro Ottawa (0717) | 10 mm | 4150 x 1500 mm | |
| Forest Green (0750) | 10 mm | 4150 x 1500 mm | |
| Ghost White (0029) | 10 mm | 4150 x 1500 mm | |
| Grigio Aragona (0793) | 10 mm | 4150 x 1500 mm | |
| Ice Cream (0030) | 10 mm | 4150 x 1500 mm | |
| Night Blue (0754) | 10 mm | 4150 x 1500 mm | |
| Pure Brown (0749) | 10 mm | 4150 x 1500 mm | |

Explanation icons


- Pattern direction is horizontal
- Bottom side in the same colour
- Core in colour of the worktop
- Black core
- In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
- Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.
- New colour in the collection

Discontinued colors 2024

Alloy Champaign (5000)










For product information on Fenix10 such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Classic | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|-----------------|
|  <p>10 mm Fenix (under glued) without edge finishing</p> | worktops up to | 300mm deep | per m ¹ FE10-1-030 | 201,00 | 243,21 |
| | worktops up to | 600mm deep | per m ¹ FE10-1-060 | 343,00 | 415,03 |
| | worktops up to | 650mm deep | per m ¹ FE10-1-065 | 363,00 | 439,23 |
| | worktops up to | 700mm deep | per m ¹ FE10-1-070 | 408,00 | 493,68 |
| | worktops up to | 800mm deep | per m ¹ FE10-1-080 | 476,00 | 575,96 |
| | worktops up to | 900mm deep | per m ¹ FE10-1-090 | 497,00 | 601,37 |
| | worktops up to | 1000mm deep | per m ¹ FE10-1-100 | 575,00 | 695,75 |
| | worktops up to | 1100mm deep | per m ¹ FE10-1-110 | 646,00 | 781,66 |
| | worktops up to | 1200mm deep | per m ¹ FE10-1-120 | 677,00 | 819,17 |
| | worktops up to | 1350mm deep | per m ¹ FE10-1-135 | 795,00 | 961,95 |
| | worktops up to | 1500mm deep | per m ¹ FE10-1-150 | 877,00 | 1.061,17 |




5

Fenix 10












| Premium | | | | | |
|---|----------------|-------------|-------------------------------|----------|-----------------|
|  <p>10 mm Fenix (under glued) without edge finishing</p> | worktops up to | 300mm deep | per m ¹ FE10-2-030 | 267,00 | 323,07 |
| | worktops up to | 600mm deep | per m ¹ FE10-2-060 | 472,00 | 571,12 |
| | worktops up to | 650mm deep | per m ¹ FE10-2-065 | 504,00 | 609,84 |
| | worktops up to | 700mm deep | per m ¹ FE10-2-070 | 559,00 | 676,39 |
| | worktops up to | 800mm deep | per m ¹ FE10-2-080 | 650,00 | 786,50 |
| | worktops up to | 900mm deep | per m ¹ FE10-2-090 | 692,00 | 837,32 |
| | worktops up to | 1000mm deep | per m ¹ FE10-2-100 | 792,00 | 958,32 |
| | worktops up to | 1100mm deep | per m ¹ FE10-2-110 | 886,00 | 1.072,06 |
| | worktops up to | 1200mm deep | per m ¹ FE10-2-120 | 936,00 | 1.132,56 |
| | worktops up to | 1350mm deep | per m ¹ FE10-2-135 | 1.087,00 | 1.315,27 |
| | worktops up to | 1500mm deep | per m ¹ FE10-2-150 | 1.202,00 | 1.454,42 |

| Corner connections | | | | | |
|----------------------|--|---|--------------------|--------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit FE-HV1 | 52,00 | 62,92 |
| Corner connection 2 | (mitre coupling) |  | per unit FE-HV2 | 100,00 | 121,00 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit FE10-HV3 | 686,00 | 830,06 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit FE10-HV3A | 686,00 | 830,06 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit FE10-HV4 | 972,00 | 1.176,12 |
| Corner connection 4a | (full angle section with mitre joint) |  | per unit FE10-HV4A | 972,00 | 1.176,12 |









Complete with assembly kit.





| Edge finishing double facet | | order no. | excl. VAT | incl. VAT |
|---|--|--|-----------|--------------|
|  |  2F |  per m ¹ FE-2F | 50,00 | 60,50 |

10 mm double facet edge

| Mitre edge finish | | | | | | |
|---|---|--|--|--------|---------------|--|
|  |  | VF01* |  per m ¹ FE-VF01 | 112,00 | 135,52 | |
| | | VF02 |  per m ¹ FE-VF02 | 112,00 | 135,52 | |
| | | VF03 |  per m ¹ FE-VF03 | 112,00 | 135,52 | |
| | | VF04 |  per m ¹ FE-VF04 | 112,00 | 135,52 | |
| | | VF06 |  per m ¹ FE-VF06 | 125,00 | 151,25 | |
|  |  | VF08 |  per m ¹ FE-VF08 | 138,00 | 166,98 | |
| | | VF10 |  per m ¹ FE-VF10 | 149,00 | 180,29 | |
| | | *Not with Bold Black and the colors in premium: calculate 2F here (due to colored core) Other edgings on request. For the finishing of a high closet always calculate the complete side. | | | | |
| | | | | | | |

Mitered edge 20 to 100 mm with facet, black core

| Cut outs | | | | | | |
|---|--|--|--------|---------------|--|--|
| Cut-out for built-up hob or built-up sink with a max. depth of 60 cm | |  per unit FE-KOOK-OP1 | 101,00 | 122,21 | | |
| Cut-out for built-up sink and built-up hob with a depth larger than 60 cm | |  per unit FE-KOOK-OP2 | 136,00 | 164,56 | | |
| Cut out integrated hot plate (send a technical drawing please) | |  per unit FE-VIB-UIT-KOOK | 230,00 | 278,30 | | |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | |  per unit FE-KOOK-OP | 68,00 | 82,28 | | |
| Tap hole in worktop (mention diameter) | |  per unit FE-KRG | 32,50 | 39,33 | | |
| Tap hole in the kitchen sink (mention diameter) | |  per unit FE-KRG035 | 25,50 | 30,86 | | |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | |  per unit FE-KPL-ROND | 101,00 | 122,21 | | |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | |  per unit FE-UITVKKL | 177,00 | 214,17 | | |

| Extra works | | | | | | |
|---|--|---|--------|---------------|--|--|
| Oblique side (with edge trim from 50 x 50 mm) | |  per unit FE-S | 83,00 | 100,43 | | |
| Rounded corner up to radius 300 mm, without edge finishing* | |  per unit FE-R30 | 189,00 | 228,69 | | |
| Rounded corner from radius 300 mm, without edge finishing* | |  per unit FE-R31 | 349,00 | 422,29 | | |
| * finishing only possible with 10 mm solid tops | | | | | | |
| Double cut-out (two sides), without edge finishing | |  per unit FE-KOL-A | 95,00 | 114,95 | | |
| Triple cut-out (three sides), without edge finishing | | | 123,00 | 148,83 | | |
| Double- or triple cut-outs are always finished with an inner radius of 5 mm. Always calculate the extra works and edging finishings separately! | | | | | | |
| Under-gluing for dishwasher (600 x 600 mm) | | per unit FE-ONDZ-VW | 80,28 | 97,14 | | |
| Full underglue (where no additional reinforcement is required) | | per m ² FE-ONDZ-MAS | 223,00 | 269,83 | | |
| Additional reinforcement for free-hanging parts from 30 mm top thickness (VF03), see chapter 1, ordering information support and reinforcement | | per m ² FE-ONDZ-VERST | 380,00 | 459,80 | | |

| Classic 10 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|--|--------------------|-------------|-----------|-----------------|
| Wallpanels up to 50 mm high | per m ¹ | FENAW-1-005 | 30,00 | 36,30 |
| Wallpanels up to 100 mm high | per m ¹ | FENAW-1-010 | 58,00 | 70,18 |
| Wallpanels up to 200 mm high | per m ¹ | FENAW-1-020 | 129,00 | 156,09 |
| Wallpanels up to 300 mm high | per m ¹ | FENAW-1-030 | 201,00 | 243,21 |
| Wallpanels up to 400 mm high | per m ¹ | FENAW-1-040 | 243,00 | 294,03 |
| Wallpanels up to 500 mm high | per m ¹ | FENAW-1-050 | 288,00 | 348,48 |
| Wallpanels up to 600 mm high | per m ¹ | FENAW-1-060 | 343,00 | 415,03 |
| Wallpanels up to 700 mm high | per m ¹ | FENAW-1-070 | 408,00 | 493,68 |
| Wallpanels up to 800 mm high | per m ¹ | FENAW-1-080 | 476,00 | 575,96 |
| Wallpanels up to 900 mm high | per m ¹ | FENAW-1-090 | 497,00 | 601,37 |
| Wallpanels up to 1000 mm high | per m ¹ | FENAW-1-100 | 575,00 | 695,75 |
| Wallpanels up to 1100 mm high | per m ¹ | FENAW-1-110 | 646,00 | 781,66 |
| Wallpanels up to 1200 mm high | per m ¹ | FENAW-1-120 | 677,00 | 819,17 |
| Wallpanels up to 1350 mm high | per m ¹ | FENAW-1-135 | 795,00 | 961,95 |
| Wallpanels up to 1500 mm high | per m ¹ | FENAW-1-150 | 877,00 | 1.061,17 |
| Premium 10 mm thick (without edge finish) | | | | |
| Wallpanels up to 50 mm high | per m ¹ | FENAW-2-005 | 46,00 | 55,66 |
| Wallpanels up to 100 mm high | per m ¹ | FENAW-2-010 | 78,00 | 94,38 |
| Wallpanels up to 200 mm high | per m ¹ | FENAW-2-020 | 188,00 | 227,48 |
| Wallpanels up to 300 mm high | per m ¹ | FENAW-2-030 | 267,00 | 323,07 |
| Wallpanels up to 400 mm high | per m ¹ | FENAW-2-040 | 332,00 | 401,72 |
| Wallpanels up to 500 mm high | per m ¹ | FENAW-2-050 | 411,00 | 497,31 |
| Wallpanels up to 600 mm high | per m ¹ | FENAW-2-060 | 472,00 | 571,12 |
| Wallpanels up to 700 mm high | per m ¹ | FENAW-2-070 | 559,00 | 676,39 |
| Wallpanels up to 800 mm high | per m ¹ | FENAW-2-080 | 650,00 | 786,50 |
| Wallpanels up to 900 mm high | per m ¹ | FENAW-2-090 | 692,00 | 837,32 |
| Wallpanels up to 1000 mm high | per m ¹ | FENAW-2-100 | 792,00 | 958,32 |
| Wallpanels up to 1100 mm high | per m ¹ | FENAW-2-110 | 886,00 | 1.072,06 |
| Wallpanels up to 1200 mm high | per m ¹ | FENAW-2-120 | 936,00 | 1.132,56 |
| Wallpanels up to 1350 mm high | per m ¹ | FENAW-2-135 | 1.087,00 | 1.315,27 |
| Wallpanels up to 1500 mm high | per m ¹ | FENAW-2-150 | 1.202,00 | 1.454,42 |

Calculate per part: round up to 100 mm, minimum 600 mm.

| Finishes of wallpanels | | order no. | excl. VAT | incl. VAT |
|--|--|------------------------------|-----------|--------------|
| Polishing visible side - single facet (1F) | | per m ¹ FENAW-1F | 31,50 | 38,12 |
| Polishing visible side - double facet (2F) | | per m ¹ FENAW-2F | 50,00 | 60,50 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ FENAW-U45 | 80,00 | 96,80 |

| Recessed wallpanels | | | | |
|--|--|-------------------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit FENAW-WCD | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit FENAW-KPL-ROND | 101,00 | 122,21 |

| Additional edits to wallpanels | | | | |
|--|--|-----------------------|--------|---------------|
| Oblique side (with edge trim from 50 x 50 mm) | | per unit FENAW-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit FENAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit FENAW-R31 | 349,00 | 422,29 |
| Double cut-out (two sides), without edge finishing | | per unit FENAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit FENAW-KOL3-A | 123,00 | 148,83 |

Double- or triple cut-outs are always finished with an inner radius of 5 mm.
Always calculate the extra works and edging finishings separately!



| Sidepanel type A semi freestanding | | | | | | |
|------------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | FESTOL-A-030 | 465,00 | 562,65 | |
| | Sidepanels up to 650mm deep | per m ¹ | FESTOL-A-065 | 853,00 | 1.032,13 | |
| | Sidepanels up to 900 mm deep | per m ¹ | FESTOL-A-090 | 1.167,00 | 1.412,07 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | FESTOL-A-120 | 1.479,00 | 1.789,59 | |
| | Sidepanels up to 1500mm deep | per m ¹ | FESTOL-A-150 | 1.796,00 | 2.173,16 | |

Sidepanel width, 30 to 100 mm

| Sidepanel type B freestanding | | | | | | |
|-------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | FESTOL-B-030 | 778,00 | 941,38 | |
| | Sidepanels up to 650mm deep | per m ¹ | FESTOL-B-065 | 1.203,00 | 1.455,63 | |
| | Sidepanels up to 900 mm deep | per m ¹ | FESTOL-B-090 | 1.553,00 | 1.879,13 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | FESTOL-B-120 | 1.943,00 | 2.351,03 | |
| | Sidepanels up to 1500mm deep | per m ¹ | FESTOL-B-150 | 2.263,00 | 2.738,23 | |

Sidepanel width, 30 to 100 mm

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in Fenix.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.

5

Fenix
10

Fenix sink 50 x 40 Ghost White

Product information

This matte, FENIX INTEGRATED SOLUTIONS sink is made of quartz, nanotech particles and six innovative types of acrylic, among others. This makes this sink highly impact and wear resistant, as well as UV, stain and heat resistant. Possible in combination with a boiling water tap. Be careful with boiling hot oil and pans that come directly off the stove. These can damage the sink.

The Fenix sinks on the right are available from stock. Other colors have a delivery time of 6 weeks.

Important:

- > available only in conjunction with a Fenix 10 worktop (not possible in Fenix 09 and not available separately)
- > slight colour difference between sink and worktop possible
- > flush-mounted is not possible

Maintenance advice


- > For daily maintenance you only need a warm soapy water from some detergent and a sponge or microfibre cloth. To prevent lime stains, it is advisable to dry the sink with, for example, a tea towel.
- > For stubborn stains, apply diluted bleach to a cloth and use it to remove the stain. Rinse thoroughly with lukewarm water and dry the sink thoroughly.
- > Lime stains can be removed with cleaning vinegar. Rinse thoroughly with lukewarm water and dry the sink thoroughly.

Important:

- > Acids and aggressive substances corrode the sink and can cause stains or small holes in the sink. Examples are sink unblocking agents, silver polish, dental cleaner, S39 and sweet and sour solutions.
- > Boiling hot oil and a pan that comes directly from the fire can damage the sink.

Fenix sink 50 x 40 Bold Black

| Version | order no. | excl. VAT | incl. VAT |
|-----------------|-----------------|-----------|-----------------|
| semi-undermount | FE-SON-5040-BOB | 1.513,00 | 1.830,73 |
| Undermount | FE-OND-5040-BOB | 1.513,00 | 1.830,73 |




Dimension (outw.): 539-439-217 mm
 Dimension (ins.): 500-400-200 mm
 Front size: 90 mm
 Min. cabinet depth 600 mm
 Complete with stainless steel powerplug, wall overflow and siphon.

Improved version! now possible with boiling water faucet.


Attention:

- > price includes recess and mounting
- > installation of the supplied support set (not included in the price) is mandatory



Fenix sink 50 x 40 Ghost White

| Version | order no. | excl. VAT | incl. VAT |
|-----------------|-----------------|-----------|-----------------|
| semi-undermount | FE-SON-5040-GOW | 1.513,00 | 1.830,73 |
| Undermount | FE-OND-5040-GOW | 1.513,00 | 1.830,73 |




Dimension (outw.): 539-439-217 mm
 Dimension (ins.): 500-400-200 mm
 Front size: 90 mm
 Min. cabinet depth 600 mm
 Complete with stainless steel powerplug, wall overflow and siphon.

Improved version! now possible with boiling water faucet.


Attention:

- > price includes recess and mounting
- > installation of the supplied support set (not included in the price) is mandatory



Fenix sink 50 x 40 Cast Iron

| Version | order no. | excl. VAT | incl. VAT |
|-----------------|-----------------|-----------|-----------------|
| semi-undermount | FE-SON-5040-CAI | 1.513,00 | 1.830,73 |
| Undermount | FE-OND-5040-CAI | 1.513,00 | 1.830,73 |




Dimension (outw.): 539-439-217 mm
 Size (inside): 500-400-200 mm
 Front size: 90 mm
 Min. cabinet depth 600 mm
 Complete with stainless steel powerplug, wall overflow and siphon.

Improved version! now possible with boiling water faucet.



Attention:

- > price includes recess and mounting
- > installation of the supplied support set (not included in the price) is mandatory



Fenix sink 50 x 40 other colors






| Color | Version | order no. | excl. VAT | incl. VAT |
|----------------|-----------------|-----------------|-----------|-----------------|
| Beige Arizona | semi-undermount | FE-SON-5040-xxx | 1.629,00 | 1.971,09 |
| | Undermount | FE-OND-5040-xxx | 1.629,00 | 1.971,09 |
| Castoro Ottawa | semi-undermount | FE-SON-5040-xxx | 1.629,00 | 1.971,09 |
| | Undermount | FE-OND-5040-xxx | 1.629,00 | 1.971,09 |

Dimension (outw.): 539-439-217 mm
 Dimension (ins.): 500-400-200 mm
 Front size: 90 mm
 Min. cabinet depth 600 mm
 Complete with stainless steel powerplug, wall overflow and siphon.

Attention:

- > price includes recess and mounting
- > delivery time is approx. 6 weeks
- > installation of the supplied support set (not included in the price) is mandatory

| Classic | color sample | full panel |
|---|--------------|------------|
| Color: Beige Arizona Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Bold Black Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Brown Sugar Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Cast Iron Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Castoro Ottawa Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Forest Green Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Ghost White Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Gray Land Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |

5

Fenix 0.9

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic | color sample | full panel |
|---|--------------|------------|
| Color: Grigio Aragona Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Heavy Metal Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Ice Cream Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Night Blue Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Pure Brown Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |
| Color: Soft Steel Thickness: 0.9 mm Max. dimensions: 4000 1200 | | |

5

Fenix 0.9

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Color: | thickness | maximum size |
|---|-----------|----------------|
| Classic | | |
| Beige Arizona (0748) | 0.9 mm | 4000 x 1200 mm |
| Bold Black (0720) | 0.9 mm | 4000 x 1200 mm |
| Brown Sugar (2629) | 0.9 mm | 4000 x 1200 mm |
| Cast Iron (0718) | 0.9 mm | 4000 x 1200 mm |
| Castoro Ottawa (0717) | 0.9 mm | 4000 x 1200 mm |
| Forest Green (0750) | 0.9 mm | 4000 x 1200 mm |
| Ghost White (0029) | 0.9 mm | 4000 x 1200 mm |
| Gray Land (0724) | 0.9 mm | 4000 x 1200 mm |
| Grigio Aragona (0793)  | 0.9 mm | 4000 x 1200 mm |
| Heavy Metal (2630) | 0.9 mm | 4000 x 1200 mm |
| Ice Cream (0030) | 0.9 mm | 4000 x 1200 mm |
| Night Blue (0754) | 0.9 mm | 4000 x 1200 mm |
| Pure Brown (0749) | 0.9 mm | 4000 x 1200 mm |
| Soft Steel (2638) | 0.9 mm | 4000 x 1200 mm |

5

Fenix
0.9


For product information about Fenix09 such as benefits, points of interest, ordering, supplying or maintaining this material, see Chapter 1 General Information.




5

Fenix
0.9


worktop Fenix Grigio Aragona

| FXGPR 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXGPR25-025 | 184,00 | 222,64 |
| | worktops up to | 600mm deep | per m ¹ FXGPR25-060 | 232,00 | 280,72 |
| | worktops up to | 650mm deep | per m ¹ FXGPR25-065 | 277,00 | 335,17 |
| | worktops up to | 750 mm deep | per m ¹ FXGPR25-075 | 325,00 | 393,25 |
| | worktops up to | 900mm deep | per m ¹ FXGPR25-090 | 347,00 | 419,87 |
| | worktops up to | 1200mm deep | per m ¹ FXGPR25-120 | 442,00 | 534,82 |


24 mm Greengridz
without edge trim

| FXGPR 32 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXGPR32-025 | 189,00 | 228,69 |
| | worktops up to | 600mm deep | per m ¹ FXGPR32-060 | 233,00 | 281,93 |
| | worktops up to | 650mm deep | per m ¹ FXGPR32-065 | 279,00 | 337,59 |
| | worktops up to | 750 mm deep | per m ¹ FXGPR32-075 | 335,00 | 405,35 |
| | worktops up to | 900mm deep | per m ¹ FXGPR32-090 | 351,00 | 424,71 |
| | worktops up to | 1200mm deep | per m ¹ FXGPR32-120 | 450,00 | 544,50 |


32 mm Greengridz
without edge trim

| FXGPR 38 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXGPR38-025 | 220,00 | 266,20 |
| | worktops up to | 600mm deep | per m ¹ FXGPR38-060 | 280,00 | 338,80 |
| | worktops up to | 650mm deep | per m ¹ FXGPR38-065 | 315,00 | 381,15 |
| | worktops up to | 750 mm deep | per m ¹ FXGPR38-075 | 392,00 | 474,32 |
| | worktops up to | 900mm deep | per m ¹ FXGPR38-090 | 401,00 | 485,21 |
| | worktops up to | 1200mm deep | per m ¹ FXGPR38-120 | 536,00 | 648,56 |


38 mm Greengridz
without edge trim

| FXGPR 50 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXGPR50-025 | 220,00 | 266,20 |
| | worktops up to | 600mm deep | per m ¹ FXGPR50-060 | 280,00 | 338,80 |
| | worktops up to | 650mm deep | per m ¹ FXGPR50-065 | 315,00 | 381,15 |
| | worktops up to | 750 mm deep | per m ¹ FXGPR50-075 | 392,00 | 474,32 |
| | worktops up to | 900mm deep | per m ¹ FXGPR50-090 | 401,00 | 485,21 |
| | worktops up to | 1200mm deep | per m ¹ FXGPR50-120 | 536,00 | 648,56 |







50 mm Greengridz
without edge trim

| FXGPR 60 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXGPR60-025 | 220,00 | 266,20 |
| | worktops up to | 600mm deep | per m ¹ FXGPR60-060 | 280,00 | 338,80 |
| | worktops up to | 650mm deep | per m ¹ FXGPR60-065 | 315,00 | 381,15 |
| | worktops up to | 750 mm deep | per m ¹ FXGPR60-075 | 392,00 | 474,32 |
| | worktops up to | 900mm deep | per m ¹ FXGPR60-090 | 401,00 | 485,21 |
| | worktops up to | 1200mm deep | per m ¹ FXGPR60-120 | 536,00 | 648,56 |

60 mm Greengridz
without edge trim

| FXGPR 80 | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|-------------|-----------|---------------|
|  | worktops up to 250 mm deep | per m ¹ | FXGPR80-025 | 220,00 | 266,20 |
| | worktops up to 600mm deep | per m ¹ | FXGPR80-060 | 280,00 | 338,80 |
| | worktops up to 650mm deep | per m ¹ | FXGPR80-065 | 315,00 | 381,15 |
| | worktops up to 750 mm deep | per m ¹ | FXGPR80-075 | 392,00 | 474,32 |
| | worktops up to 900mm deep | per m ¹ | FXGPR80-090 | 401,00 | 485,21 |
| | worktops up to 1200mm deep | per m ¹ | FXGPR80-120 | 536,00 | 648,56 |









77mm Greengridz
without edge trim

| Corner connections | | | | | | |
|----------------------|--|---|----------|--------------|--------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit | FXGPRxx-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) |  | per unit | FXGPRxx-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit | FXGPRxx-HV3 | 537,00 | 649,77 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit | FXGPRxx-HV3A | 599,00 | 724,79 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit | FXGPRxx-HV4 | 832,00 | 1.006,72 |
| Corner connection 4a | (full angle section with mitre joint) |  | per unit | FXGPRxx-HV4A | 846,00 | 1.023,66 |

Complete with assembly kit.

5

Fenix
0.9




| Edge finish ABS/PP | | order no. | excl. VAT | incl. VAT | |
|--|--------------|--|-------------|-----------|---------------|
|   <p>2 mm ABS/PP edge 25 to 38 mm high including facet</p> | ABS/PP 25 mm |  per m ¹ | FXGPR25-ABS | 55,00 | 66,55 |
| | ABS/PP 32 mm |  per m ¹ | FXGPR32-ABS | 55,00 | 66,55 |
| | ABS/PP 38 mm |  per m ¹ | FXGPR38-ABS | 55,00 | 66,55 |
| | ABS/PP 50 mm |  per m ¹ | FXGPR50-ABS | 107,00 | 129,47 |
| | ABS/PP 60 mm |  per m ¹ | FXGPR60-ABS | 124,00 | 150,04 |
| | ABS/PP 80 mm |  per m ¹ | FXGPR80-ABS | 161,00 | 194,81 |



2 mm ABS/PP-edge finishing 50 to 80 mm high including facet

5

Fenix 0.9

| Edge finishing Aluminum | | | | | |
|---|-----------|--|-------------|-------|--------------|
|   | ALF 38 mm |  per m ¹ | FXGPR38-ALF | 76,00 | 91,96 |

3 mm aluminum edge finishing 38 mm high including facet




| Different versions | | order no. | excl. VAT | incl. VAT |
|---|--------------------|-----------------|-----------|---------------|
| Bottom side in the same color of the worktop (min. 0,2 m ²) | per m ² | FXGPRxx-A-ONDK | 187,00 | 226,27 |
| Wooden packaging for worktops (for the criteria, see product information) (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |
| Finishes | | | | |
| Seperate edge strip (FX) to use for the sides up to a height of 38 mm | per m ¹ | FXGPRxx-FX-LOS | 9,00 | 10,89 |
| Seperate edge strip (FX) for front side 50 to 80 mm | per m ¹ | FXGPRxx-FXO-LOS | 27,50 | 33,28 |
| Cut outs | | | | |
| Cut-out for built-on hob or built-on sink | per unit | FXGPRxx-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) | per unit | FXGPRxx-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) | per unit | FXGPRxx-KRG035 | 25,50 | 30,86 |
| Extra works | | | | |
| Oblique side (with edge trim from 50 x 50 mm) | per unit | FXGPRxx-S | 83,00 | 100,43 |
| Rounded corner up to 38 mm high (radius min. 50 mm) | per unit | FXGPRxx-R-ABS | 104,00 | 125,84 |
| Rounded corner 50 to 80 mm high (radius min. 70 mm) | per unit | FXGPRxx-R-ABSx | 130,00 | 157,30 |
| Inner rounding up to 38 mm high (radius min. 70 mm)* | per unit | FXGPRxx-BR-ABS | 130,00 | 157,30 |
| Inner rounding 50 up to 80 mm high (radius min. 100 mm)* | per unit | FXGPRxx-BR-ABSx | 142,00 | 171,82 |
| Double- or triple cut-out without edge finishing | per unit | FXGPRxx-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | per unit | FXGPRxx-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | per unit | FXGPRxx-KOL3-A | 108,00 | 130,68 |


Always calculate the edge finishing on a machining separately!

5


Fenix 0.9

| FXRM 25 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXRM25-025 | 199,00 | 240,79 |
| | worktops up to | 600mm deep | per m ¹ FXRM25-060 | 260,00 | 314,60 |
| | worktops up to | 650mm deep | per m ¹ FXRM25-065 | 298,00 | 360,58 |
| | worktops up to | 750 mm deep | per m ¹ FXRM25-075 | 358,00 | 433,18 |
| | worktops up to | 900mm deep | per m ¹ FXRM25-090 | 373,00 | 451,33 |
| | worktops up to | 1200mm deep | per m ¹ FXRM25-120 | 490,00 | 592,90 |


25 mm plywood without edge finishing

| FXRM 32 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXRM32-025 | 215,00 | 260,15 |
| | worktops up to | 600mm deep | per m ¹ FXRM32-060 | 266,00 | 321,86 |
| | worktops up to | 650mm deep | per m ¹ FXRM32-065 | 314,00 | 379,94 |
| | worktops up to | 750 mm deep | per m ¹ FXRM32-075 | 382,00 | 462,22 |
| | worktops up to | 900mm deep | per m ¹ FXRM32-090 | 398,00 | 481,58 |
| | worktops up to | 1200mm deep | per m ¹ FXRM32-120 | 511,00 | 618,31 |

32 mm plywood without edge finishing

| FXRM 38 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXRM38-025 | 248,00 | 300,08 |
| | worktops up to | 600mm deep | per m ¹ FXRM38-060 | 316,00 | 382,36 |
| | worktops up to | 650mm deep | per m ¹ FXRM38-065 | 355,00 | 429,55 |
| | worktops up to | 750 mm deep | per m ¹ FXRM38-075 | 445,00 | 538,45 |
| | worktops up to | 900mm deep | per m ¹ FXRM38-090 | 455,00 | 550,55 |
| | worktops up to | 1200mm deep | per m ¹ FXRM38-120 | 605,00 | 732,05 |

38 mm plywood without edge finishing

| FXRM 50, 62, 80 en 98 | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|-------------------------------|-----------|---------------|
|  | worktops up to | 250 mm deep | per m ¹ FXRMxx-025 | 248,00 | 300,08 |
| | worktops up to | 600mm deep | per m ¹ FXRMxx-060 | 316,00 | 382,36 |
| | worktops up to | 650mm deep | per m ¹ FXRMxx-065 | 355,00 | 429,55 |
| | worktops up to | 750 mm deep | per m ¹ FXRMxx-075 | 445,00 | 538,45 |
| | worktops up to | 900mm deep | per m ¹ FXRMxx-090 | 455,00 | 550,55 |
| | worktops up to | 1200mm deep | per m ¹ FXRMxx-120 | 605,00 | 732,05 |

Plywood without edge finishing

| Type of joints | | | Order No. | excl. VAT | incl. VAT |
|----------------------|--|--|----------------------|-----------|-----------------|
| Corner connection 1 | (angle connection) | | per unit FXRMxx-HV1 | 69,00 | 83,49 |
| Corner connection 2 | (mitre coupling) | | per unit FXRMxx-HV2 | 90,00 | 108,90 |
| Corner connection 3 | (angled section with mitre joint) | | per unit FXRMxx-HV3 | 605,00 | 732,05 |
| Corner connection 3a | (slanted corner part with angled coupling) | | per unit FXRMxx-HV3A | 674,00 | 815,54 |
| Corner connection 4 | (full angle section with mitre joint) | | per unit FXRMxx-HV4 | 940,00 | 1.137,40 |
| Corner connection 4a | (full angle section with mitre joint) | | per unit FXRMxx-HV4A | 952,00 | 1.151,92 |

Complete with assembly kit.

| Edge finish ABS/PP | | | | | | | |
|--------------------|--|--------------|--|--------------------|------------|--------|---------------|
| | | ABS/PP 25 mm | | per m ¹ | FXRM25-ABS | 55,00 | 66,55 |
| | | ABS/PP 32 mm | | per m ¹ | FXRM32-ABS | 55,00 | 66,55 |
| | | ABS/PP 38 mm | | per m ¹ | FXRM38-ABS | 55,00 | 66,55 |
| | | ABS/PP 50 mm | | per m ¹ | FXRM50-ABS | 163,00 | 197,23 |
| | | ABS/PP 60 mm | | per m ¹ | FXRM60-ABS | 181,00 | 219,01 |
| | | ABS/PP 80 mm | | per m ¹ | FXRM80-ABS | 218,00 | 263,78 |
| | | ABS/PP 98 mm | | per m ¹ | FXRM98-ABS | 236,00 | 285,56 |

For the finishing of a high closet always calculate the complete side.

| Edge finishing Aluminum | | | | | | | |
|-------------------------|--|-----------|--|--------------------|------------|-------|--------------|
| | | ALF 38 mm | | per m ¹ | FXRM38-ALF | 76,00 | 91,96 |

For the finishing of a high closet always calculate the complete side.

3 mm aluminum edge finishing 38 mm high incl. facet

5

Fenix 0.9

| Different versions | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|---------------|-----------|---------------|
| Bottom side in the same color of the worktop | (min. 0,2 m ²) | per m ² | FXRMxx-A-ONDK | 187,00 | 226,27 |
| Wooden packaging for worktops (for the criteria, see product information) | (surcharge per setup) | per unit | KRAT-HPL-ST | 229,00 | 277,09 |

* thickened only possible in Greengridz

| Finishes | | | | | |
|---|--|--------------------|----------------|-------|--------------|
| Seperate edge strip (FX) to use for the sides up to a height of 38 mm | | per m ¹ | FXRMxx-FX-LOS | 9,00 | 10,89 |
| Seperate edge strip (FX) to use for the sides in thickened version | | per m ¹ | FXRMxx-FXO-LOS | 27,50 | 33,28 |


| Cut outs | | | | | |
|---|--|----------|---------------|-------|--------------|
| Cut-out for built-on hob or built-on sink | | per unit | FXRMxx-KPL | 31,00 | 37,51 |
| Tap hole in worktop (mention diameter) | | per unit | FXRMxx-KRG | 16,50 | 19,97 |
| Tap hole in the kitchen sink (mention diameter) | | per unit | FXRMxx-KRG035 | 25,50 | 30,86 |




| Extra works | | | | | |
|---|--|----------|----------------|--------|---------------|
| Oblique side (with edge trim from 50 x 50 mm) | | per unit | FXRMxx-S | 83,00 | 100,43 |
| Rounded corner up to 38 mm high (radius min. 50 mm)* | | per unit | FXRMxx-R-ABS | 104,00 | 125,84 |
| Rounded corner in thickened version (radius min. 70 mm)* | | per unit | FXRMxx-R-ABSx | 130,00 | 157,30 |
| Inner rounding up to 38 mm high (radius min. 70 mm)* | | per unit | FXRMxx-BR-ABS | 130,00 | 157,30 |
| Inner rounding in thickened version (radius min. 100 mm)* | | per unit | FXRMxx-BR-ABSx | 142,00 | 171,82 |
| Double- or triple cut-out without edge finishing | | per unit | FXRMxx-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) | | per unit | FXRMxx-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) | | per unit | FXRMxx-KOL3-A | 108,00 | 130,68 |

* Not possible with an ALF edge finish



Always calculate the extra works and edging finishings separately!



5
Fenix
0,9



| Wallpanels | | order no. | excl. VAT | incl. VAT |
|---|----------------------------------|------------------------------|-----------|---------------|
|  | Wallpanels 100 up to 250 mm high | per m ¹ FXNAW-025 | 108,00 | 130,68 |
| | Wallpanels up to 600 mm high | per m ¹ FXNAW-060 | 176,00 | 212,96 |
| | Wallpanels up to 900 mm high | per m ¹ FXNAW-090 | 264,00 | 319,44 |
| | Wallpanels up to 1200 mm high | per m ¹ FXNAW-120 | 322,00 | 389,62 |
| <p>The minimum height of a wallpanel is 100 mm The maximum length of a wallpanel with Fenix is 4000 mm, excluding wallpanels up to 250 mm high: 3500 mm</p> | | | | |



| Additional edits to wallpanels | | | | |
|---|---|---------------------------------|--------|---------------|
| Edging (with ABS) * | | per m ¹ FXNAW-FX | 32,50 | 39,33 |
| Seperate edge strip (FX) to use for the sides | | per m ¹ FXNAW-FX-LOS | 9,00 | 10,89 |
| * when edging two long sides, the minimum height is 40 mm | | | | |
| Oblique side (with edge trim from 50 x 50 mm) |  | per unit FXNAW-SCHUIN | 83,00 | 100,43 |
| Rounded corner |  | per unit FXNAW-ROND | 104,00 | 125,84 |
| Inner rounding |  | per unit FXNAW-BR-FX | 130,00 | 157,30 |
| Double- or triple cut-out without edge finishing |  | per unit FXNAW-KOLOM | 53,00 | 64,13 |
| Corner cut out with edging finishing (two sides) |  | per unit FXNAW-KOL-A | 88,00 | 106,48 |
| Column cut out with edging finishing (three sides) |  | per unit FXNAW-KOL3-A | 108,00 | 130,68 |
| Wall sockets cut-outs (70 mm round) |  | per unit FXNAW-KRG070 | 30,00 | 36,30 |
| Parts to connect splashbacks | | per m ¹ FXNAW-VEER | 27,50 | 33,28 |
| straight connection incl. parts to connect | | per unit FXNAW-HVR | 21,50 | 26,02 |

Always calculate the extra work and edging finishings separately!


| Wallpanel profile screw-on model (max. 6000 mm) | | | | |
|---|---|-------------------------------------|-------|--------------|
|  | Length 2650 mm - aluminium | per unit RAF-AWP-265-ALU | 44,50 | 53,85 |
| | Length 4100 mm - aluminium | per unit RAF-AWP-410-ALU | 59,00 | 71,39 |
| | Made to measure - aluminium | per m ¹ RAF-AWP-OPM1-ALU | 22,00 | 26,62 |
| | Made to measure - black | per m ¹ RAF-AWP-OPM1-ZWA | 22,00 | 26,62 |
| |  | | | |

| 135° wallpanel profile (max. 6000mm) | | | | |
|---|---|---------------------------------------|-------|--------------|
|  | Aluminium | per m ¹ RAF-AWP-135GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ RAF-AWP-135GRD-ZWA | 22,00 | 26,62 |
| |  | | | |

| 90° wallpanel profile (max. 6000 mm) | | | | |
|---|---|--------------------------------------|-------|--------------|
|  | Aluminium | per m ¹ RAF-AWP-90GRD-ALU | 22,00 | 26,62 |
| | Black | per m ¹ RAF-AWP-90GRD-ZWA | 22,00 | 26,62 |
| |  | | | |


| Wall connection profile Piccolo (incl. adhesive strip) | | | | |
|---|---|-----------------|-------|--------------|
|  | Stainless steel look 14 x 14 x 3000 mm | per unit 260665 | 26,00 | 31,46 |
| | ALU look 14 x 14 x 3000 mm | per unit 260666 | 26,00 | 31,46 |
| |  | | | |

Please order the profiles together with the wallpanels for a complete delivery

| FXGPSTOL 25 | | | | order no. | excl. VAT | incl. VAT |
|---|------------------|--------------|--------------------|-------------------|-----------|---------------|
|  | Sidepanels up to | 380 mm deep | per m ¹ | FXGPSTOL-25-038 | 314,00 | 379,94 |
| | Sidepanels up to | 600 mm deep | per m ¹ | FXGPSTOL-25-060 | 399,00 | 482,79 |
| | Sidepanels up to | 900 mm deep | per m ¹ | FXGPSTOL-25-090 | 554,00 | 670,34 |
| | Sidepanels up to | 1200 mm deep | per m ¹ | FXGPSTOL-25-120 | 707,00 | 855,47 |
| The maximum length is 4000 mm. | | | | | | |
| extra works | | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | | per m ¹ | FXGPSTOL-25-ABS-F | 55,00 | 66,55 |


Sidepanel 24 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

5

| FXGPSTOL 32 | | | | order no. | excl. VAT | incl. VAT |
|--|------------------|--------------|--------------------|-------------------|-----------|---------------|
|  | Sidepanels up to | 380 mm deep | per m ¹ | FXGPSTOL-32-038 | 326,00 | 394,46 |
| | Sidepanels up to | 600 mm deep | per m ¹ | FXGPSTOL-32-060 | 418,00 | 505,78 |
| | Sidepanels up to | 900 mm deep | per m ¹ | FXGPSTOL-32-090 | 575,00 | 695,75 |
| | Sidepanels up to | 1200 mm deep | per m ¹ | FXGPSTOL-32-120 | 746,00 | 902,66 |
| The maximum length is 4000 mm. | | | | | | |
| extra works | | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | | per m ¹ | FXGPSTOL-32-ABS-F | 55,00 | 66,55 |


Sidepanel 32 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

Fenix 0.9


| FXGPSTOL 39 | | | | order no. | excl. VAT | incl. VAT |
|---|------------------|--------------|--------------------|-------------------|-----------|---------------|
|  | Sidepanels up to | 380 mm deep | per m ¹ | FXGPSTOL-39-038 | 371,00 | 448,91 |
| | Sidepanels up to | 600 mm deep | per m ¹ | FXGPSTOL-39-060 | 458,00 | 554,18 |
| | Sidepanels up to | 900 mm deep | per m ¹ | FXGPSTOL-39-090 | 609,00 | 736,89 |
| | Sidepanels up to | 1200 mm deep | per m ¹ | FXGPSTOL-39-120 | 785,00 | 949,85 |
| The maximum length is 4000 mm. | | | | | | |
| extra works | | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | | per m ¹ | FXGPSTOL-39ABS-F | 55,00 | 66,55 |
| ALF Alu edge finish on the front (instead of ABS/PP) | | | per m ¹ | FXGPSTOL-39-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | | | per m ¹ | FXGPSTOL-39-ALF-F | 62,00 | 75,02 |

Sidepanel 39 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*


* Please indicate all edge finishes on the drawing. Sidepanel are standard finished on three sides. Other sides can be finished on surcharge. Always send the kitchen drawing or a situation sketch. Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels

| FXGPSTOL 50 | | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|--------------------|-----------------|-----------|-----------------|
|  | Sidepanels up to 380 mm deep | per m ¹ | FXGPSTOL-50-038 | 434,00 | 525,14 |
| | Sidepanels up to 600 mm deep | per m ¹ | FXGPSTOL-50-060 | 512,00 | 619,52 |
| | Sidepanels up to 900 mm deep | per m ¹ | FXGPSTOL-50-090 | 665,00 | 804,65 |
| | Sidepanels up to 1200 mm deep | per m ¹ | FXGPSTOL-50-120 | 829,00 | 1.003,09 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | per m ¹ | FXGPSTOL-50ABSF | 66,00 | 79,86 |

Sidepanel 50 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| FXGPSTOL 60 | | | | | |
|---|-------------------------------|--------------------|-------------------|--------|-----------------|
|  | Sidepanels up to 380 mm deep | per m ¹ | FXGPSTOL-60-038 | 445,00 | 538,45 |
| | Sidepanels up to 600 mm deep | per m ¹ | FXGPSTOL-60-060 | 517,00 | 625,57 |
| | Sidepanels up to 900 mm deep | per m ¹ | FXGPSTOL-60-090 | 687,00 | 831,27 |
| | Sidepanels up to 1200 mm deep | per m ¹ | FXGPSTOL-60-120 | 858,00 | 1.038,18 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | per m ¹ | FXGPSTOL-60-ABS-F | 78,00 | 94,38 |


Sidepanel 60 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| FXGPSTOL 80 | | | | | |
|---|-------------------------------|--------------------|-------------------|--------|-----------------|
|  | Sidepanels up to 380 mm deep | per m ¹ | FXGPSTOL-80-038 | 457,00 | 552,97 |
| | Sidepanels up to 600 mm deep | per m ¹ | FXGPSTOL-80-060 | 541,00 | 654,61 |
| | Sidepanels up to 900 mm deep | per m ¹ | FXGPSTOL-80-090 | 715,00 | 865,15 |
| | Sidepanels up to 1200 mm deep | per m ¹ | FXGPSTOL-80-120 | 886,00 | 1.072,06 |
| The maximum length is 3000 mm | | | | | |
| extra work | | | | | |
| ABS/PP edge finishing at the top-, at the bottom- or backside. | | per m ¹ | FXGPSTOL-80-ABS-F | 82,00 | 99,22 |

Sidepanel 80 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

* Please indicate all edge finishes on the drawing. Sidepanel are standard finished on three sides. Other sides can be finished on surcharge. Always send the kitchen drawing or a situation sketch. Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels

FXGPSTOL 98



Sidepanel 98 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| | | | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|-----------------|-----------|-----------------|
| Sidepanels up to | 380 mm deep | per m ¹ | FXGPSTOL-98-038 | 473,00 | 572,33 |
| Sidepanels up to | 600 mm deep | per m ¹ | FXGPSTOL-98-060 | 555,00 | 671,55 |
| Sidepanels up to | 900 mm deep | per m ¹ | FXGPSTOL-98-090 | 733,00 | 886,93 |
| Sidepanels up to | 1200 mm deep | per m ¹ | FXGPSTOL-98-120 | 918,00 | 1.110,78 |

The maximum length is 3000 mm

extra work

| | | | | |
|--|--------------------|-------------------|-------|---------------|
| ABS/PP edge finishing at the top-, at the bottom- or backside. | per m ¹ | FXGPSTOL-98-ABS-F | 87,00 | 105,27 |
|--|--------------------|-------------------|-------|---------------|

* Please indicate all edge finishes on the drawing. Sidepanel are standard finished on three sides. Other sides can be finished on surcharge. Always send the kitchen drawing or a situation sketch. Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels

5

Fenix 0.9

FXSTOL 25



Sidepanel 25 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| | | | order no. | excl. VAT | incl. VAT |
|------------------|--------------|--------------------|---------------|-----------|-----------------|
| Sidepanels up to | 380 mm deep | per m ¹ | FXSTOL-25-038 | 410,00 | 496,10 |
| Sidepanels up to | 600 mm deep | per m ¹ | FXSTOL-25-060 | 524,00 | 634,04 |
| Sidepanels up to | 900 mm deep | per m ¹ | FXSTOL-25-090 | 725,00 | 877,25 |
| Sidepanels up to | 1200 mm deep | per m ¹ | FXSTOL-25-120 | 932,00 | 1.127,72 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|--------------|
| ABS/PP edge finishing at the top-, at the bottom- or backside. | per m ¹ | FXSTOL-25-ABS-F | 55,00 | 66,55 |
|--|--------------------|-----------------|-------|--------------|

FXSTOL 32



Sidepanel 32 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|---------------|--------|-----------------|
| Sidepanels up to | 380 mm deep | per m ¹ | FXSTOL-32-038 | 401,00 | 485,21 |
| Sidepanels up to | 600 mm deep | per m ¹ | FXSTOL-32-060 | 515,00 | 623,15 |
| Sidepanels up to | 900 mm deep | per m ¹ | FXSTOL-32-090 | 709,00 | 857,89 |
| Sidepanels up to | 1200 mm deep | per m ¹ | FXSTOL-32-120 | 919,00 | 1.111,99 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|--------------|
| ABS/PP edge finishing at the top-, at the bottom- or backside. | per m ¹ | FXSTOL-32-ABS-F | 55,00 | 66,55 |
|--|--------------------|-----------------|-------|--------------|

FXSTOL 39



Sidepanel 39 mm thick, two sides finished with Fenix 0.9 one long visible side finished with ABS/PP*

| | | | | | |
|------------------|--------------|--------------------|---------------|--------|-----------------|
| Sidepanels up to | 380 mm deep | per m ¹ | FXSTOL-40-038 | 458,00 | 554,18 |
| Sidepanels up to | 600 mm deep | per m ¹ | FXSTOL-40-060 | 565,00 | 683,65 |
| Sidepanels up to | 900 mm deep | per m ¹ | FXSTOL-40-090 | 751,00 | 908,71 |
| Sidepanels up to | 1200 mm deep | per m ¹ | FXSTOL-40-120 | 967,00 | 1.170,07 |

The maximum length is 4000 mm.

extra works

| | | | | |
|--|--------------------|-----------------|-------|--------------|
| ABS/PP edge finishing at the top-, at the bottom- or backside. | per m ¹ | FXSTOL-40-ABS-F | 55,00 | 66,55 |
| ALF Alu edge finish on the front (instead of ABS/PP) | per m ¹ | FXSTOL-40-ALF | 21,00 | 25,41 |
| ALF Alu edge finish. on top, bottom or back | per m ¹ | FXSTOL-40-ALF-F | 62,00 | 75,02 |

Setting feet



| | | | | |
|--|--------------|---------------|-------|--------------|
| Adjustable feet incl. bold 30 mm (min.10 mm, max. 30 mm) | p. 10 piece. | FXSTOL-STEL10 | 26,00 | 31,46 |
|--|--------------|---------------|-------|--------------|

Notice: not possible in Greengridz sidepanels.

* Please indicate all edge finishes on the drawing

Waterfalls are finished on three sides as standard. Other sides can also be finished at an extra charge.

Always send the kitchen drawing or a situation sketch. Attention: always keep 2 mm overhangs in length and in depth when combining worktops with sidepanels

| Greengridz shelves | order no. | excl. VAT | incl. VAT |
|--------------------|-----------|-----------|-----------|
|--------------------|-----------|-----------|-----------|



| | | | | |
|---|--------------------|--------------|--------|---------------|
| Greengridz shelf 39 mm thick to 250 mm deep | per m ¹ | FXGPWP39-025 | 477,50 | 577,78 |
| Greengridz shelf 50 mm thick to 250 mm deep | per m ¹ | FXGPWP50-025 | 564,50 | 683,05 |
| Greengridz shelf 60 mm thick to 250 mm deep | per m ¹ | FXGPWP60-025 | 715,50 | 865,76 |

- > Incl.shelf supports
- > The maximum length is 4000 mm.


- > The shelf has laminate on the top and bottom . The front and end edges are made of ABS/PP.
- > worktop length: min. 300 mm, max. 4000 mm
- > Worktop depth: min. 170 mm, max. 250 mm

5



| | | | | |
|----------------------------|----------|-------------|-------|--------------|
| Recess for 57 mm spotlight | per unit | GPWP-SPOT57 | 31,00 | 37,51 |
| Cutout for spot of 68 mm | per unit | GPWP-SPOT68 | 31,00 | 37,51 |

- > Spot holes (optional) in the middle of the shelf. Please mark the centre distance in the sketch.
- > One fixing pin per 400 mm on average.
- > No spot hole possible at the height of a mounting pin.



example of the shelf carrier

| depth | depth(mm) | kg / m ² |
|-------|-----------|---------------------|
| | 170 | 180 |
| | 200 | 160 |
| | 250 | 100 |

maximum weights



Worktop TopLaminate DE 2395 Athena, Greengridz shelf

5

Fenix
0.9

Advantages



Impact resistant



Innovative design



Natural look



V-groove



Waterproof

Icons



All machining, edging, sidepanels and sinks fall into this price group. Price groups have different discounts and are listed separately.



Maximum length



Maximum width



Veined pattern. Does not run through standard at transitions of worktop sections.



Spot sensitive



New colour in the collection

Approvals



Greenguard



NSF



AMK

For explanation, see Chapter 1, sustainable.



EVORA QUARTZ

Contents

6.3 Color options

12 mm

6.12 Base material - 12 mm

6.14 Edge finishes

6.15 Extra works

20 mm


6.16 Base material - 20 mm

6.17 Edge finishes

6.18 Extra works

6.19 Wallpanels, skirts and window sills

6.21 Extra works and sidepanels



Worktop Evora Quartz Sphere (P)

| Easy | color sample | full panel |
|--|--------------|------------|
| Color: Easy Belgian Rock Thickness: 12 mm / 20 mm Surface: Polished Max. dimensions: Particularities: | | |
| Color: Easy Belgian Rock Thickness: 12 mm / 20 mm Surface: Honed Max. dimensions: Particularities: | | |
| Color: Easy Black Thickness: 12 mm Surface: Polished Max. dimensions: Particularities: | | |
| Color: Easy Clay Thickness: 12 mm Surface: Honed Max. dimensions: | | |
| Color: Easy Cloud Thickness: 12 mm / 20 mm Surface: Velvet Max. dimensions: | | |
| Color: Easy Concord Thickness: 12 mm / 20 mm Surface: Velvet Max. dimensions: | | |
| Color: Easy Gems Thickness: 12 mm / 20 mm Surface: Polished Max. dimensions: | | |
| Color: Easy Miner Thickness: 12 mm / 20 mm Surface: Polished Max. dimensions: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Easy | color sample | full panel |
|--|--------------|------------|
| Color: Easy Moon Thickness: 12 mm / 20 mm Surface: Polished Max. dimensions: | | |
| Color: Easy Star Thickness: 12 mm Surface: Polished Max. dimensions: | | |
| Color: Easy Terni Thickness: 12 mm Surface: Honed Max. dimensions: | | |
| Color: Easy White Thickness: 12 mm Surface: Polished Max. dimensions: | | |

| Smart | color sample | full panel |
|---|--------------|------------|
| Color: Argus Thickness: 12 mm Surface: Honed Max. dimensions: Particularities: | | |
| Color: Attica Thickness: 12 mm / 20 mm Surface: Polished Max. dimensions: | | |
| Color: Brume Thickness: 12 mm / 20 mm Surface: Velvet Max. dimensions: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Smart | color sample | full panel |
|--|--------------|------------|
| Color: Celeste White Thickness: 12 mm Surface: Polished Max. dimensions: | | |
| Color: Hydra Thickness: 12 mm Surface: Honed Max. dimensions: | | |
| Color: Mammoth Thickness: 12 mm Surface: Velvet Max. dimensions: | | |
| Color: Naga Thickness: 12 mm Surface: Honed Max. dimensions: | | |
| Color: Tempest Grey Thickness: 12 mm Surface: Polished Max. dimensions: | | |
| Color: Whale Thickness: 12 mm / 20 mm Surface: Velvet Max. dimensions: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

Classic color sample full panel

Color: **Lucca**

Thickness: 12 mm / 20 mm

Surface: Polished

Max. dimensions:



Color: **Polar Grey**

Thickness: 12 mm / 20 mm

Surface: Polished

Max. dimensions:



Color: **Polar White**

Thickness: 12 mm / 20 mm

Surface: Polished

Max. dimensions:



Color: **Serra**

Thickness: 12 mm / 20 mm

Surface: Polished

Max. dimensions:



6

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Premium | color sample | full panel |
|--|--------------|------------|
| <p>Color: Calypso P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3210 1510</p> | | |
| <p>Color: Extreme White P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3150 1350</p> | | |
| <p>Color: Helix P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3210 1510</p> <p>Particularities: </p> | | |
| <p>Color: Nebula P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3210 1510</p> <p>Particularities: </p> | | |
| <p>Color: Nemesis</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3000 1350</p> <p>Particularities: </p> | | |
| <p>Color: Pearl Jasmine P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3210 1510</p> <p>Particularities: </p> | | |
| <p>Color: Sphere P</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: 3210 1510</p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Ultimo | color sample | full panel |
|---|--------------|------------|
| <p>Color: Calacatta Gold </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Ethereal Glow</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Marquina </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Noir </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Poseidon </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Serena </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Statuario </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Stellata </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.



6

Worktop Evora Quartz Poseidon

6







| Colour | thickness | surface texture | maximum size | particularities |
|-----------------------|---------------|---------------------|-----------------|-----------------|
| Easy | | | | |
| Easy Belgian Rock (P) | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm | |
| Easy Belgian Rock (H) | 12 mm / 20 mm | H - Honed | 3000 x 1350 mm | |
| Easy Black | 12 mm | P - Polished | 3150 x 1350 mm | |
| Easy Clay | 12 mm | H - Honed | 3150 x 1510 mm | |
| Easy Cloud | 12 mm / 20 mm | V - Velvet | 3000 x 1350 mm* | |
| Easy Concord | 12 mm / 20 mm | V - Velvet | 3000 x 1350 mm* | |
| Easy Gems | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm* | |
| Easy Miner | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm* | |
| Easy Moon | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm* | |
| Easy Star | 12 mm | P - Polished | 3150 x 1510 mm | |
| Easy Terni | 12 mm | H - Honed | 3000 x 1350 mm | |
| Easy White | 12 mm | P - Polished | 3150 x 1350 mm | |
| Smart | | | | |
| Argus | 12 mm | H - Honed | 3150 x 1510 mm | |
| Attica | 12 mm / 20 mm | P - Polished | 3150 x 1510 mm | |
| Brume | 12 mm / 20 mm | V - Velvet | 3000 x 1350 mm | |
| Celeste White | 12 mm | P - Polished | 3150 x 1510 mm | |
| Hydra | 12 mm | H - Honed | 3150 x 1510 mm | |
| Mammoth | 12 mm | V - Velvet | 3150 x 1510 mm | |
| Naga | 12 mm | H - Honed | 3150 x 1510 mm | |
| Tempest Grey | 12 mm | P - Polished | 3150 X 1510 mm | |
| Whale | 12 mm / 20 mm | V - Velvet | 3000 x 1350 mm | |
| Classic | | | | |
| Lucca | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm | |
| Polar Grey | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm | |
| Polar White | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm | |
| Serra | 12 mm / 20 mm | P - Polished | 3000 x 1350 mm | |
| Premium | | | | |
| Calypso | 12 mm | P - Polished | 3210 x 1510 mm | |
| Extreme White | 12 mm | P - Polished | 3150 x 1350 mm | |
| Helix | 12 mm | P - Polished | 3210 x 1510 mm | |
| Nebula | 12 mm | P - Polished | 3210 x 1510 mm | |
| Nemesis | 12 mm | P - Polished | 3000 x 1350 mm | |
| Pearl Jasmine | 12 mm | P - Polished | 3210 x 1510 mm | |
| Sphere | 12 mm | P - Polished | 3210 x 1510 mm | |
| Ultimo | | | | |
| Calacatta Gold | 12 mm | P - Polished | 3210 x 1510 mm | |
| Ethereal Glow | 12 mm | P - Polished | 3210 x 1510 mm | |
| Marquina | 12 mm | P - Polished | 3210 x 1510 mm | |
| Noir | 12 mm | P - Polished | 3210 x 1510 mm | |
| Poseidon | 12 mm | P - Polished | 3210 x 1510 mm | |
| Serena | 12 mm | P - Polished | 3210 x 1510 mm | |
| Statuario | 12 mm | P - Polished | 3210 x 1510 mm | |
| Stellata | 12 mm | P - Polished | 3210 x 1510 mm | |

*available from Q2 2024 in jumbo size 3150 x 1510

NOTE: These colours are sampled by default. With the exception of the Ultimo collection. Due to the large colour gradient, the samples are made available when a showroom worktop is in place.

All orders are supplied as standard in the material thickness of 12 mm. If 12 mm is not in stock, 20 mm will be used, if available. At your request, we can use 20 mm, if available. An additional charge of 10% per linear meter applies for this.

Explanation particulars


-  In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
-  New colour in the collection
-  Spot sensitive surface
-  honed surface with a matte appearance. Fat and fingerprints are more likely to show .
-  polished surface with a shiny appearance.
-  Velvet: matte appearance with the ease of maintenance as a polished top. With dark colours, grease and fingerprints will be more visible than with polished.

Discontinued colors 2024

- Easy Rock (V) (available while supplies last)
- Easy Rock (P) (available while supplies last)
- Tambora (available while supplies last)
- Veza (available through Q1)
- Bianco Calacatta (Available in complementary collection)
- Calacatta Classic (Available in additional collection)



Detail possible (corner) joint.



Detail possible corner connection: worktop drawing does not run through by default.

In addition to the colours in the colour overview, Dekker Zevenhuizen can often also supply other common colours. Please contact your contact person about this. Please note that these colours are sampled by the material supplier. Dekker has no influence on the colour, pattern and ease of use of these materials. colours outside the collection are ordered per commission. Cancellation is not possible. Please allow 2 weeks extra delivery time.

For product information about Evora Quartz, such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.

Easy



12 mm Quartz (glued construction) without edge finishing



| | | | order no. | excl. VAT | incl. VAT |
|----------------|-------------|--------------------|------------|-----------|---------------|
| worktops up to | 300mm deep | per m ¹ | CO13-0-030 | 155,00 | 187,55 |
| worktops up to | 600mm deep | per m ¹ | CO13-0-060 | 238,00 | 287,98 |
| worktops up to | 650mm deep | per m ¹ | CO13-0-065 | 255,00 | 308,55 |
| worktops up to | 700mm deep | per m ¹ | CO13-0-070 | 313,00 | 378,73 |
| worktops up to | 800mm deep | per m ¹ | CO13-0-080 | 359,00 | 434,39 |
| worktops up to | 900mm deep | per m ¹ | CO13-0-090 | 426,00 | 515,46 |
| worktops up to | 1000mm deep | per m ¹ | CO13-0-100 | 468,00 | 566,28 |
| worktops up to | 1100mm deep | per m ¹ | CO13-0-110 | 518,00 | 626,78 |
| worktops up to | 1200mm deep | per m ¹ | CO13-0-120 | 589,00 | 712,69 |
| worktops up to | 1350mm deep | per m ¹ | CO13-0-135 | 635,00 | 768,35 |
| worktops up to | 1500mm deep | per m ¹ | CO13-0-150 | 691,00 | 836,11 |

6

Smart



12 mm Quartz (glued construction) without edge finishing



| worktops up to | 300mm deep | per m ¹ | CO13-9-030 | 181,00 | 219,01 |
|----------------|-------------|--------------------|------------|--------|---------------|
| worktops up to | 600mm deep | per m ¹ | CO13-9-060 | 293,00 | 354,53 |
| worktops up to | 650mm deep | per m ¹ | CO13-9-065 | 317,00 | 383,57 |
| worktops up to | 700mm deep | per m ¹ | CO13-9-070 | 379,00 | 458,59 |
| worktops up to | 800mm deep | per m ¹ | CO13-9-080 | 433,00 | 523,93 |
| worktops up to | 900mm deep | per m ¹ | CO13-9-090 | 496,00 | 600,16 |
| worktops up to | 1000mm deep | per m ¹ | CO13-9-100 | 553,00 | 669,13 |
| worktops up to | 1100mm deep | per m ¹ | CO13-9-110 | 604,00 | 730,84 |
| worktops up to | 1200mm deep | per m ¹ | CO13-9-120 | 667,00 | 807,07 |
| worktops up to | 1350mm deep | per m ¹ | CO13-9-135 | 733,00 | 886,93 |
| worktops up to | 1500mm deep | per m ¹ | CO13-9-150 | 821,00 | 993,41 |

12 mm



Classic











12 mm Quartz (glued construction) without edge finishing






| worktops up to | 300mm deep | per m ¹ | CO13-1-030 | 201,00 | 243,21 |
|----------------|-------------|--------------------|------------|--------|-----------------|
| worktops up to | 600mm deep | per m ¹ | CO13-1-060 | 376,00 | 454,96 |
| worktops up to | 650mm deep | per m ¹ | CO13-1-065 | 401,00 | 485,21 |
| worktops up to | 700mm deep | per m ¹ | CO13-1-070 | 460,00 | 556,60 |
| worktops up to | 800mm deep | per m ¹ | CO13-1-080 | 523,00 | 632,83 |
| worktops up to | 900mm deep | per m ¹ | CO13-1-090 | 586,00 | 709,06 |
| worktops up to | 1000mm deep | per m ¹ | CO13-1-100 | 651,00 | 787,71 |
| worktops up to | 1100mm deep | per m ¹ | CO13-1-110 | 714,00 | 863,94 |
| worktops up to | 1200mm deep | per m ¹ | CO13-1-120 | 778,00 | 941,38 |
| worktops up to | 1350mm deep | per m ¹ | CO13-1-135 | 849,00 | 1.027,29 |
| worktops up to | 1500mm deep | per m ¹ | CO13-1-150 | 904,00 | 1.093,84 |

| Premium | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------------------------|-------------------------------|-----------------|-----------------|
|  <p>12 mm Quartz (glued construction) without edge finishing</p>  | worktops up to | 300mm deep | per m ¹ CO13-2-030 | 241,00 | 291,61 |
| | worktops up to | 600mm deep | per m ¹ CO13-2-060 | 477,00 | 577,17 |
| | worktops up to | 650mm deep | per m ¹ CO13-2-065 | 510,00 | 617,10 |
| | worktops up to | 700mm deep | per m ¹ CO13-2-070 | 553,00 | 669,13 |
| | worktops up to | 800mm deep | per m ¹ CO13-2-080 | 632,00 | 764,72 |
| | worktops up to | 900mm deep | per m ¹ CO13-2-090 | 701,00 | 848,21 |
| | worktops up to | 1000mm deep | per m ¹ CO13-2-100 | 778,00 | 941,38 |
| | worktops up to | 1100mm deep | per m ¹ CO13-2-110 | 814,00 | 984,94 |
| | worktops up to | 1200mm deep | per m ¹ CO13-2-120 | 868,00 | 1.050,28 |
| | worktops up to | 1350mm deep | per m ¹ CO13-2-135 | 932,00 | 1.127,72 |
| worktops up to | 1500mm deep | per m ¹ CO13-2-150 | 1.035,00 | 1.252,35 | |









| Ultimo / Eternal | | | | | |
|---|----------------|-------------------------------|-------------------------------|-----------------|-----------------|
|  <p>12 mm Quartz (glued construction) without edge finishing</p>  | worktops up to | 300mm deep | per m ¹ CO13-3-030 | 301,00 | 364,21 |
| | worktops up to | 600mm deep | per m ¹ CO13-3-060 | 553,00 | 669,13 |
| | worktops up to | 650mm deep | per m ¹ CO13-3-065 | 584,00 | 706,64 |
| | worktops up to | 700mm deep | per m ¹ CO13-3-070 | 655,00 | 792,55 |
| | worktops up to | 800mm deep | per m ¹ CO13-3-080 | 723,00 | 874,83 |
| | worktops up to | 900mm deep | per m ¹ CO13-3-090 | 783,00 | 947,43 |
| | worktops up to | 1000mm deep | per m ¹ CO13-3-100 | 865,00 | 1.046,65 |
| | worktops up to | 1100mm deep | per m ¹ CO13-3-110 | 913,00 | 1.104,73 |
| | worktops up to | 1200mm deep | per m ¹ CO13-3-120 | 978,00 | 1.183,38 |
| | worktops up to | 1350mm deep | per m ¹ CO13-3-135 | 1.044,00 | 1.263,24 |
| worktops up to | 1500mm deep | per m ¹ CO13-3-150 | 1.101,00 | 1.332,21 | |

| Corner connections | | | | | |
|----------------------|---|---|--------------------------|----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit CO13-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit CO13-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit CO13-x-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit CO13-x-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit CO13-x-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per unit CO13-x-HV4A-105 | 1.087,00 | 1.315,27 |









* replace 'x' with condition group number (0, 9, 1, 2, or 3)

| Edge finishing double facet | | | order no. | excl. VAT | incl. VAT | |
|---|---|----|--|-----------|-----------|--------------|
|  |  | 2F |  per m ¹ | CO13-2F | 47,00 | 56,87 |









12 mm double facet edge

| Edge finish mitre | | | | | | |
|---|---|--|--|-----------|--------|---------------|
|  |  | VF02 |  per m ¹ | CO13-VF02 | 111,00 | 134,31 |
| | | VF03 * |  per m ¹ | CO13-VF03 | 111,00 | 134,31 |
| | | VF04 |  per m ¹ | CO13-VF04 | 137,00 | 165,77 |
| | | VF06 |  per m ¹ | CO13-VF06 | 173,00 | 209,33 |
| | | VF08 |  per m ¹ | CO13-VF08 | 212,00 | 256,52 |
| | | VF10 |  per m ¹ | CO13-VF10 | 246,00 | 297,66 |
| | | *VF03 has a height of 32mm. Take this into account | | | | |

Mitre edge 20 mm up to 100 mm with facet

| Edge finishing waterstop | | | | | | |
|--|--|--|--|-----------|--------|---------------|
|  |  | FW02 |  per m ¹ | CO13-FW02 | 111,00 | 134,31 |
| | | FW03* |  per m ¹ | CO13-FW03 | 111,00 | 134,31 |
| | | FW04 |  per m ¹ | CO13-FW04 | 137,00 | 165,77 |
| | | FW06 |  per m ¹ | CO13-FW06 | 173,00 | 209,33 |
| | | FW08 |  per m ¹ | CO13-FW08 | 212,00 | 256,52 |
| | | FW10 |  per m ¹ | CO13-FW10 | 246,00 | 297,66 |
| | | *FW03 has a height of 34mm. Take this into account | | | | |

Waterstop 22 to 102 mm with facet

| Edge chiseled | | | | | | |
|---|---|--|--|-----------|--------|---------------|
|  |  | FR02 |  per m ¹ | CO13-FR02 | 235,00 | 284,35 |
| | | FR03 * |  per m ¹ | CO13-FR03 | 235,00 | 284,35 |
| | | FR04 |  per m ¹ | CO13-FR04 | 261,00 | 315,81 |
| | | FR06 |  per m ¹ | CO13-FR06 | 298,00 | 360,58 |
| | | FR08 |  per m ¹ | CO13-FR08 | 336,00 | 406,56 |
| | | FR10 |  per m ¹ | CO13-FR10 | 370,00 | 447,70 |
| | | *FR03 has a height of 32mm. Take this into account | | | | |

Sisseeled edge 20 to 100 mm

Pay attention!

- > In case of a high-cabinet finishing, always order and calculate the entire side/edge.
- > For polished edges (2F, innerside of a undermount sink etc.) applies that in case of a Velvet, Silt or Wave surface finishing, the finishing of the edge will become smooth and therefore be different than the surface of the worktop.
- > Other edge finishings on request.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit CO13-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit CO13-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit CO-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit CO13-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit CO-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit CO-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit CO-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit CO13-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit CO13-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

| Extra works | | | | |
|--|--|----------------------------------|----------|-----------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit CO13-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit CO13-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit CO13-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit CO13-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit CO13-KOL3-A | 123,00 | 148,83 |
| Under-gluing for dishwasher (600 x 600 mm) | | per unit CO13-ONDZ-VW | 80,28 | 97,14 |
| Full glued construction | | per m ² CO-ONDZ-MAS | 223,00 | 269,83 |
| Additional reinforcement i.e. free-hanging parts from VF03, FW03, FR03 (Chapter 1 ordering information, support and reinforcement) | | per m ² CO-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit CO-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit CO-CASCADE2 | 1.717,00 | 2.077,57 |
| Drain grooves A (4 pcs. 400 mm) | | per unit CO-AFD4-400 | 355,00 | 429,55 |
| Drain grooves A (4 pcs. 500 mm) | | per unit CO-AFD4-500 | 470,00 | 568,70 |



Always calculate the edge finishing on a machining separately!

| Maintenance kit | | | | |
|-----------------|--|-----------------|-------|--------------|
| Evora Care Kit* | | per unit 290132 | 27,27 | 33,00 |



The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop.

* supplied as standard and calculated with every order











| Easy | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------------------------|-------------------------------|---------------|---------------|
|  <p>20 mm composite stone without edging</p>  | worktops up to | 300mm deep | per m ¹ CO20-0-030 | 171,00 | 206,91 |
| | worktops up to | 600mm deep | per m ¹ CO20-0-060 | 262,00 | 317,02 |
| | worktops up to | 650mm deep | per m ¹ CO20-0-065 | 281,00 | 340,01 |
| | worktops up to | 700mm deep | per m ¹ CO20-0-070 | 344,00 | 416,24 |
| | worktops up to | 800mm deep | per m ¹ CO20-0-080 | 395,00 | 477,95 |
| | worktops up to | 900mm deep | per m ¹ CO20-0-090 | 469,00 | 567,49 |
| | worktops up to | 1000mm deep | per m ¹ CO20-0-100 | 515,00 | 623,15 |
| | worktops up to | 1100mm deep | per m ¹ CO20-0-110 | 570,00 | 689,70 |
| | worktops up to | 1200mm deep | per m ¹ CO20-0-120 | 648,00 | 784,08 |
| | worktops up to | 1350mm deep | per m ¹ CO20-0-135 | 699,00 | 845,79 |
| worktops up to | 1500mm deep | per m ¹ CO20-0-150 | 760,00 | 919,60 | |

6

| Smart | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------------------------|-------------------------------|-----------------|---------------|
|  <p>20 mm composite stone without edging</p>  | worktops up to | 300mm deep | per m ¹ CO20-9-030 | 199,00 | 240,79 |
| | worktops up to | 600mm deep | per m ¹ CO20-9-060 | 322,00 | 389,62 |
| | worktops up to | 650mm deep | per m ¹ CO20-9-065 | 349,00 | 422,29 |
| | worktops up to | 700mm deep | per m ¹ CO20-9-070 | 417,00 | 504,57 |
| | worktops up to | 800mm deep | per m ¹ CO20-9-080 | 476,00 | 575,96 |
| | worktops up to | 900mm deep | per m ¹ CO20-9-090 | 546,00 | 660,66 |
| | worktops up to | 1000mm deep | per m ¹ CO20-9-100 | 608,00 | 735,68 |
| | worktops up to | 1100mm deep | per m ¹ CO20-9-110 | 664,00 | 803,44 |
| | worktops up to | 1200mm deep | per m ¹ CO20-9-120 | 734,00 | 888,14 |
| | worktops up to | 1350mm deep | per m ¹ CO20-9-135 | 806,00 | 975,26 |
| worktops up to | 1500mm deep | per m ¹ CO20-9-150 | 903,00 | 1.092,63 | |

20 mm

| Classic | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------------------------|-------------------------------|-----------------|-----------------|
|  <p>20 mm composite stone without edging</p>  | worktops up to | 300mm deep | per m ¹ CO20-1-030 | 221,00 | 267,41 |
| | worktops up to | 600mm deep | per m ¹ CO20-1-060 | 414,00 | 500,94 |
| | worktops up to | 650mm deep | per m ¹ CO20-1-065 | 441,00 | 533,61 |
| | worktops up to | 700mm deep | per m ¹ CO20-1-070 | 506,00 | 612,26 |
| | worktops up to | 800mm deep | per m ¹ CO20-1-080 | 575,00 | 695,75 |
| | worktops up to | 900mm deep | per m ¹ CO20-1-090 | 645,00 | 780,45 |
| | worktops up to | 1000mm deep | per m ¹ CO20-1-100 | 716,00 | 866,36 |
| | worktops up to | 1100mm deep | per m ¹ CO20-1-110 | 785,00 | 949,85 |
| | worktops up to | 1200mm deep | per m ¹ CO20-1-120 | 856,00 | 1.035,76 |
| | worktops up to | 1350mm deep | per m ¹ CO20-1-135 | 934,00 | 1.130,14 |
| worktops up to | 1500mm deep | per m ¹ CO20-1-150 | 994,00 | 1.202,74 | |

| Corner connections | | | order no. | excl. VAT | incl. VAT |
|----------------------|---|---|--------------------------|-----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit CO20-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit CO20-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit CO20-x-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit CO20-x-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit CO20-x-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per unit CO20-x-HV4A-105 | 1.087,00 | 1.315,27 |

* replace 'x' with condition group number (0, 9, 1, or 2)

| Edge finishing double facet | | order no. | excl. VAT | incl. VAT |
|---|--|--|-----------|--------------|
|  |  2F |  per m ¹ CO20-2F | 47,00 | 56,87 |

Double faceted edge 20 mm

Pay attention!

- > In case of a high-cabinet finishing, always order and calculate the entire side/edge.
- > For polished edges (2F, innerside of a untermount sink etc.) applies that in case of a Velvet, Silt or Wave surface finishing, the finishing of the edge will become smooth and therefore be different than the surface of the worktop.
- > Other edge finishings on request.

6



20 mm

Countertop Evora Polar Grey (P)

6



20 mm

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit CO20-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit CO20-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit CO-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit CO20-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit CO-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit CO-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit CO-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit CO20-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit CO20-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks weighing ≥ 20 kg must be additionally supported. Please use our support set for this purpose.

| Extra works | | order no. | excl. VAT | incl. VAT |
|--|--|----------------------------------|-----------|-----------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit CO20-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit CO20-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit CO20-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit CO20-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit CO20-KOL3-A | 123,00 | 148,83 |
| Under-gluing for dishwasher (600 x 600 mm) | | per unit CO20-ONDZ-VW | 80,28 | 97,14 |
| Full glued construction | | per m ² CO-ONDZ-MAS | 223,00 | 269,83 |
| Additional reinforcement due to free-hanging parts from VF03, FW03, FR03 (See Chapter 1 ordering information, support and reinforcement) | | per m ² CO-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit CO-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit CO-CASCADE2 | 1.717,00 | 2.077,57 |
| Drain grooves A (4 pcs. 400 mm) | | per unit CO-AFD4-400 | 355,00 | 429,55 |
| Drain grooves A (4 pcs. 500 mm) | | per unit CO-AFD4-500 | 470,00 | 568,70 |

Always calculate the edge finishing on a machining separately!

| Maintenance kit | | order no. | excl. VAT | incl. VAT |
|---|-----------------|-----------------|-----------|--------------|
|  | Evora Care Kit* | per unit 290132 | 27,27 | 33,00 |
| <p>The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop.</p> <p>* supplied as standard and calculated with every order</p> | | | | |
|  | | | | |

| Easy 12 mm thick (without edge finishing) | | order no. | excl. VAT | incl. VAT |
|--|--------------------|------------------|------------------|------------------|
| Wallpanels up to 50 mm high (max. size is 2500 mm) | per m ¹ | CONAW-0-005 | 32,00 | 38,72 |
| Wallpanels up to 100 mm high | per m ¹ | CONAW-0-010 | 49,00 | 59,29 |
| Wallpanels up to 200 mm high | per m ¹ | CONAW-0-020 | 97,00 | 117,37 |
| Wallpanels up to 300 mm high | per m ¹ | CONAW-0-030 | 155,00 | 187,55 |
| Wallpanels up to 400 mm high | per m ¹ | CONAW-0-040 | 183,00 | 221,43 |
| Wallpanels up to 500 mm high | per m ¹ | CONAW-0-050 | 205,00 | 248,05 |
| Wallpanels up to 600 mm high | per m ¹ | CONAW-0-060 | 238,00 | 287,98 |
| Wallpanels up to 700 mm high | per m ¹ | CONAW-0-070 | 313,00 | 378,73 |
| Wallpanels up to 800 mm high | per m ¹ | CONAW-0-080 | 359,00 | 434,39 |
| Wallpanels up to 900 mm high | per m ¹ | CONAW-0-090 | 426,00 | 515,46 |
| Wallpanels up to 1000 mm high | per m ¹ | CONAW-0-100 | 468,00 | 566,28 |
| Wallpanels up to 1100 mm high | per m ¹ | CONAW-0-110 | 518,00 | 626,78 |
| Wallpanels up to 1200 mm high | per m ¹ | CONAW-0-120 | 589,00 | 712,69 |
| Wallpanels up to 1350 mm high | per m ¹ | CONAW-0-135 | 635,00 | 768,35 |
| Wallpanels up to 1500 mm high | per m ¹ | CONAW-0-150 | 691,00 | 836,11 |



| Smart 12 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|--|--------------------|------------------|------------------|------------------|
| Wallpanels up to 50 mm high (max. size is 2500 mm) | per m ¹ | CONAW-9-005 | 38,00 | 45,98 |
| Wallpanels up to 100 mm high | per m ¹ | CONAW-9-010 | 56,00 | 67,76 |
| Wallpanels up to 200 mm high | per m ¹ | CONAW-9-020 | 109,00 | 131,89 |
| Wallpanels up to 300 mm high | per m ¹ | CONAW-9-030 | 181,00 | 219,01 |
| Wallpanels up to 400 mm high | per m ¹ | CONAW-9-040 | 218,00 | 263,78 |
| Wallpanels up to 500 mm high | per m ¹ | CONAW-9-050 | 257,00 | 310,97 |
| Wallpanels up to 600 mm high | per m ¹ | CONAW-9-060 | 293,00 | 354,53 |
| Wallpanels up to 700 mm high | per m ¹ | CONAW-9-070 | 379,00 | 458,59 |
| Wallpanels up to 800 mm high | per m ¹ | CONAW-9-080 | 433,00 | 523,93 |
| Wallpanels up to 900 mm high | per m ¹ | CONAW-9-090 | 496,00 | 600,16 |
| Wallpanels up to 1000 mm high | per m ¹ | CONAW-9-100 | 553,00 | 669,13 |
| Wallpanels up to 1100 mm high | per m ¹ | CONAW-9-110 | 604,00 | 730,84 |
| Wallpanels up to 1200 mm high | per m ¹ | CONAW-9-120 | 667,00 | 807,07 |
| Wallpanels up to 1350 mm high | per m ¹ | CONAW-9-135 | 733,00 | 886,93 |
| Wallpanels up to 1500 mm high | per m ¹ | CONAW-9-150 | 821,00 | 993,41 |



| Classic 12 mm thick (without edge finishing) | | order no. | excl. VAT | incl. VAT |
|---|--------------------|------------------|------------------|------------------|
| Wallpanels up to 50 mm high (max. size is 2500 mm) | per m ¹ | CONAW-1-005 | 44,00 | 53,24 |
| Wallpanels up to 100 mm high | per m ¹ | CONAW-1-010 | 63,00 | 76,23 |
| Wallpanels up to 200 mm high | per m ¹ | CONAW-1-020 | 128,00 | 154,88 |
| Wallpanels up to 300 mm high | per m ¹ | CONAW-1-030 | 201,00 | 243,21 |
| Wallpanels up to 400 mm high | per m ¹ | CONAW-1-040 | 254,00 | 307,34 |
| Wallpanels up to 500 mm high | per m ¹ | CONAW-1-050 | 311,00 | 376,31 |
| Wallpanels up to 600 mm high | per m ¹ | CONAW-1-060 | 376,00 | 454,96 |
| Wallpanels up to 700 mm high | per m ¹ | CONAW-1-070 | 460,00 | 556,60 |
| Wallpanels up to 800 mm high | per m ¹ | CONAW-1-080 | 523,00 | 632,83 |
| Wallpanels up to 900 mm high | per m ¹ | CONAW-1-090 | 586,00 | 709,06 |
| Wallpanels up to 1000 mm high | per m ¹ | CONAW-1-100 | 651,00 | 787,71 |
| Wallpanels up to 1100 mm high | per m ¹ | CONAW-1-110 | 714,00 | 863,94 |
| Wallpanels up to 1200 mm high | per m ¹ | CONAW-1-120 | 778,00 | 941,38 |
| Wallpanels up to 1350 mm high | per m ¹ | CONAW-1-135 | 849,00 | 1.027,29 |
| Wallpanels up to 1500 mm high | per m ¹ | CONAW-1-150 | 904,00 | 1.093,84 |



6

| Premium 12 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|--|--------------------|------------------|------------------|------------------|
| Wallpanels up to 50 mm high (max. size is 2500 mm) | per m ¹ | CONAW-2-005 | 53,00 | 64,13 |
| Wallpanels up to 100 mm high | per m ¹ | CONAW-2-010 | 77,00 | 93,17 |
| Wallpanels up to 200 mm high | per m ¹ | CONAW-2-020 | 156,00 | 188,76 |
| Wallpanels up to 300 mm high | per m ¹ | CONAW-2-030 | 241,00 | 291,61 |
| Wallpanels up to 400 mm high | per m ¹ | CONAW-2-040 | 312,00 | 377,52 |
| Wallpanels up to 500 mm high | per m ¹ | CONAW-2-050 | 387,00 | 468,27 |
| Wallpanels up to 600 mm high | per m ¹ | CONAW-2-060 | 477,00 | 577,17 |
| Wallpanels up to 700 mm high | per m ¹ | CONAW-2-070 | 553,00 | 669,13 |
| Wallpanels up to 800 mm high | per m ¹ | CONAW-2-080 | 632,00 | 764,72 |
| Wallpanels up to 900 mm high | per m ¹ | CONAW-2-090 | 701,00 | 848,21 |
| Wallpanels up to 1000 mm high | per m ¹ | CONAW-2-100 | 778,00 | 941,38 |
| Wallpanels up to 1100 mm high | per m ¹ | CONAW-2-110 | 814,00 | 984,94 |
| Wallpanels up to 1200 mm high | per m ¹ | CONAW-2-120 | 868,00 | 1.050,28 |
| Wallpanels up to 1350 mm high | per m ¹ | CONAW-2-135 | 932,00 | 1.127,72 |
| Wallpanels up to 1500 mm high | per m ¹ | CONAW-2-150 | 1.035,00 | 1.252,35 |



| Ultimo / Eternal 12 mm thick (without edge finishing) | | | | |
|--|--------------------|-------------|----------|-----------------|
| Wallpanels up to 50 mm high (max. size is 2500 mm) | per m ¹ | CONAW-3-005 | 60,00 | 72,60 |
| Wallpanels up to 100 mm high | per m ¹ | CONAW-3-010 | 88,00 | 106,48 |
| Wallpanels up to 200 mm high | per m ¹ | CONAW-3-020 | 192,00 | 232,32 |
| Wallpanels up to 300 mm high | per m ¹ | CONAW-3-030 | 301,00 | 364,21 |
| Wallpanels up to 400 mm high | per m ¹ | CONAW-3-040 | 377,00 | 456,17 |
| Wallpanels up to 500 mm high | per m ¹ | CONAW-3-050 | 459,00 | 555,39 |
| Wallpanels up to 600 mm high | per m ¹ | CONAW-3-060 | 553,00 | 669,13 |
| Wallpanels up to 700 mm high | per m ¹ | CONAW-3-070 | 655,00 | 792,55 |
| Wallpanels up to 800 mm high | per m ¹ | CONAW-3-080 | 723,00 | 874,83 |
| Wallpanels up to 900 mm high | per m ¹ | CONAW-3-090 | 783,00 | 947,43 |
| Wallpanels up to 1000 mm high | per m ¹ | CONAW-3-100 | 865,00 | 1.046,65 |
| Wallpanels up to 1100 mm high | per m ¹ | CONAW-3-110 | 913,00 | 1.104,73 |
| Wallpanels up to 1200 mm high | per m ¹ | CONAW-3-120 | 978,00 | 1.183,38 |
| Wallpanels up to 1350 mm high | per m ¹ | CONAW-3-135 | 1.044,00 | 1.263,24 |
| Wallpanels up to 1500 mm high | per m ¹ | CONAW-3-150 | 1.101,00 | 1.332,21 |



| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|--|--------------------|----------------|-----------|-----------------|
| Polishing visible side - single facet (1F) | | per m ¹ | CONAW-1F | 42,00 | 50,82 |
| Polishing visible side - double facet (2F) | | per m ¹ | CONAW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ | CONAW-I22 | 80,00 | 96,80 |
| 60 mm polished bottom, front double facet (2F) | | per m ¹ | CONAW-2FPO | 122,00 | 147,62 |
| Bottom side fully polished | | per m ² | CONAW-ONDZ-POL | 977,00 | 1.182,17 |

| Recessed wallpanels | | | | | |
|--|--|----------|---------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit | CONAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit | CONAW-KOOK-OP | 106,00 | 128,26 |
| Cut-out for raised edge | | per unit | CONAW-WK | 33,00 | 39,93 |

| Extra works to wallpanels | | | | | |
|--|--|----------|--------------|--------|---------------|
| Oblique side without edge finishing | | per unit | CONAW-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit | CONAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit | CONAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit | CONAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit | CONAW-KOL3-A | 123,00 | 148,83 |

Always calculate the extra works and edging finishings separately!

| Sidepanel type A semi freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | COSTOL-A-030 | 704,00 | 851,84 |
| | Sidepanels up to 650mm deep | per m ¹ | COSTOL-A-065 | 978,00 | 1.183,38 |
| | Sidepanels up to 900 mm deep | per m ¹ | COSTOL-A-090 | 1.174,00 | 1.420,54 |
| | Sidepanels up to 1200 mm deep | per m ¹ | COSTOL-A-120 | 1.363,00 | 1.649,23 |
| | Sidepanels up to 1500mm deep | per m ¹ | COSTOL-A-150 | 1.701,00 | 2.058,21 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

| Sidepanel type B freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | COSTOL-B-030 | 945,00 | 1.143,45 |
| | Sidepanels up to 650mm deep | per m ¹ | COSTOL-B-065 | 1.220,00 | 1.476,20 |
| | Sidepanels up to 900 mm deep | per m ¹ | COSTOL-B-090 | 1.603,00 | 1.939,63 |
| | Sidepanels up to 1200 mm deep | per m ¹ | COSTOL-B-120 | 2.026,00 | 2.451,46 |
| | Sidepanels up to 1500mm deep | per m ¹ | COSTOL-B-150 | 2.376,00 | 2.874,96 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

- > The front- and backside are standard finished. So sidepanels can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in Evora Quartz.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.

Advantages



Impact resistant



Innovative design



Natural look



V-groove



Waterproof



100% recyclable



Durable material

Icons



All machining, edging, sidepanels and sinks fall into this price group. Price groups have different discounts and are listed separately.



Maximum length



Maximum width



Veined pattern. Does not run through standard at transitions of worktop sections.



New color in the collection

Approvals



Greenguard



NSF



AMK

For explanation, see Chapter 1, sustainable.






COSMOLITE

Contents:

- 7.3 Durable choice
- 7.4 Color Overview
- 7.6 Base Material
- 7.7 Edge Finishes
- 7.8 Cutouts and extra works
- 7.9 Wallpanelss, skirts and window sills
- 7.10 Finishes, extra works and sidepanels

7




Worktop Cosmolite Grey Argo

INDUSTRIAL WASTE OF MINERALS



7



NEW

100% recyclable

Can industrial waste also be beautiful? We say a resounding yes! Cosmolite® consists 100% of minerals and industrial waste from the stone industry with resin. From that base material, counterstops are pressed one by one which also creates beautiful, long-veined patterns. These plates are processed by Dekker into countertops. This kitchen top is grinded after use, after which the materials are reused!

From Ice to Black

Cosmolite's color palette includes eight colors ranging from light to dark, from calm to veined. A must-have in the modern sustainable kitchen!

100% minerals

Top thickness 12 mm

- > minerals from industrial waste
- > recycling marble and natural stone waste
- > 8 concrete and marble look colors

7

| Classic | color sample | full panel |
|---|--------------|------------|
| <p>Color: Beige Igea </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Black Juno </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Grey Argo </p> <p>Thickness: 12 mm</p> <p>Surface: Grain</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Grey Titano </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Meteor Cold </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Meteor Dark </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Meteor Ice </p> <p>Thickness: 12 mm</p> <p>Surface: Grain</p> <p>Max. dimensions: </p> | | |
| <p>Color: Meteor Light </p> <p>Thickness: 12 mm</p> <p>Surface: Grain</p> <p>Max. dimensions: </p> | | |


Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Colour | thickness | surface texture | maximum size | particularities |
|----------------|-----------|-----------------|----------------|-----------------|
| Classic | | | | |
| Beige Igea | 12 mm | - Polished | 3000 x 1350 mm | |
| Black Juno | 12 mm | - Polished | 3000 x 1350 mm | |
| Grey Argo | 12 mm | - Grain | 3000 x 1350 mm | |
| Grey Titano | 12 mm | - Polished | 3000 x 1350 mm | |
| Meteor Cold | 12 mm | - Polished | 3000 x 1350 mm | |
| Meteor Dark | 12 mm | - Polished | 3000 x 1350 mm | |
| Meteor Ice | 12 mm | - Grain | 3000 x 1350 mm | |
| Meteor Light | 12 mm | - Grain | 3000 x 1350 mm | |



Notice! You can receive samples when putting a display in your showroom..

Explanation particulars







- In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
- New color in the collection
- polished surface with a shiny appearance.
- Grain: matte look with the ease of maintenance of a polished top. Dark colors will show dirt and fingerprints earlier than polished, though.





For product information about Cosmolite, such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Classic | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|-----------------|
|  <p>12 mm Cosmolite (under construction) without edge trim</p>  | worktops up to 300mm deep | per m ¹ CM13-1-030 | 201,00 | 243,21 |
| | worktops up to 600mm deep | per m ¹ CM13-1-060 | 376,00 | 454,96 |
| | worktops up to 650mm deep | per m ¹ CM13-1-065 | 401,00 | 485,21 |
| | worktops up to 700mm deep | per m ¹ CM13-1-070 | 460,00 | 556,60 |
| | worktops up to 800mm deep | per m ¹ CM13-1-080 | 523,00 | 632,83 |
| | worktops up to 900mm deep | per m ¹ CM13-1-090 | 586,00 | 709,06 |
| | worktops up to 1000mm deep | per m ¹ CM13-1-100 | 651,00 | 787,71 |
| | worktops up to 1100mm deep | per m ¹ CM13-1-110 | 714,00 | 863,94 |
| | worktops up to 1200mm deep | per m ¹ CM13-1-120 | 778,00 | 941,38 |
| | worktops up to 1350mm deep | per m ¹ CM13-1-135 | 849,00 | 1.027,29 |
| worktops up to 1500mm deep | per m ¹ CM13-1-150 | 904,00 | 1.093,84 | |









7









| Corner connections | | | | | | |
|----------------------|---|---|----------|-----------------|----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit | CM13-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit | CM13-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit | CM13-1-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit | CM13-1-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit | CM13-1-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per Unit | CM13-1-HV4A-105 | 1.087,00 | 1.315,27 |









12 mm

| Edge finishing double facet | | | order no. | excl. VAT | incl. VAT |
|---|---|----|--|-----------|--------------------|
|  |  | 2F |  per m ¹ | CM13-2F | 47,00 56,87 |

12 mm double facet edge

| Edge finish mitre | | | | | |
|---|---|--|--|-----------|----------------------|
|  |  | VF02 |  per m ¹ | CM13-VF02 | 111,00 134,31 |
| | | VF03 * |  per m ¹ | CM13-VF03 | 111,00 134,31 |
| | | VF04 |  per m ¹ | CM13-VF04 | 137,00 165,77 |
| | | VF06 |  per m ¹ | CM13-VF06 | 173,00 209,33 |
| | | VF08 |  per m ¹ | CM13-VF08 | 212,00 256,52 |
| | | VF10 |  per m ¹ | CM13-VF10 | 246,00 297,66 |
| | | *VF03 has a height of 32mm. Take this into account | | | |

| Edge finishing waterstop | | | | | |
|--|--|--|--|-----------|----------------------|
|  |  | FW02 |  per m ¹ | CM13-FW02 | 111,00 134,31 |
| | | FW03* |  per m ¹ | CM13-FW03 | 111,00 134,31 |
| | | FW04 |  per m ¹ | CM13-FW04 | 137,00 165,77 |
| | | FW06 |  per m ¹ | CM13-FW06 | 173,00 209,33 |
| | | FW08 |  per m ¹ | CM13-FW08 | 212,00 256,52 |
| | | FW10 |  per m ¹ | CM13-FW10 | 246,00 297,66 |
| | | *FW03 has a height of 34mm. Take this into account | | | |

| Edge chiseled | | | | | |
|---|---|--|--|-----------|----------------------|
|  |  | FR02 |  per m ¹ | CM13-FR02 | 235,00 284,35 |
| | | FR03 * |  per m ¹ | CM13-FR03 | 235,00 284,35 |
| | | FR04 |  per m ¹ | CM13-FR04 | 261,00 315,81 |
| | | FR06 |  per m ¹ | CM13-FR06 | 298,00 360,58 |
| | | FR08 |  per m ¹ | CM13-FR08 | 336,00 406,56 |
| | | FR10 |  per m ¹ | CM13-FR10 | 370,00 447,70 |
| | | *FR03 has a height of 32mm. Take this into account | | | |

Pay attention!

- > In case of a high-cabinet finishing, always order and calculate the entire side/edge.
- > With polished edges (2F, inside substructure cutout, etc.), the texture of a Grain finish will become smooth and thus different from the top surface.
- > Other edge finishes on request.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|--------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit CM13-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit CM13-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit CM13-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit CM13-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit CO-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit CO-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit CO-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit CM13-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit CM13-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

| Extra works | | | | |
|---|--|------------------------------------|----------|-----------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit CM13-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit CM13-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit CM13-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit CM13-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit CM13-KOL3-A | 123,00 | 148,83 |
| Under-gluing for dishwasher (600 x 600 mm) | | per unit CM13-ONDZ-VW | 80,28 | 97,14 |
| Full glued construction | | per m ² CM13-ONDZ-MAS | 223,00 | 269,83 |
| Additional reinforcement for free-hanging parts from VF03, FW03, FR03 see section 1 ordering information, support and reinforcement | | per m ² CM13-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit CO-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit CO-CASCADE2 | 1.717,00 | 2.077,57 |
| Drain grooves A (4 pcs. 400 mm) | | per unit CO-AFD4-400 | 355,00 | 429,55 |
| Drain grooves A (4 pcs. 500 mm) | | per unit CO-AFD4-500 | 470,00 | 568,70 |

Always calculate the edge finishing on a machining separately!

| Maintenance kit | | | | |
|--|-----------------|-----------------|-------|--------------|
| | Evora Care Kit* | per unit 290132 | 27,27 | 33,00 |
| The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop. | | | | |
| * supplied as standard and calculated with every order | | | | |
| | | | | |

| Classic - 12 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|---|------------------------|--------------------------------|-----------|-----------------|
| Wallpanels up to 50 mm high | (max. size is 2500 mm) | per m ¹ CMNAW-1-005 | 44,00 | 53,24 |
| Wallpanels up to 100 mm high | | per m ¹ CMNAW-1-010 | 63,00 | 76,23 |
| Wallpanels up to 200 mm high | | per m ¹ CMNAW-1-020 | 128,00 | 154,88 |
| Wallpanels up to 300 mm high | | per m ¹ CMNAW-1-030 | 201,00 | 243,21 |
| Wallpanels up to 400 mm high | | per m ¹ CMNAW-1-040 | 254,00 | 307,34 |
| Wallpanels up to 500 mm high | | per m ¹ CMNAW-1-050 | 311,00 | 376,31 |
| Wallpanels up to 600 mm high | | per m ¹ CMNAW-1-060 | 376,00 | 454,96 |
| Wallpanels up to 700 mm high | | per m ¹ CMNAW-1-070 | 460,00 | 556,60 |
| Wallpanels up to 800 mm high | | per m ¹ CMNAW-1-080 | 523,00 | 632,83 |
| Wallpanels up to 900 mm high | | per m ¹ CMNAW-1-090 | 586,00 | 709,06 |
| Wallpanels up to 1000 mm high | | per m ¹ CMNAW-1-100 | 651,00 | 787,71 |
| Wallpanels up to 1100 mm high | | per m ¹ CMNAW-1-110 | 714,00 | 863,94 |
| Wallpanels up to 1200 mm high | | per m ¹ CMNAW-1-120 | 778,00 | 941,38 |
| Wallpanels up to 1350 mm high | | per m ¹ CMNAW-1-135 | 849,00 | 1.027,29 |
| Wallpanels up to 1500 mm high | | per m ¹ CMNAW-1-150 | 904,00 | 1.093,84 |



| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|--|--------------------|----------------|-----------|-----------------|
| Polishing visible side - single facet (1F) | | per m ¹ | CMNAW-1F | 42,00 | 50,82 |
| Polishing visible side - double facet (2F) | | per m ¹ | CMNAW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ | CMNAW-I22 | 80,00 | 96,80 |
| 60 mm polished bottom, front double facet (2F) | | per m ¹ | CMNAW-2FPO | 122,00 | 147,62 |
| Bottom side fully polished | | per m ² | CMNAW-ONDZ-POL | 977,00 | 1.182,17 |

| Recessed wallpanels | | | | | |
|--|--|----------|---------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit | CMNAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit | CMNAW-KOOK-OP | 106,00 | 128,26 |
| Cut-out for raised edge | | per unit | CMNAW-WK | 33,00 | 39,93 |

| Extra works to wallpanels | | | | | |
|--|--|----------|--------------|--------|---------------|
| Oblique side without edge finishing | | per unit | CMNAW-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit | CMNAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit | CMNAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit | CMNAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit | CMNAW-KOL3-A | 123,00 | 148,83 |

Always calculate the extra works and edging finishings separately!

| Sidepanel type A semi freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | CMSTOL-A-030 | 704,00 | 851,84 |
| | Sidepanels up to 650mm deep | per m ¹ | CMSTOL-A-065 | 978,00 | 1.183,38 |
| | Sidepanels up to 900 mm deep | per m ¹ | CMSTOL-A-090 | 1.174,00 | 1.420,54 |
| | Sidepanels up to 1200 mm deep | per m ¹ | CMSTOL-A-120 | 1.363,00 | 1.649,23 |
| | Sidepanels up to 1500mm deep | per m ¹ | CMSTOL-A-150 | 1.701,00 | 2.058,21 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

| Sidepanel type B freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | CMSTOL-B-030 | 945,00 | 1.143,45 |
| | Sidepanels up to 650mm deep | per m ¹ | CMSTOL-B-065 | 1.220,00 | 1.476,20 |
| | Sidepanels up to 900 mm deep | per m ¹ | CMSTOL-B-090 | 1.603,00 | 1.939,63 |
| | Sidepanels up to 1200 mm deep | per m ¹ | CMSTOL-B-120 | 2.026,00 | 2.451,46 |
| | Sidepanels up to 1500mm deep | per m ¹ | CMSTOL-B-150 | 2.376,00 | 2.874,96 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

- > The front- and backside are standard finished. So sidepanels can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in Cosmolite.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in mitre, see Chapter 1, ordering information, sidepanels.



Worktop Cosmolite Meteor Ice

Advantages



Impact resistant



Natural look



V-groove



Waterproof



100% recyclable



Durable material

Icons



All machining, edging, sidepanels and sinks fall into this price group. Price groups have different discounts and are listed separately.



Maximum length



Maximum width



New color in the collection



Veined pattern. Does not run through standard at transitions of worktop sections.

Approvals



Greenguard



NSF



AMK

For explanation, see Chapter 1, sustainable.





OBSIDIANA

Content

- 8.3 Sustainable choice
- 8.4 Color Overview

12 mm


- 8.6 Base Material - 12 mm
- 8.7 Edge Finishes
- 8.8 Cutouts and extra works

- 8.9 Wallpanels, skirts and window sills
- 8.10 Finishes, extra works and sidepanels



Worktop Obsidiana Volcano Cloud

**RECYCLED GLASS
AND RESIN**



NEW

Eternal life

Obsidiana consists of 100% recycled glass with resin. From the compressed material, blocks are made and slabs are cut that can be worked into kitchen countertops. Not just once, but endlessly! Because the worktop can be grinded for reuse. It goes back to the factory, where yet another new and unique kitchen worktop appears from Obsidiana. Who says "waste" is not beautiful?

Volcano Series

The Obsidiana collection features six colors with quiet patterns: Volcano Cloud, Volcano Grey, Volcano Light, Volcano Pierre Bleue, Volcano Pearl and Volcano Dark. For the conscious voter with taste!

100% recycled glass


Top thickness 12 mm

- > glass waste recycling
- > resin
- > 6 vibrant colors

Classic

colour sample


full panel

Color: **Volcano Cloud** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 



Color: **Volcano Dark** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 



Color: **Volcano Grey** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 




Color: **Volcano Light** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 



Color: **Volcano Pearl** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 





















Color: **Volcano Pierre
Bleue** 
 Thickness: 12 mm
 Surface: Polished
 Max. dimensions: **3000**  **1350**
 Particularities: 







8



Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Colour | thickness | surface texture | maximum size | particularities |
|--|-----------|--|----------------|---|
| Classic | | | | |
| Volcano Cloud  | 12 mm |  - Polished | 3000 x 1350 mm |  |
| Volcano Dark  | 12 mm |  - Polished | 3000 x 1350 mm |  |
| Volcano Grey  | 12 mm |  - Polished | 3000 x 1350 mm |  |
| Volcano Light  | 12 mm |  - Polished | 3000 x 1350 mm |  |
| Volcano Pearl  | 12 mm |  - Polished | 3000 x 1350 mm |  |
| Volcano Pierre Bleue  | 12 mm |  - Polished | 3000 x 1350 mm |  |



Notice! You can receive samples when putting a display in your showroom..

Explanation particulars







-  Veined pattern, by default does not run at transitions from worktop parts. However, in the edge trim.
-  Spot sensitive
-  New color in the collection
-  polished surface with a shiny appearance.



For product information about Obsidiana, such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.



| Classic | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|-----------------|
|  <p>12 mm Quartz (glued construction) without edge finishing</p>  | worktops up to 300mm deep | per m ¹ OB13-1-030 | 201,00 | 243,21 |
| | worktops up to 600mm deep | per m ¹ OB13-1-060 | 376,00 | 454,96 |
| | worktops up to 650mm deep | per m ¹ OB13-1-065 | 401,00 | 485,21 |
| | worktops up to 700mm deep | per m ¹ OB13-1-070 | 460,00 | 556,60 |
| | worktops up to 800mm deep | per m ¹ OB13-1-080 | 523,00 | 632,83 |
| | worktops up to 900mm deep | per m ¹ OB13-1-090 | 586,00 | 709,06 |
| | worktops up to 1000mm deep | per m ¹ OB13-1-100 | 651,00 | 787,71 |
| | worktops up to 1100mm deep | per m ¹ OB13-1-110 | 714,00 | 863,94 |
| | worktops up to 1200mm deep | per m ¹ OB13-1-120 | 778,00 | 941,38 |
| | worktops up to 1350mm deep | per m ¹ OB13-1-135 | 849,00 | 1.027,29 |
| worktops up to 1500mm deep | per m ¹ OB13-1-150 | 904,00 | 1.093,84 | |

Corner connections









| | | | | | |
|----------------------|---|--|--------------------------|----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit OB13-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit OB13-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit OB13-1-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit OB13-1-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit OB13-1-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per unit OB13-1-HV4A-105 | 1.087,00 | 1.315,27 |

8









12 mm

| Edge finishing double facet | | | order no. | excl. VAT | incl. VAT |
|---|---|----|--|-----------|--------------------|
|  |  | 2F |  per m ¹ | OB13-2F | 47,00 56,87 |









12 mm double facet edge

| Edge finish mitre | | | | | |
|---|---|--|--|-----------|----------------------|
|  |  | VF02 |  per m ¹ | OB13-VF02 | 111,00 134,31 |
| | | VF03 * |  per m ¹ | OB13-VF03 | 111,00 134,31 |
| | | VF04 |  per m ¹ | OB13-VF04 | 137,00 165,77 |
| | | VF06 |  per m ¹ | OB13-VF06 | 173,00 209,33 |
| | | VF08 |  per m ¹ | OB13-VF08 | 212,00 256,52 |
| | | VF10 |  per m ¹ | OB13-VF10 | 246,00 297,66 |
| | | *VF03 has a height of 32mm. Take this into account | | | |

Mitre edge 20 mm up to 100 mm with facet

| Edge finishing waterstop | | | | | |
|--|--|--|--|-----------|----------------------|
|  |  | FW02 |  per m ¹ | OB13-FW02 | 111,00 134,31 |
| | | FW03* |  per m ¹ | OB13-FW03 | 111,00 134,31 |
| | | FW04 |  per m ¹ | OB13-FW04 | 137,00 165,77 |
| | | FW06 |  per m ¹ | OB13-FW06 | 173,00 209,33 |
| | | FW08 |  per m ¹ | OB13-FW08 | 212,00 256,52 |
| | | FW10 |  per m ¹ | OB13-FW10 | 246,00 297,66 |
| | | *FW03 has a height of 34mm. Take this into account | | | |

Waterstop 22 to 102 mm with facet

| Edge chiseled | | | | | |
|---|---|--|--|-----------|----------------------|
|  |  | FR02 |  per m ¹ | OB13-FR02 | 235,00 284,35 |
| | | FR03 * |  per m ¹ | OB13-FR03 | 235,00 284,35 |
| | | FR04 |  per m ¹ | OB13-FR04 | 261,00 315,81 |
| | | FR06 |  per m ¹ | OB13-FR06 | 298,00 360,58 |
| | | FR08 |  per m ¹ | OB13-FR08 | 336,00 406,56 |
| | | FR10 |  per m ¹ | OB13-FR10 | 370,00 447,70 |
| | | *FR03 has a height of 32mm. Take this into account | | | |

Sisseeled edge 20 to 100 mm

Pay attention!

- > In case of a high-cabinet finishing, always order and calculate the entire side/edge.
- > For polished edges (2F, innerside of a undermount sink etc.) applies that in case of a Velvet, Silt or Wave surface finishing, the finishing of the edge will become smooth and therefore be different than the surface of the worktop.
- > Other edge finishings on request.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|--------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit OB13-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit OB13-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit OB13-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit OB13-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit CO-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CO-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit CO-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit CO-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit OB13-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit OB13-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

| Extra works | | | | |
|---|--|------------------------------------|----------|-----------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit OB13-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit OB13-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit OB13-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit OB13-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit OB13-KOL3-A | 123,00 | 148,83 |
| Under-gluing for dishwasher (600 x 600 mm) | | per unit OB13-ONDZ-VW | 80,28 | 97,14 |
| Full glued construction | | per m ² OB13-ONDZ-MAS | 223,00 | 269,83 |
| Additional reinforcement for free-hanging parts from VF03, FW03, FR03 see section 1 ordering information, support and reinforcement | | per m ² OB13-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit CO-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit CO-CASCADE2 | 1.717,00 | 2.077,57 |
| Drain grooves A (4 pcs. 400 mm) | | per unit CO-AFD4-400 | 355,00 | 429,55 |
| Drain grooves A (4 pcs. 500 mm) | | per unit CO-AFD4-500 | 470,00 | 568,70 |

Always calculate the extra works and edging finishings separately!

| Maintenance kit | | | | |
|-----------------|--|-----------------|-------|--------------|
| | Evora Care Kit* | per unit 290132 | 27,27 | 33,00 |
| | The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop. | | | |
| | * supplied as standard and calculated with every order | | | |
| | | | | |

| Classic - 12 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|---|-----------------------------------|--------------------------------|-----------|-----------------|
| Wallpanels up to | 50 mm high (max. size is 2500 mm) | per m ¹ OBNAW-1-005 | 44,00 | 53,24 |
| Wallpanels up to | 100 mm high | per m ¹ OBNAW-1-010 | 63,00 | 76,23 |
| Wallpanels up to | 200 mm high | per m ¹ OBNAW-1-020 | 128,00 | 154,88 |
| Wallpanels up to | 300 mm high | per m ¹ OBNAW-1-030 | 201,00 | 243,21 |
| Wallpanels up to | 400 mm high | per m ¹ OBNAW-1-040 | 254,00 | 307,34 |
| Wallpanels up to | 500 mm high | per m ¹ OBNAW-1-050 | 311,00 | 376,31 |
| Wallpanels up to | 600 mm high | per m ¹ OBNAW-1-060 | 376,00 | 454,96 |
| Wallpanels up to | 700 mm high | per m ¹ OBNAW-1-070 | 460,00 | 556,60 |
| Wallpanels up to | 800 mm high | per m ¹ OBNAW-1-080 | 523,00 | 632,83 |
| Wallpanels up to | 900 mm high | per m ¹ OBNAW-1-090 | 586,00 | 709,06 |
| Wallpanels up to | 1000 mm high | per m ¹ OBNAW-1-100 | 651,00 | 787,71 |
| Wallpanels up to | 1100 mm high | per m ¹ OBNAW-1-110 | 714,00 | 863,94 |
| Wallpanels up to | 1200 mm high | per m ¹ OBNAW-1-120 | 778,00 | 941,38 |
| Wallpanels up to | 1350 mm high | per m ¹ OBNAW-1-135 | 849,00 | 1.027,29 |
| Wallpanels up to | 1500 mm high | per m ¹ OBNAW-1-150 | 904,00 | 1.093,84 |



| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|--|--------------------|----------------|-----------|-----------------|
| Polishing visible side - single facet (1F) | | per m ¹ | OBNAW-1F | 42,00 | 50,82 |
| Polishing visible side - double facet (2F) | | per m ¹ | OBNAW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ | OBNAW-I22 | 80,00 | 96,80 |
| 60 mm polished bottom, front double facet (2F) | | per m ¹ | OBNAW-2FPO | 122,00 | 147,62 |
| Bottom side fully polished | | per m ² | OBNAW-ONDZ-POL | 977,00 | 1.182,17 |

| Recessed wallpanels | | | | | |
|--|--|----------|---------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit | OBNAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit | OBNAW-KOOK-OP | 106,00 | 128,26 |
| Cut-out for raised edge | | per unit | OBNAW-WK | 33,00 | 39,93 |

| Extra works to wallpanels | | | | | |
|--|--|----------|--------------|--------|---------------|
| Oblique side without edge finishing | | per unit | OBNAW-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit | OBNAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit | OBNAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit | OBNAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit | OBNAW-KOL3-A | 123,00 | 148,83 |

Always calculate the extra works and edging finishings separately!

| Sidepanel type A semi freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | OBSTOL-A-030 | 704,00 | 851,84 |
| | Sidepanels up to 650mm deep | per m ¹ | OBSTOL-A-065 | 978,00 | 1.183,38 |
| | Sidepanels up to 900 mm deep | per m ¹ | OBSTOL-A-090 | 1.174,00 | 1.420,54 |
| | Sidepanels up to 1200 mm deep | per m ¹ | OBSTOL-A-120 | 1.363,00 | 1.649,23 |
| | Sidepanels up to 1500mm deep | per m ¹ | OBSTOL-A-150 | 1.701,00 | 2.058,21 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

| Sidepanel type B freestanding | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | OBSTOL-B-030 | 945,00 | 1.143,45 |
| | Sidepanels up to 650mm deep | per m ¹ | OBSTOL-B-065 | 1.220,00 | 1.476,20 |
| | Sidepanels up to 900 mm deep | per m ¹ | OBSTOL-B-090 | 1.603,00 | 1.939,63 |
| | Sidepanels up to 1200 mm deep | per m ¹ | OBSTOL-B-120 | 2.026,00 | 2.451,46 |
| | Sidepanels up to 1500mm deep | per m ¹ | OBSTOL-B-150 | 2.376,00 | 2.874,96 |
| Sidepanel width 32 to 100 mm VF03 has a height of 32mm. Take this into account | | | | | |

- > The front- and backside are standard finished. So sidepanels can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in Obsidiana
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.



Countertop Obsidiana Volcano Light

Advantages



Natural material



Extensive colour collection



Unique colours and structures



UV resistant

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Spot sensitive surface



Irregular surface



a veined pattern does not standard continue in the other parts of the worktop



Large colour gradient in the worktops. Attention at joints



New colour in the collection

Approvals



TruStone



AMK


For explanation, see Chapter 1, sustainable.



EVORA COMPACT GRANITE

Contents

- 9.3 Color options
- 9.8 Base material
- 9.9 Edge finishes
- 9.10 Extra works
- 9.11 Panels, skirts and window sills
- 9.12 Extra works and sidepanels



Worktop Evora Compact Granite Ellora Brown (A)

| Easy | color sample | full panel |
|---|--------------|------------|
| <p>Color: Bangalore White </p> <p>Thickness: 12 mm</p> <p>Surface: Antique</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Bangalore White </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Black Label </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Dark Pearl </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Gambia Black </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Impala </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Platinum Grey </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |
| <p>Color: Tan Brown </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Smart | color sample | full panel |
|--|--------------|------------|
| Color: Black Galaxy Thickness: 12 mm Surface: Polished Max. dimensions: | | |
| Color: Dark Pearl Thickness: 12 mm Surface: Lapato Max. dimensions: Particularities: | | |
| Color: Dark Pearl Thickness: 12 mm Surface: Riverwashed Max. dimensions: Particularities: | | |
| Color: Ellora Brown Thickness: 12 mm Surface: Polished Max. dimensions: Particularities: | | |
| Color: Gambia Black Thickness: 12 mm Surface: Riverwashed Max. dimensions: Particularities: | | |
| Color: Misty Black Thickness: 12 mm Surface: Polished Max. dimensions: | | |
| Color: Misty Black Thickness: 12 mm Surface: Honed Max. dimensions: Particularities: | | |
| Color: Tan Brown Thickness: 12 mm Surface: Lapato Max. dimensions: Particularities: | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.





| Classic | color sample | full panel |
|--|--------------|------------|
| <p>Color: Dark Pearl </p> <p>Thickness: 12 mm</p> <p>Surface: Antique</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Dark Pearl </p> <p>Thickness: 12 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Ellora Brown </p> <p>Thickness: 12 mm</p> <p>Surface: Antique</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Gambia Black </p> <p>Thickness: 12 mm</p> <p>Surface: Antique</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Gambia Black </p> <p>Thickness: 12 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Multicolor Red </p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Titanium</p> <p>Thickness: 12 mm</p> <p>Surface: Polished</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Titanium </p> <p>Thickness: 12 mm</p> <p>Surface: Lapato</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.






| Colour | thickness | surface texture | maximum size | particularities |
|-----------------|-----------|-----------------|----------------|-----------------|
| Easy | | | | |
| Bangalore White | 12 mm | A - Antique | 2900 x 1350 mm | |
| Bangalore White | 12 mm | P - Polished | 2900 x 1350 mm | |
| Black Label | 12 mm | P - Polished | 2900 x 1350 mm | |
| Dark Pearl | 12 mm | P - Polished | 2900 x 1350 mm | |
| Gambia Black | 12 mm | P - Polished | 2900 x 1350 mm | |
| Impala | 12 mm | P - Polished | 2900 x 1350 mm | |
| Platinum Gray | 12 mm | P - Polished | 2900 x 1350 mm | |
| Tan Brown | 12 mm | P - Polished | 2900 x 1350 mm | |
| Smart | | | | |
| Black Galaxy | 12 mm | P - Polished | 2900 x 1350 mm | |
| Dark Pearl | 12 mm | L - Lapato | 2900 x 1350 mm | |
| Dark Pearl | 12 mm | R - Riverwashed | 2900 x 1350 mm | |
| Ellora Brown | 12 mm | P - Polished | 2900 x 1350 mm | |
| Gambia Black | 12 mm | R - Riverwashed | 2900 x 1350 mm | |
| Misty Black | 12 mm | P - Polished | 2900 x 1350 mm | |
| Misty Black | 12 mm | H - Honed | 2900 x 1350 mm | |
| Tan Brown | 12 mm | L - Lapato | 2900 x 1350 mm | |
| Classic | | | | |
| Dark Pearl | 12 mm | A - Antique | 2900 x 1350 mm | |
| Dark Pearl | 12 mm | H - Honed | 2900 x 1350 mm | |
| Ellora Brown | 12 mm | A - Antique | 2900 x 1350 mm | |
| Gambia Black | 12 mm | A - Antique | 2900 x 1350 mm | |
| Gambia Black | 12 mm | H - Honed | 2900 x 1350 mm | |
| Multicolor Red | 12 mm | P - Polished | 2900 x 1350 mm | |
| Titanium | 12 mm | P - Polished | 2900 x 1350 mm | |
| Titanium | 12 mm | L - Lapato | 2900 x 1350 mm | |

NOTE: These colours are sampled by default.

Besides the colors in the color overview, Dekker Zevenhuizen can often supply other common colors. Please contact the sales department. Dekker has no influence on color, pattern and ease of use of these materials. Colors outside the collection are ordered by committee. Cancellation is not possible. Please allow 2 weeks extra delivery time.






Explanation icons

-  New colour in the collection
-  Spot sensitive surface
-  Irregular surface
-  In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
-  Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.
- A** Antique: rough surface with a coarse appearance. Grease and fingerprints are more likely to show.
- H** honed surface with a matte appearance. Fat and fingerprints are more likely to show .
- L** Lapato: leather finish with a higher gloss on the higher areas and a Honed appearance on the lower areas. Worktop requires the same attention as a Honed surface.
- P** polished surface with a shiny appearance.
- R** Riverwashed: rough surface with a matte and luxurious look. The rough surface requires an intensive and regular approach with cleaning and impregnation.


Discontinued colors 2024

- Angola Black (P) (available through Q1)
- Shivakashi (P) (available through Q1)










| Easy | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|-------------------------------|-----------|---------------|
|  <p>12 mm granite (fully glued under) without edge finishing</p>  | worktops up to 300mm deep | per m ¹ GR12-0-030 | 155,00 | 187,55 |
| | worktops up to 600mm deep | per m ¹ GR12-0-060 | 238,00 | 287,98 |
| | worktops up to 650mm deep | per m ¹ GR12-0-065 | 255,00 | 308,55 |
| | worktops up to 700mm deep | per m ¹ GR12-0-070 | 313,00 | 378,73 |
| | worktops up to 800mm deep | per m ¹ GR12-0-080 | 359,00 | 434,39 |
| | worktops up to 900mm deep | per m ¹ GR12-0-090 | 426,00 | 515,46 |
| | worktops up to 1000mm deep | per m ¹ GR12-0-100 | 468,00 | 566,28 |
| | worktops up to 1100mm deep | per m ¹ GR12-0-110 | 518,00 | 626,78 |
| | worktops up to 1200mm deep | per m ¹ GR12-0-120 | 589,00 | 712,69 |
| | worktops up to 1350mm deep | per m ¹ GR12-0-135 | 635,00 | 768,35 |








| Smart | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|-------------------------------|-----------|---------------|
|  <p>12 mm granite (fully glued under) without edge finishing</p>  | worktops up to 300mm deep | per m ¹ GR12-9-030 | 181,00 | 219,01 |
| | worktops up to 600mm deep | per m ¹ GR12-9-060 | 293,00 | 354,53 |
| | worktops up to 650mm deep | per m ¹ GR12-9-065 | 317,00 | 383,57 |
| | worktops up to 700mm deep | per m ¹ GR12-9-070 | 379,00 | 458,59 |
| | worktops up to 800mm deep | per m ¹ GR12-9-080 | 433,00 | 523,93 |
| | worktops up to 900mm deep | per m ¹ GR12-9-090 | 496,00 | 600,16 |
| | worktops up to 1000mm deep | per m ¹ GR12-9-100 | 553,00 | 669,13 |
| | worktops up to 1100mm deep | per m ¹ GR12-9-110 | 604,00 | 730,84 |
| | worktops up to 1200mm deep | per m ¹ GR12-9-120 | 667,00 | 807,07 |
| | worktops up to 1350mm deep | per m ¹ GR12-9-135 | 733,00 | 886,93 |








| Classic | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|-------------------------------|-----------|-----------------|
|  <p>12 mm granite (fully glued under) without edge finishing</p>  | worktops up to 300mm deep | per m ¹ GR12-1-030 | 201,00 | 243,21 |
| | worktops up to 600mm deep | per m ¹ GR12-1-060 | 376,00 | 454,96 |
| | worktops up to 650mm deep | per m ¹ GR12-1-065 | 401,00 | 485,21 |
| | worktops up to 700mm deep | per m ¹ GR12-1-070 | 460,00 | 556,60 |
| | worktops up to 800mm deep | per m ¹ GR12-1-080 | 523,00 | 632,83 |
| | worktops up to 900mm deep | per m ¹ GR12-1-090 | 586,00 | 709,06 |
| | worktops up to 1000mm deep | per m ¹ GR12-1-100 | 651,00 | 787,71 |
| | worktops up to 1100mm deep | per m ¹ GR12-1-110 | 714,00 | 863,94 |
| | worktops up to 1200mm deep | per m ¹ GR12-1-120 | 778,00 | 941,38 |
| | worktops up to 1350mm deep | per m ¹ GR12-1-135 | 849,00 | 1.027,29 |

| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|---|--------------------------|-----------|-----------------|
| Corner connection 1 | (angle connection) | per unit GR12-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) | per unit GR12-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) | per unit GR12-x-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) | per unit GR12-x-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) | per unit GR12-x-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) | per unit GR12-x-HV4A-105 | 1.087,00 | 1.315,27 |

* replace 'x' with condition group number (0, 9, or 1)

| Edge finish mitre | | order no. | excl. VAT | incl. VAT |
|--|------|--|-----------|---------------|
|   <p>Mitre edge 30 up to 100 mm with facet</p> | VF03 |  per m ¹ GR12-VF03 | 111,00 | 134,31 |
| | VF04 |  per m ¹ GR12-VF04 | 137,00 | 165,77 |
| | VF06 |  per m ¹ GR12-VF06 | 173,00 | 209,33 |
| | VF08 |  per m ¹ GR12-VF08 | 212,00 | 256,52 |
| | VF10 |  per m ¹ GR12-VF10 | 246,00 | 297,66 |

| Edge finishing waterstop | | | | |
|--|------|--|--------|---------------|
|   <p>Waterstop 32 to 102 mm with facet</p> | FW03 |  per m ¹ GR12-FW03 | 111,00 | 134,31 |
| | FW04 |  per m ¹ GR12-FW04 | 137,00 | 165,77 |
| | FW06 |  per m ¹ GR12-FW06 | 173,00 | 209,33 |
| | FW08 |  per m ¹ GR12-FW08 | 212,00 | 256,52 |
| | FW10 |  per m ¹ GR12-FW10 | 246,00 | 297,66 |

| Edge chiseled | | | | |
|--|------|--|--------|---------------|
|   <p>Chiselled edge 30 to 100 mm</p> | FR03 |  per m ¹ GR12-FR03 | 235,00 | 284,35 |
| | FR04 |  per m ¹ GR12-FR04 | 261,00 | 315,81 |
| | FR06 |  per m ¹ GR12-FR06 | 298,00 | 360,58 |
| | FR08 |  per m ¹ GR12-FR08 | 336,00 | 406,56 |
| | FR10 |  per m ¹ GR12-FR10 | 370,00 | 447,70 |

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|--------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit GR12-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit GR12-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit GR12-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit GR12-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit GR-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit GR-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit GR-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit GR-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit GR-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit GR12-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit GR12-KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit GR12-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

9

| Extra works | | | | |
|--|--|------------------------------------|----------|-----------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit GR12-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit GR12-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit GR12-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit GR12-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit GR12-KOL3-A | 123,00 | 148,83 |
| Additional reinforcement due to free-hanging parts from VF03, FW03, FR03 (See Chapter 1 ordering information, support and reinforcement) | | per m ² GR12-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit GR-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit GR-CASCADE2 | 1.717,00 | 2.077,57 |
| Drain grooves A (4 pcs. 400 mm) | | per unit GR-AFD4-400 | 355,00 | 429,55 |
| Drain grooves A (4 pcs. 500 mm) | | per unit GR-AFD4-500 | 470,00 | 568,70 |

Always calculate the extra works and edging finishings separately!


Maintenance kit



Evora Care Kit* per unit 290132 27,27 **33,00**

The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop.

* supplied as standard and calculated with every order



| Easy 12 mm thick (without edge finishing) | | | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|--------------|-----------|---------------|
| Wallpanels up to | 50 mm high (max. size is 2000 mm) | per m ¹ | GR12AW-0-005 | 32,00 | 38,72 |
| Wallpanels up to | 100 mm high (max. size is 2400 mm) | per m ¹ | GR12AW-0-010 | 49,00 | 59,29 |
| Wallpanels up to | 200 mm high (max. size is 2800 mm) | per m ¹ | GR12AW-0-020 | 97,00 | 117,37 |
| Wallpanels up to | 300 mm high | per m ¹ | GR12AW-0-030 | 155,00 | 187,55 |
| Wallpanels up to | 400 mm high | per m ¹ | GR12AW-0-040 | 183,00 | 221,43 |
| Wallpanels up to | 500 mm high | per m ¹ | GR12AW-0-050 | 205,00 | 248,05 |
| Wallpanels up to | 600 mm high | per m ¹ | GR12AW-0-060 | 238,00 | 287,98 |
| Wallpanels up to | 700 mm high | per m ¹ | GR12AW-0-070 | 313,00 | 378,73 |
| Wallpanels up to | 800 mm high | per m ¹ | GR12AW-0-080 | 359,00 | 434,39 |
| Wallpanels up to | 900 mm high | per m ¹ | GR12AW-0-090 | 426,00 | 515,46 |
| Wallpanels up to | 1000 mm high | per m ¹ | GR12AW-0-100 | 468,00 | 566,28 |
| Wallpanels up to | 1100 mm high | per m ¹ | GR12AW-0-110 | 518,00 | 626,78 |
| Wallpanels up to | 1200 mm high | per m ¹ | GR12AW-0-120 | 589,00 | 712,69 |
| Wallpanels up to | 1350 mm high | per m ¹ | GR12AW-0-135 | 635,00 | 768,35 |



| Smart 12 mm thick (without edge finish) | | | | | |
|---|------------------------------------|--------------------|--------------|--------|---------------|
| Wallpanels up to | 50 mm high (max. size is 2000 mm) | per m ¹ | GR12AW-9-005 | 38,00 | 45,98 |
| Wallpanels up to | 100 mm high (max. size is 2400 mm) | per m ¹ | GR12AW-9-010 | 56,00 | 67,76 |
| Wallpanels up to | 200 mm high (max. size is 2800 mm) | per m ¹ | GR12AW-9-020 | 109,00 | 131,89 |
| Wallpanels up to | 300 mm high | per m ¹ | GR12AW-9-030 | 181,00 | 219,01 |
| Wallpanels up to | 400 mm high | per m ¹ | GR12AW-9-040 | 218,00 | 263,78 |
| Wallpanels up to | 500 mm high | per m ¹ | GR12AW-9-050 | 257,00 | 310,97 |
| Wallpanels up to | 600 mm high | per m ¹ | GR12AW-9-060 | 293,00 | 354,53 |
| Wallpanels up to | 700 mm high | per m ¹ | GR12AW-9-070 | 379,00 | 458,59 |
| Wallpanels up to | 800 mm high | per m ¹ | GR12AW-9-080 | 433,00 | 523,93 |
| Wallpanels up to | 900 mm high | per m ¹ | GR12AW-9-090 | 496,00 | 600,16 |
| Wallpanels up to | 1000 mm high | per m ¹ | GR12AW-9-100 | 553,00 | 669,13 |
| Wallpanels up to | 1100 mm high | per m ¹ | GR12AW-9-110 | 604,00 | 730,84 |
| Wallpanels up to | 1200 mm high | per m ¹ | GR12AW-9-120 | 667,00 | 807,07 |
| Wallpanels up to | 1350 mm high | per m ¹ | GR12AW-9-135 | 733,00 | 886,93 |



| Classic - 12 mm thick (without edge finish) | | | | | |
|---|------------------------------------|--------------------|--------------|--------|-----------------|
| Wallpanels up to | 50 mm high (max. size is 2000 mm) | per m ¹ | GR12AW-1-005 | 44,00 | 53,24 |
| Wallpanels up to | 100 mm high (max. size is 2400 mm) | per m ¹ | GR12AW-1-010 | 63,00 | 76,23 |
| Wallpanels up to | 200 mm high (max. size is 2800 mm) | per m ¹ | GR12AW-1-020 | 128,00 | 154,88 |
| Wallpanels up to | 300 mm high | per m ¹ | GR12AW-1-030 | 201,00 | 243,21 |
| Wallpanels up to | 400 mm high | per m ¹ | GR12AW-1-040 | 254,00 | 307,34 |
| Wallpanels up to | 500 mm high | per m ¹ | GR12AW-1-050 | 311,00 | 376,31 |
| Wallpanels up to | 600 mm high | per m ¹ | GR12AW-1-060 | 376,00 | 454,96 |
| Wallpanels up to | 700 mm high | per m ¹ | GR12AW-1-070 | 460,00 | 556,60 |
| Wallpanels up to | 800 mm high | per m ¹ | GR12AW-1-080 | 523,00 | 632,83 |
| Wallpanels up to | 900 mm high | per m ¹ | GR12AW-1-090 | 586,00 | 709,06 |
| Wallpanels up to | 1000 mm high | per m ¹ | GR12AW-1-100 | 651,00 | 787,71 |
| Wallpanels up to | 1100 mm high | per m ¹ | GR12AW-1-110 | 714,00 | 863,94 |
| Wallpanels up to | 1200 mm high | per m ¹ | GR12AW-1-120 | 778,00 | 941,38 |
| Wallpanels up to | 1350 mm high | per m ¹ | GR12AW-1-135 | 849,00 | 1.027,29 |



| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|--|--------------------|-----------------|-----------|-----------------|
| Polishing visible side - single facet (1F) | | per m ¹ | GR12AW-1F | 42,00 | 50,82 |
| Polishing visible side - double facet (2F) | | per m ¹ | GR12AW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ | GR12AW-l22 | 80,00 | 96,80 |
| 60 mm polished bottom, front double facet (2F) | | per m ¹ | GR12AW-2FPO | 122,00 | 147,62 |
| Bottom side fully polished | | per m ² | GR12AW-ONDZ-POL | 977,00 | 1.182,17 |

| Recessed wallpanels | | | | | |
|--|--|----------|----------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit | GR12AW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit | GR12AW-KOOK-OP | 106,00 | 128,26 |
| Cut-out for raised edge | | per unit | GR12AW-WK | 33,00 | 39,93 |

| Extra works to wallpanels | | | | | |
|--|--|----------|---------------|--------|---------------|
| Oblique side without edge finishing | | per unit | GR12AW-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit | GR12AW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit | GR12AW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit | GR12AW-KOLOM | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit | GR12AW-KOLOM3 | 123,00 | 148,83 |

Always calculate the extra works and edging finishings separately!

| Sidepanel type A semi freestanding | | | | | |
|------------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | GRSTOL-A-030 | 704,00 | 851,84 |
| | Sidepanels up to 650mm deep | per m ¹ | GRSTOL-A-065 | 978,00 | 1.183,38 |
| | Sidepanels up to 900 mm deep | per m ¹ | GRSTOL-A-090 | 1.174,00 | 1.420,54 |
| | Sidepanels up to 1200 mm deep | per m ¹ | GRSTOL-A-120 | 1.363,00 | 1.649,23 |
| | Sidepanels up to 1500mm deep | per m ¹ | GRSTOL-A-150 | 1.701,00 | 2.058,21 |
| | Sidepanel width, 30 to 100 mm | | | | |

| Sidepanel type B freestanding | | | | | |
|-------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | GRSTOL-B-030 | 945,00 | 1.143,45 |
| | Sidepanels up to 650mm deep | per m ¹ | GRSTOL-B-065 | 1.220,00 | 1.476,20 |
| | Sidepanels up to 900 mm deep | per m ¹ | GRSTOL-B-090 | 1.603,00 | 1.939,63 |
| | Sidepanels up to 1200 mm deep | per m ¹ | GRSTOL-B-120 | 2.026,00 | 2.451,46 |
| | Sidepanels up to 1500mm deep | per m ¹ | GRSTOL-B-150 | 2.376,00 | 2.874,96 |
| | Sidepanel width, 30 to 100 mm | | | | |

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in Granite.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.



Worktop Evora Compact Granite Platinum Grey (P)

Advantages



More scratch resistant than many others material types



Acid-resistant



Maintenance free



Stain resistant

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Bookmatch. Veined partoon is shown mirrored on connecting volume.



Veinmatch. Veined parton is shown throughout on contiguous part.



Irregular surface



a veined pattern does not standard continue in the other parts of the worktop



Large colour gradient in the worktops. Attention at joints



The pattern and structure of the surface is also reflected in the core of these colors



New color in the collection



Scratch-sensitive surface

Approvals



Greenguard



NSF



AMK


For explanation, see Chapter 1, sustainable.



EVORA CERAMICS

Contents

- 10.3 Colour options
- 10.14 Base material
- 10.15 Edge finishes
- 10.16 Extra works
- 10.17 Wallpanels, skirts and window sills
- 10.18 Extra works and sidepanels



Countertop Evora Ceramics Breach (H)

| Easy | colour sample | full panel |
|--|---------------|------------|
| <p>Color: Belgian Fossil </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Bottega Acero </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Bottega Anthracita </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Bottega Caliza </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Energy </p> <p>Thickness: 6 mm</p> <p>Surface: Riverwashed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Flow </p> <p>Thickness: 6 mm</p> <p>Surface: Riverwashed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Rocher Noir </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Stucco Dark </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Easy | colour sample | full panel |
|---|---------------|------------|
| Color: Stucco Light Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |

| Classic | colour sample | full panel |
|---|---------------|------------|
| Color: Aria White Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |

| | | |
|--|--|--|
| Color: Black Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |
|--|--|--|

| | | |
|---|--|--|
| Color: Blaze Thickness: 6 mm Surface: Silk Max. dimensions: Particularities: | | |
|---|--|--|

| | | |
|--|--|--|
| Color: Force Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |
|--|--|--|

| | | |
|---|--|--|
| Color: Freeze Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |
|---|--|--|

| | | |
|---|--|--|
| Color: Glem White Thickness: 6 mm Surface: Honed Max. dimensions: Particularities: | | |
|---|--|--|

10

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic | colour sample | full panel |
|--|---------------|------------|
| <p>Color: Lime Grey </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Markina Black </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Mercury </p> <p>Thickness: 6 mm</p> <p>Surface: Velvet</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Noble Black </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Nogota</p> <p>Thickness: 6 mm</p> <p>Surface: Riverwashed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Rio Brown </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities:</p> | | |
| <p>Color: Saint Laurent </p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |
| <p>Color: Soil </p> <p>Thickness: 6 mm</p> <p>Surface: Riverwashed</p> <p>Max. dimensions: </p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic | | colour sample | full panel |
|--|--|---------------|------------|
| Color: Spirit Thickness: 6 mm Surface: Honed Max. dimensions: 3200 1500 Particularities: | | | |
| Color: Virtual Black Thickness: 6 mm Surface: Honed Max. dimensions: 3200 1500 Particularities: | | | |
| Color: Virtual Brown Thickness: 6 mm Surface: Honed Max. dimensions: 3200 1500 Particularities: | | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Premium | colour sample | full panel |
|--|---------------|------------|
| <p>Color: Astrodomus</p> <p>Thickness: 6 mm</p> <p>Surface: Silk</p> <p>Max. dimensions: 3200 1500</p> <p>Particularities: </p> | | |
| <p>Color: Breach</p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: 3200 1500</p> <p>Particularities: </p> | | |
| <p>Color: Calacatta Green L</p> <p>Thickness: 6 mm</p> <p>Surface: Lux</p> <p>Max. dimensions: 3190 1500</p> <p>Particularities: </p> | | |
| <p>Color: Fantasy</p> <p>Thickness: 6 mm</p> <p>Surface: Honed</p> <p>Max. dimensions: 3200 1500</p> <p>Particularities: </p> | | |
| <p>Color: Glow</p> <p>Thickness: 6 mm</p> <p>Surface: Silk</p> <p>Max. dimensions: 3190 1500</p> <p>Particularities: </p> | | |
| <p>Color: Golding In</p> <p>Thickness: 6 mm</p> <p>Surface: Lux</p> <p>Max. dimensions: 3190 1500</p> <p>Particularities: </p> | | |
| <p>Color: Hudson Brown L</p> <p>Thickness: 6 mm</p> <p>Surface: Lux</p> <p>Max. dimensions: 3190 1500</p> <p>Particularities: </p> | | |
| <p>Color: Intermezzo L</p> <p>Thickness: 6 mm</p> <p>Surface: Lux</p> <p>Max. dimensions: 3190 1500</p> <p>Particularities: </p> | | |


Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

Premium

colour sample

full panel

Color: **Lush White L**
 Thickness: 6 mm
 Surface: Lux
 Max. dimensions: 3190 1500
 Particularities:



Color: **Navagio Blue L**
 Thickness: 6 mm
 Surface: Lux
 Max. dimensions: 3190 1500
 Particularities:



Color: **Mulan L**
 Thickness: 6 mm
 Surface: Lux
 Max. dimensions: 3190 1500
 Particularities:




Color: **Proteus S**
 Thickness: 6 mm
 Surface: Silk
 Max. dimensions: 3190 1500
 Particularities:



Color: **Spectacle L**
 Thickness: 6 mm
 Surface: Lux
 Max. dimensions: 3190 1500
 Particularities:



Color: **Verde Alpi L**
 Thickness: 6 mm
 Surface: Lux
 Max. dimensions: 3190 1500
 Particularities:



Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.



10














Worktop Evora Ceramics Mercury (V)

| Colour | thickness | surface texture | maximum size | particularities |
|-------------------|-----------|-----------------|----------------|--|
| Easy | | | | |
| Belgian Fossil | 6 mm | H - Honed | 3200 x 1500 mm | |
| Bottega Acero | 6 mm | H - Honed | 3200 x 1500 mm | |
| Bottega Antracita | 6 mm | H - Honed | 3200 x 1500 mm | |
| Bottega Caliza | 6 mm | H - Honed | 3200 x 1500 mm | |
| Energy | 6 mm | R - Riverwashed | 3200 x 1500 mm | |
| Flow | 6 mm | R - Riverwashed | 3200 x 1500 mm | |
| Rocher Noir | 6 mm | H - Honed | 3200 x 1500 mm | |
| Stucco Dark | 6 mm | H - Honed | 3200 x 1500 mm | |
| Stucco Light | 6 mm | H - Honed | 3200 x 1500 mm | |
| Classic | | | | |
| Aria White | 6 mm | H - Honed | 3200 x 1500 mm | |
| Black | 6 mm | H - Honed | 3200 x 1500 mm | |
| Blaze | 6 mm | S - Silk | 3200 x 1500 mm | |
| Force | 6 mm | H - Honed | 3200 x 1500 mm | |
| Freeze | 6 mm | H - Honed | 3200 x 1500 mm | |
| Glem White | 6 mm | H - Honed | 3200 x 1500 mm | |
| Lime Grey | 6 mm | H - Honed | 3200 x 1500 mm | |
| Markina Black | 6 mm | H - Honed | 3200 x 1500 mm | |
| Mercury | 6 mm | V - Velvet | 3200 x 1500 mm | |
| Noble Black | 6 mm | H - Honed | 3200 x 1500 mm | |
| Nogota | 6 mm | R - Riverwashed | 3200 x 1500 mm | |
| Rio Brown | 6 mm | H - Honed | 3200 x 1500 mm | Pay attention! Facet colour deviates more than average |
| Saint Laurent | 6 mm | H - Honed | 3200 x 1500 mm | |
| Soil | 6 mm | R - Riverwashed | 3200 x 1500 mm | |
| Spirit | 6 mm | H - Honed | 3200 x 1500 mm | |
| Virtual Black | 6 mm | H - Honed | 3200 x 1500 mm | |
| Virtual Brown | 6 mm | H - Honed | 3200 x 1500 mm | |
| Premium | | | | |
| Astrodomus | 6 mm | S - Silk | 3200 x 1500 mm | |
| Breach | 6 mm | H - Honed | 3200 x 1500 mm | |
| Calacatta Green | 6 mm | L - Lux | 3190 x 1500 mm | |
| Fantasy | 6 mm | H - Honed | 3200 x 1500 mm | |
| Glow | 6 mm | S - Silk | 3200 x 1500 mm | |
| Golding | 6 mm | L - Lux | 3190 x 1500 mm | |
| Hudson Brown | 6 mm | L - Lux | 3190 x 1500 mm | |
| Intermezzo | 6 mm | L - Lux | 3190 x 1500 mm | |
| Lush White | 6 mm | L - Lux | 3190 x 1500 mm | |
| Navagio Blue | 6 mm | L - Lux | 3190 x 1500 mm | |
| Mulan | 6 mm | L - Lux | 3190 x 1500 mm | |
| Proteus | 6 mm | S - Silk | 3200 x 1500 mm | |
| Spectacle | 6 mm | L - Lux | 3190 x 1500 mm | |
| Verde Alpi | 6 mm | L - Lux | 3190 x 1500 mm | |

NOTE: These colors are sampled by default.

Besides the colours in the colour list, Dekker Zevenhuizen can often also deliver other (in the Netherlands) common colours. Please contact your regular contact person for this. Dekker has no influence on colour, drawing and ease of use of these materials. Worktops outside the collection are ordered by commission. Cancellation is not possible. Please allow an additional 2 weeks for delivery.

Explanation icons

-  The drawing and structure of the surface is also reflected in the core of these colors
-  Bookmatch. Veined parton is shown mirrored on connecting volume.
-  Veinmatch. Veined particle is shown continuously on contiguous part.
-  Irregular surface
-  In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
-  Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.
-  New colour in the collection
-  Scratch-sensitive surface
-  honed surface with a matte appearance. Fat and fingerprints are more likely to show .
-  Lux (L) is a polished surface with a high gloss appearance.
-  Riverwashed: rough surface with a coarse appearance. Grease and fingerprints are more likely to show. The rough surface requires an intensive and regular approach with cleaning.
-  Silk: polished surface with a silky appearance
-  Velvet: matte appearance with the ease of maintenance as a polished top. With dark colours, grease and fingerprints will be more visible than with polished.

Discontinued colors 2024 (available tm Q1)

- Taron
- Smokey Grey
- Moonstone
- Hyperion (no longer available)



Detail possible (corner) joint.



Detail possible corner connection: worktop drawing does not run through by default.

The following colors are possible in bookmatch ▶◀


| | |
|------------|----------------|
| Aria White | 3200 x 1500 mm |
| Glem White | 3200 x 1500 mm |
| Breach | 3200 x 1500 mm |
| Intermezzo | 3190 x 1500 mm |
| Lush White | 3190 x 1500 mm |
| Mulan | 3190 x 1500 mm |
| Spectacle | 3190 x 1500 mm |



Aria White



Glem White




Breach




Intermezzo



Lush White



Mulan



Spectacle

Common setups:
shown in Spectacle



Angled joint / stol - bookmatch



Island top - bookmatch



Wallpanel - bookmatch



Joint / wallpanel - bookmatch



Joint mitered / sidepanel / wallpanel* (on request) - bookmatch

For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.

The surcharge for bookmatch is €325,- net ex per transition of each top (part), wallpanel and / or sidepanel can be ordered with article number CER-BOOKMATCH


Additional information for both Bookmatch and Veinmatch:

Notice: the necessary facets at Evora Ceramics are in plain color.

For more information on matching patterns, see ordering information Chapter 1, Matching Patterns and Color Differences.

The following colors are possible in veinmatch


| | |
|--------------|----------------|
| Verde Alpi | 3190 x 1500 mm |
| Golding | 3190 x 1500 mm |
| Navagio Blue | 3190 x 1500 mm |



Verde Alpi



Golding



Navagio Blue

Common setups:
shown in Navagio Blue



Angled cjoint / sidepanel - veinmatch



Island top - veinmatch



Wallpanell - veinmatch



Joint / wallpanel - veinmatch







Joint mitered / sidepanel / wallpanel* (on request) - veinmatch


10







For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.

The additional charge for veinmatch is €325,- net ex per transition of each top (part), wallpanel and / or sidepanel and can be ordered with part number CER-VEINMATCH

| Easy | | | order no. | excl. VAT | incl. VAT |
|---|----------------|------------------------------|------------------------------|---------------|---------------|
|  <p>ceramics (fully underglued) without edge finishing</p>  | worktops up to | 300mm deep | per m ¹ CER-0-030 | 181,00 | 219,01 |
| | worktops up to | 600mm deep | per m ¹ CER-0-060 | 293,00 | 354,53 |
| | worktops up to | 650mm deep | per m ¹ CER-0-065 | 317,00 | 383,57 |
| | worktops up to | 700mm deep | per m ¹ CER-0-070 | 379,00 | 458,59 |
| | worktops up to | 800mm deep | per m ¹ CER-0-080 | 433,00 | 523,93 |
| | worktops up to | 900mm deep | per m ¹ CER-0-090 | 496,00 | 600,16 |
| | worktops up to | 1000mm deep | per m ¹ CER-0-100 | 553,00 | 669,13 |
| | worktops up to | 1100mm deep | per m ¹ CER-0-110 | 604,00 | 730,84 |
| | worktops up to | 1200mm deep | per m ¹ CER-0-120 | 667,00 | 807,07 |
| | worktops up to | 1350mm deep | per m ¹ CER-0-135 | 733,00 | 886,93 |
| worktops up to | 1500mm deep | per m ¹ CER-0-150 | 821,00 | 993,41 | |


| Classic | | | order no. | excl. VAT | incl. VAT |
|---|----------------|------------------------------|------------------------------|-----------------|-----------------|
|  <p>ceramics (fully underglued) without edge finishing</p>  | worktops up to | 300mm deep | per m ¹ CER-1-030 | 201,00 | 243,21 |
| | worktops up to | 600mm deep | per m ¹ CER-1-060 | 376,00 | 454,96 |
| | worktops up to | 650mm deep | per m ¹ CER-1-065 | 401,00 | 485,21 |
| | worktops up to | 700mm deep | per m ¹ CER-1-070 | 460,00 | 556,60 |
| | worktops up to | 800mm deep | per m ¹ CER-1-080 | 523,00 | 632,83 |
| | worktops up to | 900mm deep | per m ¹ CER-1-090 | 586,00 | 709,06 |
| | worktops up to | 1000mm deep | per m ¹ CER-1-100 | 651,00 | 787,71 |
| | worktops up to | 1100mm deep | per m ¹ CER-1-110 | 714,00 | 863,94 |
| | worktops up to | 1200mm deep | per m ¹ CER-1-120 | 778,00 | 941,38 |
| | worktops up to | 1350mm deep | per m ¹ CER-1-135 | 849,00 | 1.027,29 |
| worktops up to | 1500mm deep | per m ¹ CER-1-150 | 904,00 | 1.093,84 | |

| Premium | | | order no. | excl. VAT | incl. VAT |
|---|----------------|------------------------------|------------------------------|-----------------|-----------------|
|  <p>ceramics (fully underglued) without edge finishing</p>  | worktops up to | 300mm deep | per m ¹ CER-2-030 | 241,00 | 291,61 |
| | worktops up to | 600mm deep | per m ¹ CER-2-060 | 477,00 | 577,17 |
| | worktops up to | 650mm deep | per m ¹ CER-2-065 | 510,00 | 617,10 |
| | worktops up to | 700mm deep | per m ¹ CER-2-070 | 553,00 | 669,13 |
| | worktops up to | 800mm deep | per m ¹ CER-2-080 | 632,00 | 764,72 |
| | worktops up to | 900mm deep | per m ¹ CER-2-090 | 701,00 | 848,21 |
| | worktops up to | 1000mm deep | per m ¹ CER-2-100 | 778,00 | 941,38 |
| | worktops up to | 1100mm deep | per m ¹ CER-2-110 | 814,00 | 984,94 |
| | worktops up to | 1200mm deep | per m ¹ CER-2-120 | 868,00 | 1.050,28 |
| | worktops up to | 1350mm deep | per m ¹ CER-2-135 | 932,00 | 1.127,72 |
| worktops up to | 1500mm deep | per m ¹ CER-2-150 | 1.035,00 | 1.252,35 | |

| Corner connections | | | order no. | excl. VAT | incl. VAT |
|----------------------|---|---|-------------------------|-----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit CER-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit CER-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit CER-x-HV3-105 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit CER-x-HV3A-105 | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit CER-x-HV4-105 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per unit CER-x-HV4A-105 | 1.087,00 | 1.315,27 |

* replace 'x' with condition group number (0, 1 or 2)

Aluminum edge



ALF



per m¹

CER-ALF

173,00

209,33

14 mm aluminum edge

Available in the colours Stainless Steel, Gun Metal, Copper and Gold.
Clearly indicate the desired color on the order.



Stainless steel



Gun Metal




Copper



Gold

Mitered edge with facet



14 to 100 mm mitered edge with facet

V014



per m¹

CER-V014

173,00

209,33

VF02



per m¹

CER-VF02

173,00

209,33

VF03



per m¹

CER-VF03

137,00

165,77

VF04



per m¹

CER-VF04

137,00

165,77

VF06



per m¹

CER-VF06

173,00

209,33

VF08



per m¹

CER-VF08

212,00

256,52

VF10




per m¹

CER-VF10

246,00

297,66

Rounded edge



20 to 100 mm rounded edge with facet

RR02



per m¹

CER-RR02

208,00

251,68

RR03



per m¹

CER-RR03

172,00

208,12

RR04



per m¹

CER-RR04

172,00

208,12

RR06



per m¹

CER-RR06

208,00

251,68

RR08



per m¹

CER-RR08

247,00

298,87

RR10



per m¹


CER-RR10

281,00

340,01

Note: With the RR edge trim, a larger portion of the core colour becomes visible.
Pattern of the worktop is interrupted.

Mitre edge with facet coloured JOCA



20 to 100 mm mitered edge with facet colored

VP02



per m¹

CER-VP02

283,00

342,43

VP03



per m¹

CER-VP03

247,00

298,87

VP04



per m¹

CER-VP04

247,00

298,87

VP06



per m¹

CER-VP06

283,00

342,43

VP08



per m¹

CER-VP08

322,00

389,62

VP10



per m¹

CER-VP10

356,00

430,76

Available in the colors Stainless Steel, Gun Metal, Copper and Gold.
Clearly indicate the desired color on the order.



Stainless steel



Gun Metal



Copper



Gold

Other edge finishes on request. For high cabinet finishes, always order/calculate the entire side.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|-------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit CER-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit CER-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit CER-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit CER-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit CER-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CER-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit CER-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit CER-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit CER-ONDVKGR | 600,00 | 726,00 |
| <i>Note: Substructure recesses offer a greater risk of chip damage</i> | | | | |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit CER-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit CER-KPL-ROND | 125,00 | 151,25 |

Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

10

| Additional machinings | | | | |
|---|--|-----------------------------------|----------|-----------------|
| Oblique side without edge finishing | | per unit CER-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit CER-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit CER-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit CER-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit CER-KOL3-A | 123,00 | 148,83 |
| Additional reinforcement due to free-hanging parts from VF03, RR03, VP03 (See Chapter 1 ordering information, support and reinforcement.) | | per m ² CER-ONDZ-VERST | 370,00 | 447,70 |
| Cascade A (1000 mm length) | | per unit CER-CASCADE | 1.546,00 | 1.870,66 |
| Cascade B (1500 mm length) | | per unit CER-CASCADE2 | 1.717,00 | 2.077,57 |

Always calculate the extra works and edging finishings separately!

| Maintenance kit | | | | |
|--|-----------------|-----------------|-------|--------------|
| | Evora Care Kit* | per unit 290132 | 27,27 | 33,00 |
| The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop. | | | | |
| * Supplied as standard and calculated with every order | | | | |
| | | | | |

| Easy 6 mm thick (without edge trim) | | | order no. | excl. VAT | incl. VAT |
|-------------------------------------|--------------|------------------------|---------------------------------|-----------|---------------|
| Wallpanels up to | 50 mm high | (max. size is 2000 mm) | per m ¹ CERNAW-0-005 | 38,00 | 45,98 |
| Wallpanels up to | 100 mm high | (max. size is 2400 mm) | per m ¹ CERNAW-0-010 | 56,00 | 67,76 |
| Wallpanels up to | 200 mm high | (max. size is 2800 mm) | per m ¹ CERNAW-0-020 | 109,00 | 131,89 |
| Wallpanels up to | 300 mm high | | per m ¹ CERNAW-0-030 | 181,00 | 219,01 |
| Wallpanels up to | 400 mm high | | per m ¹ CERNAW-0-040 | 218,00 | 263,78 |
| Wallpanels up to | 500 mm high | | per m ¹ CERNAW-0-050 | 257,00 | 310,97 |
| Wallpanels up to | 600 mm high | | per m ¹ CERNAW-0-060 | 293,00 | 354,53 |
| Wallpanels up to | 700 mm high | | per m ¹ CERNAW-0-070 | 379,00 | 458,59 |
| Wallpanels up to | 800 mm high | | per m ¹ CERNAW-0-080 | 433,00 | 523,93 |
| Wallpanels up to | 900 mm high | | per m ¹ CERNAW-0-090 | 496,00 | 600,16 |
| Wallpanels up to | 1000 mm high | | per m ¹ CERNAW-0-100 | 553,00 | 669,13 |
| Wallpanels up to | 1100 mm high | | per m ¹ CERNAW-0-110 | 604,00 | 730,84 |
| Wallpanels up to | 1200 mm high | | per m ¹ CERNAW-0-120 | 667,00 | 807,07 |
| Wallpanels up to | 1350 mm high | | per m ¹ CERNAW-0-135 | 733,00 | 886,93 |
| Wallpanels up to | 1500 mm high | | per m ¹ CERNAW-0-150 | 821,00 | 993,41 |



| Classic 6 mm thick (without edge finish) | | | | | |
|--|--------------|------------------------|---------------------------------|--------|-----------------|
| Wallpanels up to | 50 mm high | (max. size is 2000 mm) | per m ¹ CERNAW-1-005 | 44,00 | 53,24 |
| Wallpanels up to | 100 mm high | (max. size is 2400 mm) | per m ¹ CERNAW-1-010 | 63,00 | 76,23 |
| Wallpanels up to | 200 mm high | (max. size is 2800 mm) | per m ¹ CERNAW-1-020 | 128,00 | 154,88 |
| Wallpanels up to | 300 mm high | | per m ¹ CERNAW-1-030 | 201,00 | 243,21 |
| Wallpanels up to | 400 mm high | | per m ¹ CERNAW-1-040 | 254,00 | 307,34 |
| Wallpanels up to | 500 mm high | | per m ¹ CERNAW-1-050 | 311,00 | 376,31 |
| Wallpanels up to | 600 mm high | | per m ¹ CERNAW-1-060 | 376,00 | 454,96 |
| Wallpanels up to | 700 mm high | | per m ¹ CERNAW-1-070 | 460,00 | 556,60 |
| Wallpanels up to | 800 mm high | | per m ¹ CERNAW-1-080 | 523,00 | 632,83 |
| Wallpanels up to | 900 mm high | | per m ¹ CERNAW-1-090 | 586,00 | 709,06 |
| Wallpanels up to | 1000 mm high | | per m ¹ CERNAW-1-100 | 651,00 | 787,71 |
| Wallpanels up to | 1100 mm high | | per m ¹ CERNAW-1-110 | 714,00 | 863,94 |
| Wallpanels up to | 1200 mm high | | per m ¹ CERNAW-1-120 | 778,00 | 941,38 |
| Wallpanels up to | 1350 mm high | | per m ¹ CERNAW-1-135 | 849,00 | 1.027,29 |
| Wallpanels up to | 1500 mm high | | per m ¹ CERNAW-1-150 | 904,00 | 1.093,84 |



| Premium 6 mm thick (without edge trim) | | | | | |
|--|--------------|------------------------|---------------------------------|----------|-----------------|
| Wallpanels up to | 50 mm high | (max. size is 2000 mm) | per m ¹ CERNAW-2-005 | 53,00 | 64,13 |
| Wallpanels up to | 100 mm high | (max. size is 2400 mm) | per m ¹ CERNAW-2-010 | 77,00 | 93,17 |
| Wallpanels up to | 200 mm high | (max. size is 2800 mm) | per m ¹ CERNAW-2-020 | 156,00 | 188,76 |
| Wallpanels up to | 300 mm high | | per m ¹ CERNAW-2-030 | 241,00 | 291,61 |
| Wallpanels up to | 400 mm high | | per m ¹ CERNAW-2-040 | 312,00 | 377,52 |
| Wallpanels up to | 500 mm high | | per m ¹ CERNAW-2-050 | 387,00 | 468,27 |
| Wallpanels up to | 600 mm high | | per m ¹ CERNAW-2-060 | 477,00 | 577,17 |
| Wallpanels up to | 700 mm high | | per m ¹ CERNAW-2-070 | 553,00 | 669,13 |
| Wallpanels up to | 800 mm high | | per m ¹ CERNAW-2-080 | 632,00 | 764,72 |
| Wallpanels up to | 900 mm high | | per m ¹ CERNAW-2-090 | 701,00 | 848,21 |
| Wallpanels up to | 1000 mm high | | per m ¹ CERNAW-2-100 | 778,00 | 941,38 |
| Wallpanels up to | 1100 mm high | | per m ¹ CERNAW-2-110 | 814,00 | 984,94 |
| Wallpanels up to | 1200 mm high | | per m ¹ CERNAW-2-120 | 868,00 | 1.050,28 |
| Wallpanels up to | 1350 mm high | | per m ¹ CERNAW-2-135 | 932,00 | 1.127,72 |
| Wallpanels up to | 1500 mm high | | per m ¹ CERNAW-2-150 | 1.035,00 | 1.252,35 |



| Finishing wallpanels | | order no. | excl. VAT | incl. VAT |
|--|--|--------------------------------|-----------|---------------|
| Polishing visible side - single facet (1F) | | per m ¹ CERNAW-1F | 42,00 | 50,82 |
| Thicken to 14 mm (VF014) | | per m ¹ CERNAW-V014 | 173,00 | 209,33 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ CERNAW-I22 | 80,00 | 96,80 |

| Recessed wallpanels | | | | |
|--|--|-------------------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit CERNAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit CERNAW-KOOK-OP | 106,00 | 128,26 |


| Extra works to wallpanels | | | | |
|--|--|------------------------|--------|---------------|
| Oblique side without edge finishing | | per unit CERNAW-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit CERNAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit CERNAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit CERNAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit CERNAW-KOL3-A | 123,00 | 148,83 |

| Sidepanel type A semi freestanding | | | | | | |
|------------------------------------|-------------------------------|--------------------|---------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | CERSTOL-A-030 | 704,00 | 851,84 | |
| | Sidepanels up to 650mm deep | per m ¹ | CERSTOL-A-065 | 978,00 | 1.183,38 | |
| | Sidepanels up to 900 mm deep | per m ¹ | CERSTOL-A-090 | 1.174,00 | 1.420,54 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | CERSTOL-A-120 | 1.363,00 | 1.649,23 | |
| | Sidepanels up to 1500mm deep | per m ¹ | CERSTOL-A-150 | 1.701,00 | 2.058,21 | |
| Sidepanel width, 30 to 100 mm | | | | | | |

| Sidepanel type B freestanding | | | | | | |
|-------------------------------|-------------------------------|--------------------|---------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | CERSTOL-B-030 | 945,00 | 1.143,45 | |
| | Sidepanels up to 650mm deep | per m ¹ | CERSTOL-B-065 | 1.220,00 | 1.476,20 | |
| | Sidepanels up to 900 mm deep | per m ¹ | CERSTOL-B-090 | 1.603,00 | 1.939,63 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | CERSTOL-B-120 | 2.026,00 | 2.451,46 | |
| | Sidepanels up to 1500mm deep | per m ¹ | CERSTOL-B-150 | 2.376,00 | 2.874,96 | |
| Sidepanel width, 30 to 100 mm | | | | | | |

10

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in ceramic.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.



10

Worktop Evora Ceramics Glow (S)

Advantages



More scratch resistant than many others material types



Acid-resistant



Maintenance free



Stain resistant

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Irregular surface



Veined pattern



Bookmatch. Veined pattern becomes mirrored picture on contiguous section.



Large color gradient in the worktops. Attention at joints



Pattern direction is horizontal



Core in color of the worktop



Scratch-sensitive surface



New color in the collection

Approvals



Greenguard



NSF

For explanation, see Chapter 1, sustainable.





DEKTON

Content

11.3 Color options

8 mm

11.10 Base material 8 mm

11.11 Edge finishes

11.12 extra works

12 mm

11.13 Base material 12 mm

11.14 Edge finishes

11.15 Wallpanels, tile skirting and window sills

11.16 Extra works and sidepanels












Worktop Dekton Soke (S)















| Classic | | color sample | full panel |
|---|--|--------------|------------|
| Color: Danae S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Eter S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Fossil S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Sirius S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Premium | | color sample | full panel |
|---|--|--------------|------------|
| Color: Domoos S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Kelya S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Kira S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Kreta S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Laos S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Lunar S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Marmorio S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |
| Color: Nacre Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities: | | | |


Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Premium | | color sample | full panel |
|--|--|---|--|
| Color: Sabbia S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:  | |  |  |
| Color: Soke S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:  | |  |  |
| Color: Trilium S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:  | |  |  |


| Ultimo | | color sample | full panel |
|---|--|---|--|
| Color: Arga L Thickness: 8 mm / 12 mm Surface: Lux Max. dimensions: 3150 1400 Particularities:   | |  |  |
| Color: Aura S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:   | |  |  |
| Color: Bergen L Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:  | |  |  |
| Color: Laurent S Thickness: 8 mm / 12 mm Surface: Satin Max. dimensions: 3150 1400 Particularities:  | |  |  |


Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.


Ultimo color sample full panel

Color: **Liquid Embers S**
 Thickness: 8 mm / 12 mm
 Surface: Satin
 Max. dimensions: 3150 1400
 Particularities: 




Color: **Liquid Sky S**
 Thickness: 8 mm / 12 mm
 Surface: Satin
 Max. dimensions: 3150 1400
 Particularities: 




Color: **Neural**
 Thickness: 8 mm / 12 mm
 Surface: Satin
 Max. dimensions: 3150 1400
 Particularities: 



Color: **Rem S**
 Thickness: 8 mm / 12 mm
 Surface: Satin
 Max. dimensions: 3150 1400
 Particularities: 



Color: **Zenith S**
 Thickness: 8 mm / 12 mm
 Surface: Satin
 Max. dimensions: 3150 1400
 Particularities: 















Worktop Dekton Crete (S)

| Colour | thickness | surface texture | maximum size | particularities |
|----------------|--------------|-----------------|----------------|-----------------|
| Classic | | | | |
| Danae | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Eater | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Fossil | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Sirius | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Premium | | | | |
| Domoos | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Kelya | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Kira | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Kreta | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Laos | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Lunar | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Marmorio | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Nacre | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Sabbia | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Soke | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Trilium | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Ultimo | | | | |
| Arga | 8 mm / 12 mm | L - Lux | 3150 x 1400 mm | |
| Aura | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Bergen | 8 mm / 12 mm | L - Lux | 3150 x 1400 mm | |
| Laurent | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Liquid Embers | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Liquid Sky | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Neural | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Brake | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |
| Zenith | 8 mm / 12 mm | S - Satin | 3150 x 1400 mm | |

CAUTION: Together with a display you can get the samples. Besides the colors in the color overview, Dekker Zevenhuizen can also supply other colors. Please inquire with your regular contact person. These colors are sampled by the supplier of the material. Dekker has no influence on color, pattern and ease of use of these materials. Colors outside the collection are ordered by committee. Cancellation is not possible. Please allow 2 weeks extra delivery time.

Explanation icons

-  Irregular surface
-  In case of a (corner) joint, a veined pattern does not automatically continue in the other part of the worktop.
-  Bookmatch. Veined partoon becomes mirrored pictured on contiguous section.
-  Core in color of the worktop
-  Large color gradient in the plate, from dark to light or a vein. This is not clearly visible on a sample piece. Particularly with coupling connections, a large contrast or color difference can arise. Always mention this during the sales conversation.
-  Scratch-sensitive surface
-  Pattern direction is horizontal
-  New color in the collection
-  Lux (L) is a polished surface with a high gloss appearance.
-  Satin: honed surface with a matte appearance. Grease and fingerprints are more likely to show

Discontinued colors 2024 (Available in additional collection)


Radium
Orix




Detail possible (corner) joint.



Detail possible corner connection: worktop drawing does not run through by default.


| Classic | | order no. | excl. VAT | incl. VAT |
|---|-----------------------------|-----------------------------|-----------------|-----------------|
|  | worktops up to 300mm deep | per m ¹ DE-1-030 | 201,00 | 243,21 |
| | worktops up to 600mm deep | per m ¹ DE-1-060 | 376,00 | 454,96 |
| | worktops up to 650mm deep | per m ¹ DE-1-065 | 401,00 | 485,21 |
| | worktops up to 700mm deep | per m ¹ DE-1-070 | 460,00 | 556,60 |
| | worktops up to 800mm deep | per m ¹ DE-1-080 | 523,00 | 632,83 |
| | worktops up to 900mm deep | per m ¹ DE-1-090 | 586,00 | 709,06 |
| | worktops up to 1000mm deep | per m ¹ DE-1-100 | 651,00 | 787,71 |
| | worktops up to 1100mm deep | per m ¹ DE-1-110 | 714,00 | 863,94 |
| | worktops up to 1200mm deep | per m ¹ DE-1-120 | 778,00 | 941,38 |
| | worktops up to 1350mm deep | per m ¹ DE-1-135 | 849,00 | 1.027,29 |
| worktops up to 1500mm deep | per m ¹ DE-1-150 | 904,00 | 1.093,84 | |

8 mm Dekton (fully underglued) without edge finishing







| Premium | | order no. | excl. VAT | incl. VAT |
|---|-----------------------------|-----------------------------|-----------------|-----------------|
|  | worktops up to 300mm deep | per m ¹ DE-2-030 | 241,00 | 291,61 |
| | worktops up to 600mm deep | per m ¹ DE-2-060 | 477,00 | 577,17 |
| | worktops up to 650mm deep | per m ¹ DE-2-065 | 510,00 | 617,10 |
| | worktops up to 700mm deep | per m ¹ DE-2-070 | 553,00 | 669,13 |
| | worktops up to 800mm deep | per m ¹ DE-2-080 | 632,00 | 764,72 |
| | worktops up to 900mm deep | per m ¹ DE-2-090 | 701,00 | 848,21 |
| | worktops up to 1000mm deep | per m ¹ DE-2-100 | 778,00 | 941,38 |
| | worktops up to 1100mm deep | per m ¹ DE-2-110 | 814,00 | 984,94 |
| | worktops up to 1200mm deep | per m ¹ DE-2-120 | 868,00 | 1.050,28 |
| | worktops up to 1350mm deep | per m ¹ DE-2-135 | 932,00 | 1.127,72 |
| worktops up to 1500mm deep | per m ¹ DE-2-150 | 1.035,00 | 1.252,35 | |

8 mm Dekton (fully underglued) without edge finishing








11








| Ultimo | | order no. | excl. VAT | incl. VAT |
|---|-----------------------------|-----------------------------|-----------------|-----------------|
|  | worktops up to 300mm deep | per m ¹ DE-3-030 | 301,00 | 364,21 |
| | worktops up to 600mm deep | per m ¹ DE-3-060 | 553,00 | 669,13 |
| | worktops up to 650mm deep | per m ¹ DE-3-065 | 584,00 | 706,64 |
| | worktops up to 700mm deep | per m ¹ DE-3-070 | 655,00 | 792,55 |
| | worktops up to 800mm deep | per m ¹ DE-3-080 | 723,00 | 874,83 |
| | worktops up to 900mm deep | per m ¹ DE-3-090 | 783,00 | 947,43 |
| | worktops up to 1000mm deep | per m ¹ DE-3-100 | 865,00 | 1.046,65 |
| | worktops up to 1100mm deep | per m ¹ DE-3-110 | 913,00 | 1.104,73 |
| | worktops up to 1200mm deep | per m ¹ DE-3-120 | 978,00 | 1.183,38 |
| | worktops up to 1350mm deep | per m ¹ DE-3-135 | 1.044,00 | 1.263,24 |
| worktops up to 1500mm deep | per m ¹ DE-3-150 | 1.101,00 | 1.332,21 | |

8 mm Dekton (fully underglued) without edge finishing








| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|---|--|-----------|-----------------|
| Corner connection 1 | (angle connection) |  per unit DE-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  per unit DE-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  per unit DE-x-HV3 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  per unit DE-x-HV3A | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  per unit DE-x-HV4 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  per unit DE-x-HV4A | 1.087,00 | 1.315,27 |

* replace 'x' with condition group number (1, 2 or 3)


| Mitered edge with facet | | order no. | excl. VAT | incl. VAT |
|---|------|--|-----------|---------------|
|  <p>20 to 100 mm mitered edge with facet</p> | VF02 |  per m ¹ DE-VF02 | 173,00 | 209,33 |
| | VF03 |  per m ¹ DE-VF03 | 137,00 | 165,77 |
| | VF04 |  per m ¹ DE-VF04 | 137,00 | 165,77 |
| | VF06 |  per m ¹ DE-VF06 | 173,00 | 209,33 |
| | VF08 |  per m ¹ DE-VF08 | 212,00 | 256,52 |
| | VF10 |  per m ¹ DE-VF10 | 246,00 | 297,66 |

| Rounded edge | | order no. | excl. VAT | incl. VAT |
|---|------|--|-----------|---------------|
|  <p>20 to 100 mm rounded edge with facet</p> | RR02 |  per m ¹ DE-RR02 | 208,00 | 251,68 |
| | RR03 |  per m ¹ DE-RR03 | 172,00 | 208,12 |
| | RR04 |  per m ¹ DE-RR04 | 172,00 | 208,12 |
| | RR06 |  per m ¹ DE-RR06 | 208,00 | 251,68 |
| | RR08 |  per m ¹ DE-RR08 | 247,00 | 298,87 |
| | RR10 |  per m ¹ DE-RR10 | 281,00 | 340,01 |


Note: With the RR edge trim, a larger portion of the core colour becomes visible. Pattern of the worktop is interrupted.

| Mitre edge with facet coloured JOCA | | order no. | excl. VAT | incl. VAT |
|--|------|--|-----------|---------------|
|  <p>20 to 100 mm mitered edge with facet colored</p> | VP02 |  per m ¹ DE-VP02 | 283,00 | 342,43 |
| | VP03 |  per m ¹ DE-VP03 | 247,00 | 298,87 |
| | VP04 |  per m ¹ DE-VP04 | 247,00 | 298,87 |
| | VP06 |  per m ¹ DE-VP06 | 283,00 | 342,43 |
| | VP08 |  per m ¹ DE-VP08 | 322,00 | 389,62 |
| | VP10 |  per m ¹ DE-VP10 | 356,00 | 430,76 |

Available in the colors Stainless Steel, Gun Metal, Copper and Gold. Clearly indicate the desired color on the order.



Other edge finishes on request. For high cabinet finishes, always order/calculate the entire side.




| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit DE-KOOK-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit DE-KOOK-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit DE-UIT-KOOK-I | 407,00 | 492,47 |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm | | per unit DE-KOOK-OP | 106,00 | 128,26 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) | | per unit DE-UITVKKL | 215,00 | 260,15 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit DE-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm | | per unit DE-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm | | per unit DE-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm | | per unit DE-ONDVKGR | 600,00 | 726,00 |
| <i>Note: Substructure recesses offer a greater risk of chip damage</i> | | | | |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit DE-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit DE-KPL-ROND | 125,00 | 151,25 |


Please note that (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

| Extra works | | | | |
|--|--|----------------------|--------|---------------|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). | | per unit DE-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing* | | per unit DE-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing* | | per unit DE-R31 | 335,00 | 405,35 |
| <i>* finishing only possible with 12 mm solid tops</i> | | | | |
| Double cut-out (two sides), without edge finishing | | per unit DE-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit DE-KOL3-A | 123,00 | 148,83 |
| Additional reinforcement i.e. free-hanging parts from VF03 RR03, VP03, (See Chapter 1 ordering information, support and reinforcement) | | per m2 DE-ONDZ-VERST | 370,00 | 447,70 |
| Always calculate the extra works and edging finishings separately! | | | | |


| Maintenance kit | | | | |
|--|-----------------|-----------------|-------|--------------|
| | Evora Care Kit* | per unit 290132 | 27,27 | 33,00 |
| The Evora Care Kit is a cleaner for periodic maintenance. Easily removes dirt and signs of use from the Evora worktop. | | | | |
| * Supplied as standard and calculated with every order | | | | |
| | | | | |

| Classic | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|-----------------|
|  | Worktops up to 300 mm deep | per m ¹ DE12-1-030 | 241,00 | 291,61 |
| | Worktops up to 600 mm deep | per m ¹ DE12-1-060 | 477,00 | 577,17 |
| | Worktops up to 650 mm deep | per m ¹ DE12-1-065 | 510,00 | 617,10 |
| | Worktops up to 700 mm deep | per m ¹ DE12-1-070 | 553,00 | 669,13 |
| | Worktops up to 800 mm deep | per m ¹ DE12-1-080 | 632,00 | 764,72 |
| | Worktops up to 900 mm deep | per m ¹ DE12-1-090 | 701,00 | 848,21 |
| | Worktops up to 1000 mm deep | per m ¹ DE12-1-100 | 778,00 | 941,38 |
| | Worktops up to 1100 mm deep | per m ¹ DE12-1-110 | 814,00 | 984,94 |
| | Worktops up to 1200 mm deep | per m ¹ DE12-1-120 | 868,00 | 1.050,28 |
| | Worktops up to 1350 mm deep | per m ¹ DE12-1-135 | 932,00 | 1.127,72 |
| Worktops up to 1500 mm deep | per m ¹ DE12-1-150 | 1.035,00 | 1.252,35 | |

12 mm Dekton (solid) without edge finishing

| Premium | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|-----------------|
|  | Worktops up to 300 mm deep | per m ¹ DE12-2-030 | 301,00 | 364,21 |
| | Worktops up to 600 mm deep | per m ¹ DE12-2-060 | 553,00 | 669,13 |
| | Worktops up to 650 mm deep | per m ¹ DE12-2-065 | 584,00 | 706,64 |
| | Worktops up to 700 mm deep | per m ¹ DE12-2-070 | 655,00 | 792,55 |
| | Worktops up to 800 mm deep | per m ¹ DE12-2-080 | 723,00 | 874,83 |
| | Worktops up to 900 mm deep | per m ¹ DE12-2-090 | 783,00 | 947,43 |
| | Worktops up to 1000 mm deep | per m ¹ DE12-2-100 | 865,00 | 1.046,65 |
| | Worktops up to 1100 mm deep | per m ¹ DE12-2-110 | 913,00 | 1.104,73 |
| | Worktops up to 1200 mm deep | per m ¹ DE12-2-120 | 978,00 | 1.183,38 |
| | Worktops up to 1350 mm deep | per m ¹ DE12-2-135 | 1.044,00 | 1.263,24 |
| Worktops up to 1500 mm deep | per m ¹ DE12-2-150 | 1.101,00 | 1.332,21 | |







12 mm Dekton (solid) without edge finishing

| Ultimo | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|-------------------------------|-----------------|-----------------|
|  | Worktops up to 300 mm deep | per m ¹ DE12-3-030 | 359,00 | 434,39 |
| | Worktops up to 600 mm deep | per m ¹ DE12-3-060 | 666,00 | 805,86 |
| | Worktops up to 650 mm deep | per m ¹ DE12-3-065 | 708,00 | 856,68 |
| | Worktops up to 700 mm deep | per m ¹ DE12-3-070 | 774,00 | 936,54 |
| | Worktops up to 800 mm deep | per m ¹ DE12-3-080 | 844,00 | 1.021,24 |
| | Worktops up to 900 mm deep | per m ¹ DE12-3-090 | 941,00 | 1.138,61 |
| | Worktops up to 1000 mm deep | per m ¹ DE12-3-100 | 1.001,00 | 1.211,21 |
| | Worktops up to 1100 mm deep | per m ¹ DE12-3-110 | 1.088,00 | 1.316,48 |
| | Worktops up to 1200 mm deep | per m ¹ DE12-3-120 | 1.171,00 | 1.416,91 |
| | Worktops up to 1350 mm deep | per m ¹ DE12-3-135 | 1.259,00 | 1.523,39 |
| Worktops up to 1500 mm deep | per m ¹ DE12-3-150 | 1.369,00 | 1.656,49 | |


12 mm Dekton (solid) without edge finishing

11













12 mm

| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|---|--|-----------|-----------------|
| Corner connection 1 | (angle connection) |  per unit DE12-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  per unit DE12-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  per unit DE12-x-HV3 | 922,00 | 1.115,62 |
| Corner connection 3a | (slanted corner part with angled coupling) |  per unit DE12-x-HV3A | 922,00 | 1.115,62 |
| Corner connection 4 | (full angle section with mitre joint) |  per unit DE12-x-HV4 | 1.087,00 | 1.315,27 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  per unit DE12-x-HV4A | 1.087,00 | 1.315,27 |






* replace 'x' with condition group number (1, 2 or 3)

| Double facet edge | | order no. | excl. VAT | incl. VAT |
|---|-----------------|----------------------------|-----------|--------------|
|   | 2F | per m ¹ DE12-2F | 47,00 | 56,87 |
| | 1F (wallpanels) | per m ¹ DE12-1F | 42,00 | 50,82 |

12 mm edge incl. double facet

| Cut outs | | | | | | |
|---|---|----------|---------------|--------|---------------|--|
| Cut-out built-up hob up to 600 mm deep |  | per unit | DE-KOOK-OP1 | 163,00 | 197,23 | |
| Cut-out built-on hob with a depth larger than 600 mm |  | per unit | DE-KOOK-OP2 | 212,00 | 256,52 | |
| Cut out integrated hot plate (send a technical drawing please) |  | per unit | DE-UIT-KOOK-I | 407,00 | 492,47 | |
| Cut-out "fork"-joint Type A (calculate 2x), max. size of 20 x 450 mm |  | per unit | DE-KOOK-OP | 106,00 | 128,26 | |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) |  | per unit | DE-UITVKKL | 215,00 | 260,15 | |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit | DE-UITVK | 277,00 | 335,17 | |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit | DE-UITVKGR | 365,00 | 441,65 | |
| Cut-out undermount sink max. 450 x 450 mm |  | per unit | DE-ONDVK | 480,00 | 580,80 | |
| Cut-out undermount sink larger than 450 x 450 mm |  | per unit | DE-ONDVKGR | 600,00 | 726,00 | |
| Note: Substructure recesses offer a greater risk of chip damage | | | | | | |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unit |B | 100,00 | 121,00 | |
| Tap hole in worktop (mention diameter) |  | per unit | DE-KRG | 44,00 | 53,24 | |
| Tap hole in the kitchen sink (mention diameter) |  | per unit | KRG035 | 25,50 | 30,86 | |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) |  | per unit | DE-KPL-ROND | 125,00 | 151,25 | |

Caution! (flush-mounted) cooktops and sinks weighing ≥ 20 kg need additional support. Use our support set for this.

| Extra works | | | | | | |
|--|---|----------|-----------|--------|---------------|--|
| Beveled side without edge finishing (with edge finishing from 50 x 50 mm). |  | per unit | DE-S | 83,00 | 100,43 | |
| Rounded corner up to radius 300 mm, without edge finishing* |  | per unit | DE-R30 | 189,00 | 228,69 | |
| Rounded corner from radius 300 mm, without edge finishing* |  | per unit | DE-R31 | 335,00 | 405,35 | |
| * finishing only possible with 12 mm solid tops | | | | | | |
| Double cut-out (two sides), without edge finishing |  | per unit | DE-KOL-A | 95,00 | 114,95 | |
| Triple cut-out (three sides), without edge finishing |  | per unit | DE-KOL3-A | 123,00 | 148,83 | |

Always calculate the extra works and edge finishings separately!

| Classic 8 mm thick (without edge finish) | | | order no. | excl. VAT | incl. VAT |
|---|--------------------|-------------|-----------|-----------------|-----------|
| Wallpanels up to 50 mm high (max. size is 2000 mm) | per m ¹ | DENAW-1-005 | 44,00 | 53,24 | |
| Wallpanels up to 100 mm high (max. size is 2400 mm) | per m ¹ | DENAW-1-010 | 63,00 | 76,23 | |
| Wallpanels up to 200 mm high (max. size is 2800 mm) | per m ¹ | DENAW-1-020 | 128,00 | 154,88 | |
| Wallpanels up to 300 mm high | per m ¹ | DENAW-1-030 | 201,00 | 243,21 | |
| Wallpanels up to 400 mm high | per m ¹ | DENAW-1-040 | 254,00 | 307,34 | |
| Wallpanels up to 500 mm high | per m ¹ | DENAW-1-050 | 311,00 | 376,31 | |
| Wallpanels up to 600 mm high | per m ¹ | DENAW-1-060 | 376,00 | 454,96 | |
| Wallpanels up to 700 mm high | per m ¹ | DENAW-1-070 | 460,00 | 556,60 | |
| Wallpanels up to 800 mm high | per m ¹ | DENAW-1-080 | 523,00 | 632,83 | |
| Wallpanels up to 900 mm high | per m ¹ | DENAW-1-090 | 586,00 | 709,06 | |
| Wallpanels up to 1000 mm high | per m ¹ | DENAW-1-100 | 651,00 | 787,71 | |
| Wallpanels up to 1100 mm high | per m ¹ | DENAW-1-110 | 714,00 | 863,94 | |
| Wallpanels up to 1200 mm high | per m ¹ | DENAW-1-120 | 778,00 | 941,38 | |
| Wallpanels up to 1350 mm high | per m ¹ | DENAW-1-135 | 849,00 | 1.027,29 | |
| Wallpanels up to 1500 mm high | per m ¹ | DENAW-1-150 | 904,00 | 1.093,84 | |
| Premium 8 mm thick (without edge finishing) | | | | | |
| Wallpanels up to 50 mm high (max. size is 2000 mm) | per m ¹ | DENAW-2-005 | 53,00 | 64,13 | |
| Wallpanels up to 100 mm high (max. size is 2400 mm) | per m ¹ | DENAW-2-010 | 77,00 | 93,17 | |
| Wallpanels up to 200 mm high (max. size is 2800 mm) | per m ¹ | DENAW-2-020 | 156,00 | 188,76 | |
| Wallpanels up to 300 mm high | per m ¹ | DENAW-2-030 | 241,00 | 291,61 | |
| Wallpanels up to 400 mm high | per m ¹ | DENAW-2-040 | 312,00 | 377,52 | |
| Wallpanels up to 500 mm high | per m ¹ | DENAW-2-050 | 387,00 | 468,27 | |
| Wallpanels up to 600 mm high | per m ¹ | DENAW-2-060 | 477,00 | 577,17 | |
| Wallpanels up to 700 mm high | per m ¹ | DENAW-2-070 | 553,00 | 669,13 | |
| Wallpanels up to 800 mm high | per m ¹ | DENAW-2-080 | 632,00 | 764,72 | |
| Wallpanels up to 900 mm high | per m ¹ | DENAW-2-090 | 701,00 | 848,21 | |
| Wallpanels up to 1000 mm high | per m ¹ | DENAW-2-100 | 778,00 | 941,38 | |
| Wallpanels up to 1100 mm high | per m ¹ | DENAW-2-110 | 814,00 | 984,94 | |
| Wallpanels up to 1200 mm high | per m ¹ | DENAW-2-120 | 868,00 | 1.050,28 | |
| Wallpanels up to 1350 mm high | per m ¹ | DENAW-2-135 | 932,00 | 1.127,72 | |
| Wallpanels up to 1500 mm high | per m ¹ | DENAW-2-150 | 1.035,00 | 1.252,35 | |
| Ultimo 8 mm thick (without edge finishing) | | | | | |
| Wallpanels up to 50 mm high (max. size is 2000 mm) | per m ¹ | DENAW-3-005 | 60,00 | 72,60 | |
| Wallpanels up to 100 mm high (max. size is 2400 mm) | per m ¹ | DENAW-3-010 | 88,00 | 106,48 | |
| Wallpanels up to 200 mm high (max. size is 2800 mm) | per m ¹ | DENAW-3-020 | 192,00 | 232,32 | |
| Wallpanels up to 300 mm high | per m ¹ | DENAW-3-030 | 301,00 | 364,21 | |
| Wallpanels up to 400 mm high | per m ¹ | DENAW-3-040 | 377,00 | 456,17 | |
| Wallpanels up to 500 mm high | per m ¹ | DENAW-3-050 | 459,00 | 555,39 | |
| Wallpanels up to 600 mm high | per m ¹ | DENAW-3-060 | 553,00 | 669,13 | |
| Wallpanels up to 700 mm high | per m ¹ | DENAW-3-070 | 655,00 | 792,55 | |
| Wallpanels up to 800 mm high | per m ¹ | DENAW-3-080 | 723,00 | 874,83 | |
| Wallpanels up to 900 mm high | per m ¹ | DENAW-3-090 | 783,00 | 947,43 | |
| Wallpanels up to 1000 mm high | per m ¹ | DENAW-3-100 | 865,00 | 1.046,65 | |
| Wallpanels up to 1100 mm high | per m ¹ | DENAW-3-110 | 913,00 | 1.104,73 | |
| Wallpanels up to 1200 mm high | per m ¹ | DENAW-3-120 | 978,00 | 1.183,38 | |
| Wallpanels up to 1350 mm high | per m ¹ | DENAW-3-135 | 1.044,00 | 1.263,24 | |
| Wallpanels up to 1500 mm high | per m ¹ | DENAW-3-150 | 1.101,00 | 1.332,21 | |

11
8 mm

| Finishing wallpanels | | order no. | excl. VAT | incl. VAT |
|--|--|------------------------------|-----------|--------------|
| Polishing visible side - single facet (1F) | | per m ¹ DENAW-1F | 42,00 | 50,82 |
| Thicken to 14 mm (VF014) | | per m ¹ DENAW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) | | per m ¹ DENAW-I22 | 80,00 | 96,80 |

| Recessed wallpanels | | | | |
|--|--|------------------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) | | per unit DENAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) | | per unit DENAW-KOOK-OP | 106,00 | 128,26 |

| Extra works to wallpanels | | | | |
|--|--|-----------------------|--------|---------------|
| Oblique side without edge finishing | | per unit DENAW-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit DENAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit DENAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing | | per unit DENAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit DENAW-KOL3-A | 123,00 | 148,83 |

| Sidepanel type A semi freestanding | | | | | | |
|------------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | DESTOL-A-030 | 704,00 | 851,84 | |
| | Sidepanels up to 650mm deep | per m ¹ | DESTOL-A-065 | 978,00 | 1.183,38 | |
| | Sidepanels up to 900 mm deep | per m ¹ | DESTOL-A-090 | 1.174,00 | 1.420,54 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | DESTOL-A-120 | 1.363,00 | 1.649,23 | |
| | Sidepanels up to 1500mm deep | per m ¹ | DESTOL-A-150 | 1.701,00 | 2.058,21 | |
| Sidepanel width, 30 to 100 mm | | | | | | |

| Sidepanel type B freestanding | | | | | | |
|-------------------------------|-------------------------------|--------------------|--------------|----------|-----------------|--|
| | Sidepanels up to 300mm deep | per m ¹ | DESTOL-B-030 | 945,00 | 1.143,45 | |
| | Sidepanels up to 650mm deep | per m ¹ | DESTOL-B-065 | 1.220,00 | 1.476,20 | |
| | Sidepanels up to 900 mm deep | per m ¹ | DESTOL-B-090 | 1.603,00 | 1.939,63 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | DESTOL-B-120 | 2.026,00 | 2.451,46 | |
| | Sidepanels up to 1500mm deep | per m ¹ | DESTOL-B-150 | 2.376,00 | 2.874,96 | |
| Sidepanel width, 30 to 100 mm | | | | | | |

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible components on the cabinet side, such as by the plinth and door are finished in Fenix. finished in ceramic.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel
- we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.



Worktop Dekton Laos (S)

Advantages



Impact resistant



Innovative design



maintenance friendly



Glued seamlessly



3D deformable

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width



Large color gradient in the worktops. Attention at joints

Solid surface

There are many players in the world of Solid surface. Famous and lesser known. Dekker Zevenhuizen chooses Corian so that we can guarantee the highest quality. We are proud that Corian also chooses Dekker Zevenhuizen. We have been their Industrial Partner for quite some time – and therefore bear the predicate 'reliable sales channel'. Dekker Zevenhuizen has over 50 years of experience in processing Solid surface. We know better than anyone what is possible. We provide you with a clear installation and maintenance manual, and we can advise you on the repair of usage damage.

The advantages of Industrial Partnership


- > You can give your customer a guarantee of quality and reliability.
- > As an Industrial Partner, your customer will receive a 10-year guarantee on his worktop from Dekker.
- > You are the first to know about new colours, techniques and developments.

Approvals



Greenguard

For explanation, see Chapter 1, sustainable.



CORIAN







Contents













- 12.3 Color options
- 12.6 Base material
- 12.7 Edge finishes
- 12.8 Extra works
- 12.9 Wallpanels
- 12.10 Extra works and sidepanels





12













Countertop Corian Lava Rock

| Classic | | color sample | full panel |
|------------------|-----------------------|---|--|
| Color: | Cameo White |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: | | | |
| Color: | Designer White |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: | | | |
| Color: | Glacier White |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: | | | |

| Premium | | color sample | full panel |
|------------------|---|---|--|
| Color: | Artista Beige |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Artista Canvas |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Artista Dust |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Artista Gray |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Premium | | color sample | full panel |
|------------------|--------------------------|---|--|
| Color: | Deep Black Quartz |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: | | | |

| Ultimo | | color sample | full panel |
|------------------|---|---|--|
| Color: | Arrowroot |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Clam Shell |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Lava Rock |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |
| Color: | Sagebrush |  |  |
| Thickness: | 12 mm | | |
| Surface: | Satin | | |
| Max. dimensions: | 3600 x 1200 | | |
| Particularities: |  | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Colour | thickness | surface texture | maximum size | particularities |
|-------------------|-----------|-----------------|----------------|-----------------|
| Classic | | | | |
| Cameo White | 12 mm | Satin | 3600 x 1200 mm | |
| Designer White | 12 mm | Satin | 3600 x 1200 mm | |
| Glacier White | 12 mm | Satin | 3600 x 1200 mm | |
| Premium | | | | |
| Artista Beige | 12 mm | Satin | 3600 x 1200 mm | |
| Artista Canvas | 12 mm | Satin | 3600 x 1200 mm | |
| Artista Dust | 12 mm | Satin | 3600 x 1200 mm | |
| Artista Gray | 12 mm | Satin | 3600 x 1200 mm | |
| Deep Black Quartz | 12 mm | Satin | 3600 x 1200 mm | |
| Ultimo | | | | |
| Arrowroot | 12 mm | Satin | 3600 x 1200 mm | |
| Clam Shell | 12 mm | Satin | 3600 x 1200 mm | |
| Lava Rock | 12 mm | Satin | 3600 x 1200 mm | |
| Sagebrush | 12 mm | Satin | 3600 x 1200 mm | |

Note: These colors are sampled by default. For other colors or structures, please contact the sales department. Think of a longer delivery time, price on request.

Explanation icons

Large color gradient in the worktop, from dark to light or a vein. This is not easily visible on a sample piece. A large contrast or colour difference can occur, particularly at joints or at glued joints (worktop longer than 3680 or deeper than 760 mm; the standard worktop size is 3680 x 760 mm). Always mention this during the sales proces.



Detail possible joint.





Detail possible corner connection: worktop drawing does not run through by default.




Detail possible island worktop: pattern does not run through by default.







For product information about Corian, such as benefits, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Classic | | | order no. | excl. VAT | incl. VAT |
|---|----------------|----------------------------|----------------------------|-----------------|-----------------|
|  <p>12 mm Corian (glued construction) without edge finishing</p> | worktops up to | 300mm deep | per m ¹ HM1-030 | 245,00 | 296,45 |
| | worktops up to | 600mm deep | per m ¹ HM1-060 | 433,00 | 523,93 |
| | worktops up to | 650mm deep | per m ¹ HM1-065 | 471,00 | 569,91 |
| | worktops up to | 700mm deep | per m ¹ HM1-070 | 533,00 | 644,93 |
| | worktops up to | 800mm deep | per m ¹ HM1-080 | 677,00 | 819,17 |
| | worktops up to | 900mm deep | per m ¹ HM1-090 | 778,00 | 941,38 |
| | worktops up to | 1000mm deep | per m ¹ HM1-100 | 855,00 | 1.034,55 |
| | worktops up to | 1100mm deep | per m ¹ HM1-110 | 939,00 | 1.136,19 |
| | worktops up to | 1200mm deep | per m ¹ HM1-120 | 1.005,00 | 1.216,05 |
| | worktops up to | 1350mm deep | per m ¹ HM1-135 | 1.123,00 | 1.358,83 |
| worktops up to | 1500mm deep | per m ¹ HM1-150 | 1.249,00 | 1.511,29 | |

| Premium | | | | | |
|---|----------------|----------------------------|----------------------------|-----------------|-----------------|
|  <p>12 mm Corian (glued construction) without edge finishing</p> | worktops up to | 300mm deep | per m ¹ HM2-030 | 351,00 | 424,71 |
| | worktops up to | 600mm deep | per m ¹ HM2-060 | 565,00 | 683,65 |
| | worktops up to | 650mm deep | per m ¹ HM2-065 | 634,00 | 767,14 |
| | worktops up to | 700mm deep | per m ¹ HM2-070 | 696,00 | 842,16 |
| | worktops up to | 800mm deep | per m ¹ HM2-080 | 834,00 | 1.009,14 |
| | worktops up to | 900mm deep | per m ¹ HM2-090 | 974,00 | 1.178,54 |
| | worktops up to | 1000mm deep | per m ¹ HM2-100 | 1.089,00 | 1.317,69 |
| | worktops up to | 1100mm deep | per m ¹ HM2-110 | 1.201,00 | 1.453,21 |
| | worktops up to | 1200mm deep | per m ¹ HM2-120 | 1.305,00 | 1.579,05 |
| | worktops up to | 1350mm deep | per m ¹ HM2-135 | 1.453,00 | 1.758,13 |
| worktops up to | 1500mm deep | per m ¹ HM2-150 | 1.599,00 | 1.934,79 | |

12

| Ultimo | | | | | |
|---|----------------|----------------------------|----------------------------|-----------------|-----------------|
|  <p>12 mm Corian (glued construction) without edge finishing</p> | worktops up to | 300mm deep | per m ¹ HM3-030 | 531,00 | 642,51 |
| | worktops up to | 600mm deep | per m ¹ HM3-060 | 825,00 | 998,25 |
| | worktops up to | 650mm deep | per m ¹ HM3-065 | 892,00 | 1.079,32 |
| | worktops up to | 700mm deep | per m ¹ HM3-070 | 979,00 | 1.184,59 |
| | worktops up to | 800mm deep | per m ¹ HM3-080 | 1.109,00 | 1.341,89 |
| | worktops up to | 900mm deep | per m ¹ HM3-090 | 1.233,00 | 1.491,93 |
| | worktops up to | 1000mm deep | per m ¹ HM3-100 | 1.355,00 | 1.639,55 |
| | worktops up to | 1100mm deep | per m ¹ HM3-110 | 1.469,00 | 1.777,49 |
| | worktops up to | 1200mm deep | per m ¹ HM3-120 | 1.598,00 | 1.933,58 |
| | worktops up to | 1350mm deep | per m ¹ HM3-135 | 1.767,00 | 2.138,07 |
| worktops up to | 1500mm deep | per m ¹ HM3-150 | 1.899,00 | 2.297,79 | |

| Corner connections | | | | | | |
|----------------------|---|---|----------|-------------|----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit | HM-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit | HM-HV2 | 135,00 | 163,35 |
| Corner connection 3 | (angled section with mitre joint) |  | per unit | HM-HV3-105 | 1.219,00 | 1.474,99 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit | HM-HV3A-105 | 1.219,00 | 1.474,99 |
| Corner connection 4 | (full angle section with mitre joint) |  | per unit | HM-HV4-105 | 1.677,00 | 2.029,17 |
| Corner connection 4a | Joint 4a (full corner part incl. angle joint) |  | per unit | HM-HV4A-105 | 1.677,00 | 2.029,17 |

Double facet edge order no. excl. VAT incl. VAT

| | | | | | | |
|---|---|----|--------------------|----------|-------|--------------|
|  |  | 2F | per m ¹ | HM12-R2F | 47,00 | 56,87 |
|---|---|----|--------------------|----------|-------|--------------|

12 mm edge incl. double facet

Double thick edge with facet

| | | | | | | |
|---|---|------|--------------------|---------|--------|---------------|
|  |  | F025 | per m ¹ | HM-F025 | 138,00 | 166,98 |
|---|---|------|--------------------|---------|--------|---------------|

25 mm double thick edge with facet

Mitered edge with facet

| | | | | | | |
|--|--|------|--------------------|---------|--------|---------------|
|  |  | VF03 | per m ¹ | HM-VF03 | 138,00 | 166,98 |
| | | VF04 | per m ¹ | HM-VF04 | 138,00 | 166,98 |
| | | VF06 | per m ¹ | HM-VF06 | 176,00 | 212,96 |
| | | VF08 | per m ¹ | HM-VF08 | 214,00 | 258,94 |
| | | VF10 | per m ¹ | HM-VF10 | 248,00 | 300,08 |

Mitre edge 30 up to 100 mm with facet

Waterstop

| | | | | | | |
|---|---|------|--------------------|---------|--------|---------------|
|  |  | FW03 | per m ¹ | HM-FW03 | 138,00 | 166,98 |
| | | FW04 | per m ¹ | HM-FW04 | 138,00 | 166,98 |
| | | FW06 | per m ¹ | HM-FW06 | 176,00 | 212,96 |
| | | FW08 | per m ¹ | HM-FW08 | 214,00 | 258,94 |
| | | FW10 | per m ¹ | HM-FW10 | 248,00 | 300,08 |











32 up to 102 mm waterstop

Raised edge at the back












| | | | | | | |
|---|---|-----|--------------------|--------|--------|---------------|
|  |  | D13 | per m ¹ | HM-D13 | 222,00 | 268,62 |
|---|---|-----|--------------------|--------|--------|---------------|

20 mm raised edge at the back

Other edge finishes on request. For high cabinet finishes, always order/calculate the entire side.




| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|---|------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep |  | per unit HM-KPL-MD | 124,00 | 150,04 |
| Cut-out built-on hob with a depth larger than 600 mm |  | per unit HM-KPL | 173,00 | 209,33 |
| Cut out integrated hot plate (send a technical drawing please) |  | per unit HM-UIT-KOOK-I | 365,00 | 441,65 |
| Cut out integrated powerport / control panel Selsiuz / Gessi / Osiris (max. 200 x 200 mm) |  | per unit HM-UITVKKL | 209,00 | 252,89 |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit HM-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit HM-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink |  | per unit HM-UITOND | 365,00 | 441,65 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) |  | per unit HM-KRG | 40,00 | 48,40 |
| Tap hole in the kitchen sink (mention diameter) |  | per unit KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) |  | per unit HM-KPL-ROND | 115,00 | 139,15 |



Caution! (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)






| Extra works (with edge finishing from 50x50 mm onwards) | | | | |
|---|---|-------------------------|--------|---------------|
| Oblique side without edge finishing |  | per unit HM-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing |  | per unit HM-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing |  | per unit HM-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing |  | per unit HM-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing |  | per unit HM-KOL3-A | 123,00 | 148,83 |
| Special reinforcement for dishwasher (600 x 600 mm a € 204 p/m ²) | | per unit HM-ONDZ-VW | 80,28 | 97,14 |
| Full glued construction | | per m2 HM-ONDZ-MAS | 223,00 | 269,83 |
| Additional reinforcement due to free-hanging parts from VF03, FW03* | | per m2 HM-ONDZ-VERST | 370,00 | 447,70 |
| *see chapter 1 ordering information, support and reinforcement | | HM-LIJMEN | 140,00 | 169,40 |
| Glue seams (only possible in consultation) | | per unit | | |
| Cascade A (1000 mm length) |  | per unit HM-CASCADE | 559,00 | 676,39 |
| Cascade B (1500 mm length) |  | per unit HM-CASCADE2 | 694,00 | 839,74 |
| area with 4 stainless steel pins, model small rectangle (400 x 150 mm) |  | per unit HM-AFZ-4-VIERK | 290,00 | 350,90 |
| area with 5 stainless steel pins, large oval model (400 x 200 mm) |  | per unit HM-AFZ-5-OVAAL | 345,00 | 417,45 |
| Drain grooves A (4 pcs. 400 mm) |  | per unit HM-AFD4-400 | 270,00 | 326,70 |
| Drain grooves A (4 pcs. 500 mm) |  | per unit HM-AFD4-500 | 325,00 | 393,25 |

Always calculate the extra works and edge finishings separately!

| Classic - 12 mm thick (without edge finish) | | order no. | excl. VAT | incl. VAT |
|--|--------------------|------------------|------------------|------------------|
| Wallpanels up to 50 mm high | per m ¹ | HMNAW-1-005 | 43,00 | 52,03 |
| Wallpanels up to 100 mm high | per m ¹ | HMNAW-1-010 | 82,00 | 99,22 |
| Wallpanels up to 200 mm high | per m ¹ | HMNAW-1-020 | 171,00 | 206,91 |
| Wallpanels up to 300 mm high | per m ¹ | HMNAW-1-030 | 235,00 | 284,35 |
| Wallpanels up to 400 mm high | per m ¹ | HMNAW-1-040 | 318,00 | 384,78 |
| Wallpanels up to 500 mm high | per m ¹ | HMNAW-1-050 | 382,00 | 462,22 |
| Wallpanels up to 600 mm high | per m ¹ | HMNAW-1-060 | 413,00 | 499,73 |
| Wallpanels up to 700 mm high | per m ¹ | HMNAW-1-070 | 498,00 | 602,58 |
| Wallpanels up to 800 mm high | per m ¹ | HMNAW-1-080 | 650,00 | 786,50 |
| Wallpanels up to 900 mm high | per m ¹ | HMNAW-1-090 | 739,00 | 894,19 |
| Wallpanels up to 1000 mm high | per m ¹ | HMNAW-1-100 | 811,00 | 981,31 |
| Wallpanels up to 1100 mm high | per m ¹ | HMNAW-1-110 | 891,00 | 1.078,11 |
| Wallpanels up to 1200 mm high | per m ¹ | HMNAW-1-120 | 956,00 | 1.156,76 |
| Wallpanels up to 1350 mm high | per m ¹ | HMNAW-1-135 | 1.067,00 | 1.291,07 |
| Wallpanels up to 1500 mm high | per m ¹ | HMNAW-1-150 | 1.188,00 | 1.437,48 |
| Premium 12 mm thick (without edge finish) | | | | |
| Wallpanels up to 50 mm high | per m ¹ | HMNAW-2-005 | 59,00 | 71,39 |
| Wallpanels up to 100 mm high | per m ¹ | HMNAW-2-010 | 96,00 | 116,16 |
| Wallpanels up to 200 mm high | per m ¹ | HMNAW-2-020 | 195,00 | 235,95 |
| Wallpanels up to 300 mm high | per m ¹ | HMNAW-2-030 | 293,00 | 354,53 |
| Wallpanels up to 400 mm high | per m ¹ | HMNAW-2-040 | 419,00 | 506,99 |
| Wallpanels up to 500 mm high | per m ¹ | HMNAW-2-050 | 498,00 | 602,58 |
| Wallpanels up to 600 mm high | per m ¹ | HMNAW-2-060 | 586,00 | 709,06 |
| Wallpanels up to 700 mm high | per m ¹ | HMNAW-2-070 | 696,00 | 842,16 |
| Wallpanels up to 800 mm high | per m ¹ | HMNAW-2-080 | 822,00 | 994,62 |
| Wallpanels up to 900 mm high | per m ¹ | HMNAW-2-090 | 920,00 | 1.113,20 |
| Wallpanels up to 1000 mm high | per m ¹ | HMNAW-2-100 | 1.070,00 | 1.294,70 |
| Wallpanels up to 1100 mm high | per m ¹ | HMNAW-2-110 | 1.117,00 | 1.351,57 |
| Wallpanels up to 1200 mm high | per m ¹ | HMNAW-2-120 | 1.216,00 | 1.471,36 |
| Wallpanels up to 1350 mm high | per m ¹ | HMNAW-2-135 | 1.362,00 | 1.648,02 |
| Wallpanels up to 1500 mm high | per m ¹ | HMNAW-2-150 | 1.549,00 | 1.874,29 |
| Ultimo 12 mm thick (without edge trim) | | | | |
| Wallpanels up to 50 mm high | per m ¹ | HMNAW-3-005 | 73,00 | 88,33 |
| Wallpanels up to 100 mm high | per m ¹ | HMNAW-3-010 | 109,00 | 131,89 |
| Wallpanels up to 200 mm high | per m ¹ | HMNAW-3-020 | 220,00 | 266,20 |
| Wallpanels up to 300 mm high | per m ¹ | HMNAW-3-030 | 332,00 | 401,72 |
| Wallpanels up to 400 mm high | per m ¹ | HMNAW-3-040 | 456,00 | 551,76 |
| Wallpanels up to 500 mm high | per m ¹ | HMNAW-3-050 | 577,00 | 698,17 |
| Wallpanels up to 600 mm high | per m ¹ | HMNAW-3-060 | 662,00 | 801,02 |
| Wallpanels up to 700 mm high | per m ¹ | HMNAW-3-070 | 775,00 | 937,75 |
| Wallpanels up to 800 mm high | per m ¹ | HMNAW-3-080 | 889,00 | 1.075,69 |
| Wallpanels up to 900 mm high | per m ¹ | HMNAW-3-090 | 1.004,00 | 1.214,84 |
| Wallpanels up to 1000 mm high | per m ¹ | HMNAW-3-100 | 1.129,00 | 1.366,09 |
| Wallpanels up to 1100 mm high | per m ¹ | HMNAW-3-110 | 1.216,00 | 1.471,36 |
| Wallpanels up to 1200 mm high | per m ¹ | HMNAW-3-120 | 1.338,00 | 1.618,98 |
| Wallpanels up to 1350 mm high | per m ¹ | HMNAW-3-135 | 1.497,00 | 1.811,37 |
| Wallpanels up to 1500 mm high | per m ¹ | HMNAW-3-150 | 1.655,00 | 2.002,55 |

| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|---|--------------------|-------------|-----------|--------------|
| Visible sides Matt |  | per m ¹ | HM-NAW-ZOET | 28,50 | 34,49 |
| Polishing visible side - single facet (1F) |  | per m ¹ | HM-NAW-1F | 38,00 | 45,98 |
| Polishing visible side - double facet (2F) |  | per m ¹ | HM-NAW-2F | 47,00 | 56,87 |
| sawing the side of the worktop in mitre (45 degrees) |  | per m ¹ | HM-NAW-I22 | 81,00 | 98,01 |


| Recessed wallpanels | | | | | |
|--|---|----------|------------|--------|---------------|
| Wall sockets cut-outs (70 mm round) |  | per unit | HM-NAW-WCD | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) |  | per unit | HM-NAW-KPL | 106,00 | 128,26 |

| Extra works to wallpanels | | | | | |
|--|---|----------|--------------|--------|---------------|
| Oblique side without edge finishing |  | per unit | HM-NAW-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing |  | per unit | HM-NAW-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing |  | per unit | HM-NAW-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing |  | per unit | HM-NAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing |  | per unit | HM-NAW-KOLOM | 123,00 | 148,83 |

Always calculate the extra works and edge finishings separately!

| Mounting aids | | | | | |
|---------------------------------|--|----------|-------------|--------|---------------|
| Glue gun for filling mix Corian | | per unit | HM-LIJM-COR | 135,00 | 163,35 |
| Filling glue | | per unit | HM-VULMIX | 39,00 | 47,19 |

| Sidepanel type A semi freestanding | | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|--|
|  | Sidepanels up to 300mm deep | per m ¹ | HMSTOL-A-030 | 781,00 | 945,01 | |
| | Sidepanels up to 650mm deep | per m ¹ | HMSTOL-A-065 | 1.111,00 | 1.344,31 | |
| | Sidepanels up to 900 mm deep | per m ¹ | HMSTOL-A-090 | 1.555,00 | 1.881,55 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | HMSTOL-A-120 | 1.987,00 | 2.404,27 | |
| | Sidepanels up to 1500mm deep | per m ¹ | HMSTOL-A-150 | 2.268,00 | 2.744,28 | |
| | Sidepanel width, 30 to 100 mm | | | | | |

| Sidepanel type B freestanding | | | | | | |
|---|-------------------------------|--------------------|--------------|----------|-----------------|--|
|  | Sidepanels up to 300mm deep | per m ¹ | HMSTOL-B-030 | 1.048,00 | 1.268,08 | |
| | Sidepanels up to 650mm deep | per m ¹ | HMSTOL-B-065 | 1.429,00 | 1.729,09 | |
| | Sidepanels up to 900 mm deep | per m ¹ | HMSTOL-B-090 | 1.970,00 | 2.383,70 | |
| | Sidepanels up to 1200 mm deep | per m ¹ | HMSTOL-B-120 | 2.623,00 | 3.173,83 | |
| | Sidepanels up to 1500mm deep | per m ¹ | HMSTOL-B-150 | 3.004,00 | 3.634,84 | |
| | Stoll wall width 30 to 100 mm | | | | | |

- > The front- and backside are standard finished. So waterfalls can be used in combination with base cabinets - both free standing or against de wall.
- > The visible parts on the cabinet side such as at plinth and door are finished in Solid Surface.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside finished with 140 mm converted.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > If you want to connect sidepanel and top, please contact our service department.

After delivery, waterfalls can be seamlessly glued to the worktop (this can only be done by an experienced technician and based on subsequent calculation) In case the sidepanel should be produced with a facet, please indicate this on your order.



Countertop Corian Lava Rock

Advantages



Acid-resistant



Heat resistant



Maintenance free



Hygienic



100% recyclable

Icons



Price group for
this product



Maximum length




Maximum width



Irregularities in surface





INOX

Contents

- 13.3 Colour options
- 13.5 Base material 1.2 mm
- 13.6 Extra works
- 13.7 Core material 4 mm
- 13.8 Extra works
- 13.9 Wall panes, tile skirting and window sills
- 13.10 Extra works and sidepanels



Worktop Inox Wheathered Copper


| Classic | | color sample | full panel |
|-------------------|---|---|--|
| Color: | Smooth |  |  |
| Thickness: | 1,2 mm / 4 mm | | |
| Surface: | Smooth | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: | | | |
| Color: | K320 |  |  |
| Thickness: | 1,2 mm / 4 mm | | |
| Surface: | K320 | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: | | | |
| Color: | Directionless Brushed |  |  |
| Thickness: | 1,2 mm / 4 mm | | |
| Surface: | Brushed randomly | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: | | | |
| Color: | Hot rolled |  |  |
| Thickness: | 4 mm | | |
| Surface: | Hot rolled | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: |  | | |
| Premium (COL-NOX) | | | |
| Color: | Brass Brown |  |  |
| Thickness: | 4 mm | | |
| Surface: | COL-NOX | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: |  | | |
| Color: | Haze |  |  |
| Thickness: | 4 mm | | |
| Surface: | COL-NOX | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: |  | | |
| Color: | Shimmer |  |  |
| Thickness: | 4 mm | | |
| Surface: | COL-NOX | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: |  | | |
| Color: | Wheathered Copper |  |  |
| Thickness: | 4 mm | | |
| Surface: | COL-NOX | | |
| Max. dimensions: | 4000 x 1500 | | |
| Particularities: |  | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Version | composition | thickness | maximum size | particularities |
|--------------------------|-------------|---------------|----------------|---|
| Classic | | | | |
| Smooth | Inox 18/10 | 1,2 mm / 4 mm | 4000 x 1500 mm | |
| K320 | Inox 18/10 | 1,2 mm / 4 mm | 4000 x 1500 mm | |
| Brushed randomly | Inox 18/10 | 1,2 mm / 4 mm | 4000 x 1500 mm | |
| Hot rolled | Inox 18/10 | 4 mm | 4000 x 1500 mm |  |
| Premium (COL-NOX) | | | | |
| Brass Brown | Inox 18/10 | 4 mm | 4000 x 1500 mm |  |
| Haze | Inox 18/10 | 4 mm | 4000 x 1500 mm |  |
| Shimmer | Inox 18/10 | 4 mm | 4000 x 1500 mm |  |
| Wheathered Copper | Inox 18/10 | 4 mm | 4000 x 1500 mm |  |

Note: These colors are sampled by default. For other colors or structures, please contact the sales department. Think of a longer delivery time, price on request.

Explanation icons

 Irregularities in surface

Slippery

Matt brushed or fine brushed is a luxurious finish because there is no visible difference between core material and any post-processing. Scratches and damages are more visible.

Brushed randomly

A matte finish Inox randomly brushed is also called orbital or rotex brushed.

K320

K320 (grit 320 brushed) is a finish with a very low surface roughness. Very suitable for countertops, wall panles and sidepanels. Welded parts are grinding and brushing, resulting in some difference in finish.

Hot rolled


Hot rolled steel has a rawer appearance due to the manufacturing process. The surface is even duller and a lot less prone to scratches. This is the roughest form of steel. The mill scale cannot be reworked, so each worktop remains unique. Due to the structure, the worktop is more likely to show stains than a smooth version. Scratches and unevenness resulting from the production of the top are insurmountable and therefore inherent in the product. This emphasizes the rough and raw look.

COL-NOX




Colour Inox is a patented colouring technique for hot rolled steel. The rough rolling skin is coloured in the deeper parts, creating a unique appearance and preserving the properties of hot rolled steel.

13



For product information about Inox, such as benefits, concerns, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Classic - Smooth, K320, directionless brushed | | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------|-----------|-----------|-----------------|
|  | worktops up to 600mm deep | per m ¹ | RVS-060 | 376,00 | 454,96 |
| | worktops up to 700mm deep | per m ¹ | RVS-070 | 499,00 | 603,79 |
| | worktops up to 800mm deep | per m ¹ | RVS-080 | 624,00 | 755,04 |
| | worktops up to 900mm deep | per m ¹ | RVS-090 | 748,00 | 905,08 |
| | worktops up to 1000mm deep | per m ¹ | RVS-100 | 870,00 | 1.052,70 |
| | worktops up to 1100mm deep | per m ¹ | RVS-110 | 995,00 | 1.203,95 |
| | worktops up to 1200mm deep | per m ¹ | RVS-120 | 1.119,00 | 1.353,99 |
| | worktops up to 1350mm deep | per m ¹ | RVS-135 | 1.244,00 | 1.505,24 |
| | worktops up to 1500mm deep | per m ¹ | RVS-150 | 1.609,00 | 1.946,89 |



1,2 mm Inox (glued) without edge finishing

| Corner connections | | | | | |
|---|---|----------|--------------|--------|---------------|
| Corner connection 1 (angle connection) |  | per unit | RVS-HV1 | 58,00 | 70,18 |
| Corner connection 2 (mitre coupling) |  | per unit | RVS-HV2 | 135,00 | 163,35 |
| Extra charge mitre joint delivered glued from 1 part* |  | per unit | RVS-LIJMNAAD | 528,00 | 638,88 |


* At minimum thickness 20 mm. One-piece corner worktops or worktops up to 6000 mm are possible. Please contact our office for packaging, delivery and additional costs

| Flat converted rounded side | | | | | | |
|--|--|-------|--------------------|---------|--------|---------------|
|  |  | V01 * | per m ¹ | RVS-V01 | 137,00 | 165,77 |
| | | V02 | per m ¹ | RVS-V02 | 137,00 | 165,77 |
| | | V04 | per m ¹ | RVS-V04 | 137,00 | 165,77 |
| | | V06 | per m ¹ | RVS-V06 | 173,00 | 209,33 |
| | | V08 | per m ¹ | RVS-V08 | 212,00 | 256,52 |
| | | V10 | per m ¹ | RVS-V10 | 246,00 | 297,66 |

* worktops V01 (max. dimensions 3000 x 1200 mm)

| Flat converted incl. facet side | | | | | | |
|---|---|-------|--------------------|---------|--------|---------------|
|  |  | F01 * | per m ¹ | RVS-F01 | 157,00 | 189,97 |
| | | F02 | per m ¹ | RVS-F02 | 157,00 | 189,97 |
| | | F04 | per m ¹ | RVS-F04 | 157,00 | 189,97 |
| | | F06 | per m ¹ | RVS-F06 | 193,00 | 233,53 |
| | | F08 | per m ¹ | RVS-F08 | 232,00 | 280,72 |
| | | F10 | per m ¹ | RVS-F10 | 266,00 | 321,86 |

* worktops F01 (max. dimensions 3000 x 1200 mm)

| Waterstop | | | | | | |
|---|---|---|--------------------|---------|-------|--------------|
|  |  | WK4 | per m ¹ | RVS-WK4 | 80,00 | 96,80 |
| | |  | | | | |

(joint) connection with bolts (with WK4 edge finishing)

Other edge finishes on request.
In case of a high-cabinet finishing, always order and calculate the entire side/edge.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|-------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit RVS-KOOK1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit RVS-KOOK2 | 212,00 | 256,52 |
| welding the hob (if possible) on request | | per unit RVS-KOOK-LAS | 659,00 | 797,39 |
| Cut out integrated hot plate (send a technical drawing please) | | per unit RVS-UIT-KOOK-I | 407,00 | 492,47 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unit R-x.... | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit RVS-KRG | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit RVS-KPL-ROND | 125,00 | 151,25 |
| WCD (socket) in the edge (possible from VF06) | | per unit RVS-WCD | 125,00 | 151,25 |


Caution! (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)

| Additional machinings | | | | |
|--|--|-----------------------------------|--------|---------------|
| Oblique side without edge finishing | | per unit RVS-S-A | 83,00 | 100,43 |
| Double cut-out (two sides), without edge finishing | | per unit RVS-H-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit RVS-K-A | 123,00 | 148,83 |
| Tile edge additionally on raised edge or flat converted | | per m ¹ RVS-TR-ACHT | 18,00 | 21,78 |
| Block profile backside/sides (40 mm high, 20 mm deep) | | per m ¹ RVS-BP-040 | 141,00 | 170,61 |
| Block profile backside/sides (100 mm high, 20 mm deep) | | per m ¹ RVS-BP-100 | 188,00 | 227,48 |
| Sealing block profile (per side) | | per unit RVS-BLOK-LAS | 43,00 | 52,03 |
| Additional reinforcement due to free-hanging parts from V04 F04, WK4 (See Chapter 1 ordering information, support and reinforcement) | | per m ² RVS-ONDZ-VERST | 370,00 | 447,70 |
| Ground terminal | | per unit RVS-KLEM | 22,00 | 26,62 |



13

Always calculate the edge finishing on extra works separately!


| Maintenance kit | | | | |
|-----------------|--|-----------------|------|-------------|
| | Inox Cleaner* | per unit 290128 | 7,85 | 9,50 |
| | Inox cleaner for daily care. Easily removes dirt from the Inox and leaves a wonderful fresh scent after use. | | | |
| | * Supplied as standard and calculated with every order | | | |
| | | | | |

| Classic - 4 mm solid | | | order no. | excl. VAT | incl. VAT | |
|---|----------------|-------------|--------------------|-------------|-----------|-----------------|
|  | worktops up to | 100mm deep | per m ¹ | RVS04-M-010 | 86,00 | 104,06 |
| | worktops up to | 200mm deep | per m ¹ | RVS04-M-020 | 174,00 | 210,54 |
| | worktops up to | 300mm deep | per m ¹ | RVS04-M-030 | 262,00 | 317,02 |
| | worktops up to | 400mm deep | per m ¹ | RVS04-M-040 | 429,00 | 519,09 |
| | worktops up to | 500mm deep | per m ¹ | RVS04-M-050 | 545,00 | 659,45 |
| | worktops up to | 600mm deep | per m ¹ | RVS04-M-060 | 618,00 | 747,78 |
| | worktops up to | 700mm deep | per m ¹ | RVS04-M-070 | 707,00 | 855,47 |
| | worktops up to | 800mm deep | per m ¹ | RVS04-M-080 | 791,00 | 957,11 |
| | worktops up to | 900mm deep | per m ¹ | RVS04-M-090 | 870,00 | 1.052,70 |
| | worktops up to | 1000mm deep | per m ¹ | RVS04-M-100 | 950,00 | 1.149,50 |
| | worktops up to | 1100mm deep | per m ¹ | RVS04-M-110 | 1.033,00 | 1.249,93 |
| | worktops up to | 1200mm deep | per m ¹ | RVS04-M-120 | 1.112,00 | 1.345,52 |
| | worktops up to | 1350mm deep | per m ¹ | RVS04-M-135 | 1.211,00 | 1.465,31 |
| | worktops up to | 1500mm deep | per m ¹ | RVS04-M-150 | 1.344,00 | 1.626,24 |

| Premium - 4 mm solid COL-NOX | | | | | | |
|--|----------------|-------------|--------------------|-------------|----------|-----------------|
|  | worktops up to | 100mm deep | per m ¹ | RVS04-C-010 | 117,00 | 141,57 |
| | worktops up to | 200mm deep | per m ¹ | RVS04-C-020 | 234,00 | 283,14 |
| | worktops up to | 300mm deep | per m ¹ | RVS04-C-030 | 351,00 | 424,71 |
| | worktops up to | 400mm deep | per m ¹ | RVS04-C-040 | 483,00 | 584,43 |
| | worktops up to | 500mm deep | per m ¹ | RVS04-C-050 | 622,00 | 752,62 |
| | worktops up to | 600mm deep | per m ¹ | RVS04-C-060 | 770,00 | 931,70 |
| | worktops up to | 700mm deep | per m ¹ | RVS04-C-070 | 876,00 | 1.059,96 |
| | worktops up to | 800mm deep | per m ¹ | RVS04-C-080 | 977,00 | 1.182,17 |
| | worktops up to | 900mm deep | per m ¹ | RVS04-C-090 | 1.073,00 | 1.298,33 |
| | worktops up to | 1000mm deep | per m ¹ | RVS04-C-100 | 1.170,00 | 1.415,70 |
| | worktops up to | 1100mm deep | per m ¹ | RVS04-C-110 | 1.271,00 | 1.537,91 |
| | worktops up to | 1200mm deep | per m ¹ | RVS04-C-120 | 1.368,00 | 1.655,28 |
| | worktops up to | 1350mm deep | per m ¹ | RVS04-C-135 | 1.440,00 | 1.742,40 |
| | worktops up to | 1500mm deep | per m ¹ | RVS04-C-150 | 1.664,00 | 2.013,44 |

| Corner connections | | | | | | |
|---------------------|--------------------|---|----------|-----------|--------|---------------|
| Corner connection 1 | (angle connection) |  | per unit | RVS04-HV1 | 58,00 | 70,18 |
| Corner connection 2 | (mitre coupling) |  | per unit | RVS04-HV2 | 135,00 | 163,35 |

Edge finishing double facet order no. excl. VAT incl. VAT

| | | | | | | |
|---|---|----|--------------------|----------|-------|--------------|
|  |  | 2F | per m ¹ | RVS04-2F | 61,00 | 73,81 |
|---|---|----|--------------------|----------|-------|--------------|

4 mm edge with facet edge

Edge finishing facet

| | | | | | | |
|---|---|------|--------------------|------------|--------|---------------|
|  |  | RV01 | per m ¹ | RVS04-RV01 | 246,00 | 297,66 |
| | | RV04 | per m ¹ | RVS04-RV04 | 500,00 | 605,00 |
| | | RV06 | per m ¹ | RVS04-RV06 | 570,00 | 689,70 |
| | | RV08 | per m ¹ | RVS04-RV08 | 640,00 | 774,40 |
| | | RV10 | per m ¹ | RVS04-RV10 | 710,00 | 859,10 |

10 mm to 100 mm with bevelled edge





*Please note that with 4 mm hot rolled, the visible side must be polished and therefore differs from the top side.

Edge trim squared

| | | | | | | |
|---|--|------|--------------------|------------|--------|---------------|
|  |  | RH04 | per m ¹ | RVS04-RH04 | 500,00 | 605,00 |
| | | RH06 | per m ¹ | RVS04-RH06 | 570,00 | 689,70 |
| | | RH08 | per m ¹ | RVS04-RH08 | 640,00 | 774,40 |
| | | RH10 | per m ¹ | RVS04-RH10 | 710,00 | 859,10 |

10 mm to 100 mm with angled edge






Cut outs

| | | | | | |
|---|---|----------|------------------|--------|---------------|
| Cut-out built-up hob up to 600 mm deep |  | per unit | RVS04-KOOK1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm |  | per unit | RVS04-KOOK2 | 212,00 | 256,52 |
| welding the hob (if possible) on request |  | per unit | RVS-KOOK-LAS | 659,00 | 797,39 |
| Cut out integrated hot plate (send a technical drawing please) |  | per unit | RVS04-UIT-KOOK-I | 407,00 | 492,47 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unit | R-x.... | 100,00 | 121,00 |

| | | | | | |
|--|---|----------|----------------|--------|---------------|
| Tap hole in worktop (mention diameter) |  | per unit | RVS04-KRG | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) |  | per unit | RVS04-KPL-ROND | 125,00 | 151,25 |

Caution! (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)


Additional machinings

| | | | | | |
|---|---|--------------------|----------------|--------|---------------|
| Oblique side without edge finishing |  | per unit | RVS04-S-A | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing |  | per unit | RVS04-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing |  | per unit | RVS04-R31 | 335,00 | 405,35 |
| Double cut-out (two sides), without edge finishing |  | per unit | RVS04-H-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing |  | per unit | RVS04-K-A | 123,00 | 148,83 |
| Additional reinforcement due to free-hanging parts from RV04 onwards (See Chapter 1 ordering information, support and reinforcement) | | per m ² | RVS-ONDZ-VERST | 370,00 | 447,70 |
| Ground terminal | | per unit | RVS-KLEM | 22,00 | 26,62 |
| Inox Cleaner * | | per unit | | | |

Always calculate the edge finishing on extra works separately!
* Supplied as standard and calculated with every order




| Smooth, K320, randomly brushed (10 mm thick, edges folded) | | order no. | excl. VAT | incl. VAT |
|--|--------------|-------------------------------|------------------|------------------|
| Wallpanels up to | 50 mm high | per m ¹ RVSNAW-005 | 46,00 | 55,66 |
| Wallpanels up to | 100 mm high | per m ¹ RVSNAW-010 | 64,00 | 77,44 |
| Wallpanels up to | 200 mm high | per m ¹ RVSNAW-020 | 128,00 | 154,88 |
| Wallpanels up to | 300 mm high | per m ¹ RVSNAW-030 | 201,00 | 243,21 |
| Wallpanels up to | 400 mm high | per m ¹ RVSNAW-040 | 254,00 | 307,34 |
| Wallpanels up to | 500 mm high | per m ¹ RVSNAW-050 | 311,00 | 376,31 |
| Wallpanels up to | 600 mm high | per m ¹ RVSNAW-060 | 376,00 | 454,96 |
| Wallpanels up to | 700 mm high | per m ¹ RVSNAW-070 | 460,00 | 556,60 |
| Wallpanels up to | 800 mm high | per m ¹ RVSNAW-080 | 523,00 | 632,83 |
| Wallpanels up to | 900 mm high | per m ¹ RVSNAW-090 | 586,00 | 709,06 |
| Wallpanels up to | 1000 mm high | per m ¹ RVSNAW-100 | 651,00 | 787,71 |
| Wallpanels up to | 1100 mm high | per m ¹ RVSNAW-110 | 714,00 | 863,94 |
| Wallpanels up to | 1200 mm high | per m ¹ RVSNAW-120 | 778,00 | 941,38 |


Comes with separate undermount top




| Finishing wallpanels | | order no. | excl. VAT | incl. VAT |
|--|--------------------|-------------|-----------|--------------|
| Welding the corners (four visible sides) | per m ¹ | RVS-NAW-LAS | 76,00 | 91,96 |

| Cutouts wallpanels | | | | |
|---------------------|--|----------------|-------|--------------|
| Cut-out wall socket |  per unit | RVS-NAW-KRG070 | 45,00 | 54,45 |

| Extra works to wallpanels | | | | |
|--|--|----------------|--------|---------------|
| Oblique side without edge finishing |  per unit | RVS-NAW-S-A | 83,00 | 100,43 |
| Double cut-out (two sides), without edge finishing |  per unit | RVS-NAW-KOL-A | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing |  per unit | RVS-NAW-KOL3-A | 123,00 | 148,83 |

| Sidepanel type A semi freestanding | | | | | |
|---|---------------------|--------------------|----------------|----------|-----------------|
|  | Depth up to 300 mm | per m ¹ | RVS-STOL-A-030 | 704,00 | 851,84 |
| | Depth up to 650 mm | per m ¹ | RVS-STOL-A-065 | 978,00 | 1.183,38 |
| | Depth up to 900 mm | per m ¹ | RVS-STOL-A-090 | 1.174,00 | 1.420,54 |
| | Depth up to 1200 mm | per m ¹ | RVS-STOL-A-120 | 1.363,00 | 1.649,23 |
| | Depth up to 1500 mm | per m ¹ | RVS-STOL-A-150 | 1.701,00 | 2.058,21 |
| Sidepanel width, 30 to 100 mm | | | | | |

| Sidepanels type B fully detached | | | | | |
|---|---------------------|--------------------|----------------|----------|-----------------|
|  | Depth up to 300 mm | per m ¹ | RVS-STOL-B-030 | 945,00 | 1.143,45 |
| | Depth up to 650 mm | per m ¹ | RVS-STOL-B-065 | 1.220,00 | 1.476,20 |
| | Depth up to 900 mm | per m ¹ | RVS-STOL-B-090 | 1.603,00 | 1.939,63 |
| | Depth up to 1200 mm | per m ¹ | RVS-STOL-B-120 | 2.026,00 | 2.451,46 |
| | Depth up to 1500 mm | per m ¹ | RVS-STOL-B-150 | 2.376,00 | 2.874,96 |
| Sidepanel width, 30 to 100 mm | | | | | |

13

- > The front- and backside are standard finished. So waterstop can be used in combination with base cabinets - both free standing or against de wall.
- > The visible parts on the cabinet side, such as by the plinth and door are finished with Inox.
- > The non-visible parts of type A on the cabinet side are finished in wood so the sidepanels can be easily installed with screws to the cabinet.
- > Type A is on the backside 140 mm glued-in finished. Type B is on the backside completely glued-in.
- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop relative to the sidepanel. When processing your order, we will do this automatically.
- > To guarantee a good connection between the worktop and these panel we advise you indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate this per part: round off to the nearest 100 mm (above), minimum is 600 mm.
- > For the possibility and risks for sidepanels in miter, see Chapter 1, ordering information, sidepanels.



Worktop Inox Shimmer

Advantages



Natural material



Natural look



Unique colors and structures



Semi-undermount

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width




Colour and texture difference

Approvals



FSC®-certificate

For explanation, see Chapter 1, sustainable.



SOLID WOOD

Contents

14.3 Color options

30 mm

14.6 Base material

14.7 Edge finishes

14.8 Extra works

40 mm

14.9 Base material

14.10 Edge finishes

14.11 Cutouts and extra works

14.12 Sidepanels



Worktop Solid Wood European Walnut

| Easy | color sample | full panel |
|---|--------------|------------|
| <p>Color: Beech</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: Beech White wash</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| Classic | | |
| <p>Color: Oak</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: Oak Carbon</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: Oak White Wash</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| Premium | | |
| <p>Color: Oak Rustic</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |
| <p>Color: Oak Rustic White Wash</p> <p>Thickness: 30 mm / 40 mm</p> <p>Surface: Oiled</p> <p>Max. dimensions: 4150 x 1200</p> <p>Particularities: </p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Premium | | color sample | full panel |
|---|--|--------------|------------|
| Color: European Walnut Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 4150 1200 Particularities: | | | |
| Color: Iroko Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 4150 1200 Particularities: | | | |
| Color: Sapelli Mahogany Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 4150 1200 Particularities: | | | |
| Ultimo | | | |
| Color: Royal Oak Rustic Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 3000 1200 Particularities: | | | |
| Color: Royal Oak Rustic White Wash Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 3000 1200 Particularities: | | | |
| Color: Teak Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 4150 1200 Particularities: | | | |
| Color: Teak White Wash Thickness: 30 mm / 40 mm Surface: Oiled Max. dimensions: 4150 1200 Particularities: | | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.


| Colour | thickness | surface texture | maximum size | particularities |
|-----------------------------|---------------|-----------------|----------------|-----------------|
| Easy | | | | |
| Beech | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Beech White wash | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Classic | | | | |
| Oak | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Oak Carbon | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Oak White Wash | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Premium | | | | |
| Oak Rustic | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Oak Rustic White Wash | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| European Walnut | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Iroko | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Sapelli Mahogany | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Ultimo | | | | |
| Royal Oak Rustic | 30 mm / 40 mm | Oiled | 3000 x 1200 mm | |
| Royal Oak Rustic White Wash | 30 mm / 40 mm | Oiled | 3000 x 1200 mm | |
| Teak | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |
| Teak White Wash | 30 mm / 40 mm | Oiled | 4150 x 1200 mm | |


CAUTION: These colors are sampled by default when a showroom worktop is included. For other types of wood, please contact your regular contact person. Consider a different delivery time, price on request.


Make sure that you also periodically oil the sample pieces in the showroom, so that they remain an accurate representation of reality.


Explanation particulars




- Colour and texture difference. Wood is a natural product and discolors with light. Therefore, your sample piece will always differ from the delivered worktop (more than with other materials!).

| Easy | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------------------|-----------|---------------|
|  | worktops up to 300mm deep | per m ¹ MH1-3CM-030 | 184,00 | 222,64 |
| | worktops up to 600mm deep | per m ¹ MH1-3CM-060 | 297,00 | 359,37 |
| | worktops up to 650mm deep | per m ¹ MH1-3CM-065 | 335,00 | 405,35 |
| | worktops up to 700mm deep | per m ¹ MH1-3CM-070 | 394,00 | 476,74 |
| | worktops up to 800mm deep | per m ¹ MH1-3CM-080 | 438,00 | 529,98 |
| | worktops up to 900mm deep | per m ¹ MH1-3CM-090 | 496,00 | 600,16 |
| | worktops up to 1000mm deep | per m ¹ MH1-3CM-100 | 553,00 | 669,13 |
| | worktops up to 1100mm deep | per m ¹ MH1-3CM-110 | 604,00 | 730,84 |
| | worktops up to 1200mm deep | per m ¹ MH1-3CM-120 | 667,00 | 807,07 |

| Classic | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH2-3CM-030 | 267,00 | 323,07 |
| | worktops up to 600mm deep | per m ¹ MH2-3CM-060 | 431,00 | 521,51 |
| | worktops up to 650mm deep | per m ¹ MH2-3CM-065 | 469,00 | 567,49 |
| | worktops up to 700mm deep | per m ¹ MH2-3CM-070 | 559,00 | 676,39 |
| | worktops up to 800mm deep | per m ¹ MH2-3CM-080 | 635,00 | 768,35 |
| | worktops up to 900mm deep | per m ¹ MH2-3CM-090 | 719,00 | 869,99 |
| | worktops up to 1000mm deep | per m ¹ MH2-3CM-100 | 802,00 | 970,42 |
| | worktops up to 1100mm deep | per m ¹ MH2-3CM-110 | 876,00 | 1.059,96 |
| | worktops up to 1200mm deep | per m ¹ MH2-3CM-120 | 967,00 | 1.170,07 |

| Premium | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH3-3CM-030 | 340,00 | 411,40 |
| | worktops up to 600mm deep | per m ¹ MH3-3CM-060 | 520,00 | 629,20 |
| | worktops up to 650mm deep | per m ¹ MH3-3CM-065 | 575,00 | 695,75 |
| | worktops up to 700mm deep | per m ¹ MH3-3CM-070 | 665,00 | 804,65 |
| | worktops up to 800mm deep | per m ¹ MH3-3CM-080 | 767,00 | 928,07 |
| | worktops up to 900mm deep | per m ¹ MH3-3CM-090 | 868,00 | 1.050,28 |
| | worktops up to 1000mm deep | per m ¹ MH3-3CM-100 | 968,00 | 1.171,28 |
| | worktops up to 1100mm deep | per m ¹ MH3-3CM-110 | 1.057,00 | 1.278,97 |
| | worktops up to 1200mm deep | per m ¹ MH3-3CM-120 | 1.167,00 | 1.412,07 |

| Ultimo | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|--------------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH4-3CM-030 | 451,00 | 545,71 |
| | worktops up to 600mm deep | per m ¹ MH4-3CM-060 | 697,00 | 843,37 |
| | worktops up to 650mm deep | per m ¹ MH4-3CM-065 | 755,00 | 913,55 |
| | worktops up to 700mm deep | per m ¹ MH4-3CM-070 | 867,00 | 1.049,07 |
| | worktops up to 800mm deep | per m ¹ MH4-3CM-080 | 964,00 | 1.166,44 |
| | worktops up to 900mm deep | per m ¹ MH4-3CM-090 | 1.091,00 | 1.320,11 |
| | worktops up to 1000mm deep | per m ¹ MH4-3CM-100 | 1.217,00 | 1.472,57 |
| | worktops up to 1100mm deep | per m ¹ MH4-3CM-110 | 1.329,00 | 1.608,09 |
| | worktops up to 1200mm deep | per m ¹ MH4-3CM-120 | 1.467,00 | 1.775,07 |

| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|--|--|-----------|-----------------|
| Corner connection 1 | (angle connection) |  per unit MH-3CM-HV1 | 90,00 | 108,90 |
| Corner connection 3a | (slanted corner part with angled coupling) |  per unit MH-3CM-HV3A | 1.195,00 | 1.445,95 |
| Corner connection 4a | (full angle section with mitre joint) |  per unit MH-3CM-HV4A | 1.695,00 | 2.050,95 |

Angled (with small facet)

| | | | order no. | excl. VAT | incl. VAT |
|---|---|-----|-------------------------------|-----------|--------------|
|  |  | HAA | per m ¹ MH-3CM-HAA | 64,00 | 77,44 |

Angled (with small facet)

Single round

| | | | | | |
|---|---|-----|-------------------------------|-------|--------------|
|  |  | HRE | per m ¹ MH-3CM-HRE | 64,00 | 77,44 |
|---|---|-----|-------------------------------|-------|--------------|

Single round

Double round

| | | | | | |
|--|--|-----|-------------------------------|-------|--------------|
|  |  | HRD | per m ¹ MH-3CM-HRD | 64,00 | 77,44 |
|--|--|-----|-------------------------------|-------|--------------|

Double round

Angled thickened

| | | | | | |
|---|---|-----|-------------------------------|--------|---------------|
|  |  | H06 | per m ¹ MH-3CM-H06 | 185,00 | 223,85 |
|---|---|-----|-------------------------------|--------|---------------|

Angled thickened up to 60 mm

Single round thickened

| | | | | | |
|---|---|-----|-------------------------------|--------|---------------|
|  |  | HE6 | per m ¹ MH-3CM-HE6 | 185,00 | 223,85 |
|---|---|-----|-------------------------------|--------|---------------|

Single round thickened to 60 mm

Other edge finishes on request. For high cabinet finishes, always order/calculate the entire side.

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|--|--------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit MH-3CM-KPL | 110,00 | 133,10 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit MH-3CM-KOOK-OP2 | 150,00 | 181,50 |
| Cut-out semi-undermount sink square max. 450 x 450 mm | | per unit H-VIERK | 213,00 | 257,73 |
| Cut-out semi-undermount sink square max. 450 x 450 mm | | per unit H-VIERK-GR | 308,00 | 372,68 |
| Cut-out undermount sink | | per unit H-OND | 308,00 | 372,68 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit MH-3CM-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit MH-3CM-KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit MH-3CM-KPL-ROND | 105,00 | 127,05 |

Caution: (flush-mounted) cooktops and sinks weighing ≥ 20 kg must be additionally supported. Please use our support set for this (article number: DIV-STEUN-GR)


| Additional machinings | | | | |
|--|--|------------------------------------|--------|---------------|
| Oblique side without edge finishing | | per unit MH-3CM-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit MH-3CM-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit MH-3CM-R31 | 189,00 | 228,69 |
| Double cut-out (two sides), without edge finishing | | per unit MH-3CM-KOLOM | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit MH-3CM-KOLOM3 | 123,00 | 148,83 |
| area with 4 stainless steel pins, model small rectangle (400 x 150 mm) | | per unit H-AFZ-4-VIERK | 265,00 | 320,65 |
| area with 5 stainless steel pins, large oval model (400 x 200 mm) | | per unit H-AFZ-5-VIERK-GR | 315,00 | 381,15 |
| Solid thickened | | per m ² MH-3CM-ONDZ-OPD | 498,00 | 602,58 |
| Maintenance oil* | | per order MH-3CM-ONDZ | 138,00 | 166,98 |
| Sanding and oiling bottom side | | per m ² MH-3CM-ONDZ-VER | 140,00 | 169,40 |
| Stabilization profile 50 mm wide (see product information)** | | per m ¹ | | |


14


Always calculate an edge finishing on extra works separately!


* Supplied as standard and calculated with every order




** For tops without a substructure, we recommend using a stabilization profile per 500 mm length. This applies to all edge finishes.

| Easy | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|----------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH1-030 | 245,00 | 296,45 |
| | worktops up to 600mm deep | per m ¹ MH1-060 | 385,00 | 465,85 |
| | worktops up to 650mm deep | per m ¹ MH1-065 | 429,00 | 519,09 |
| | worktops up to 700mm deep | per m ¹ MH1-070 | 493,00 | 596,53 |
| | worktops up to 800mm deep | per m ¹ MH1-080 | 548,00 | 663,08 |
| | worktops up to 900mm deep | per m ¹ MH1-090 | 620,00 | 750,20 |
| | worktops up to 1000mm deep | per m ¹ MH1-100 | 691,00 | 836,11 |
| | worktops up to 1100mm deep | per m ¹ MH1-110 | 755,00 | 913,55 |
| | worktops up to 1200mm deep | per m ¹ MH1-120 | 841,00 | 1.017,61 |


| Classic | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|----------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH2-030 | 343,00 | 415,03 |
| | worktops up to 600mm deep | per m ¹ MH2-060 | 518,00 | 626,78 |
| | worktops up to 650mm deep | per m ¹ MH2-065 | 571,00 | 690,91 |
| | worktops up to 700mm deep | per m ¹ MH2-070 | 641,00 | 775,61 |
| | worktops up to 800mm deep | per m ¹ MH2-080 | 767,00 | 928,07 |
| | worktops up to 900mm deep | per m ¹ MH2-090 | 868,00 | 1.050,28 |
| | worktops up to 1000mm deep | per m ¹ MH2-100 | 969,00 | 1.172,49 |
| | worktops up to 1100mm deep | per m ¹ MH2-110 | 1.029,00 | 1.245,09 |
| | worktops up to 1200mm deep | per m ¹ MH2-120 | 1.131,00 | 1.368,51 |

| Premium | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|----------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH3-030 | 404,00 | 488,84 |
| | worktops up to 600mm deep | per m ¹ MH3-060 | 666,00 | 805,86 |
| | worktops up to 650mm deep | per m ¹ MH3-065 | 731,00 | 884,51 |
| | worktops up to 700mm deep | per m ¹ MH3-070 | 813,00 | 983,73 |
| | worktops up to 800mm deep | per m ¹ MH3-080 | 904,00 | 1.093,84 |
| | worktops up to 900mm deep | per m ¹ MH3-090 | 1.023,00 | 1.237,83 |
| | worktops up to 1000mm deep | per m ¹ MH3-100 | 1.175,00 | 1.421,75 |
| | worktops up to 1100mm deep | per m ¹ MH3-110 | 1.288,00 | 1.558,48 |
| | worktops up to 1200mm deep | per m ¹ MH3-120 | 1.413,00 | 1.709,73 |

| Ultimo | | order no. | excl. VAT | incl. VAT |
|---|----------------------------|----------------------------|-----------|-----------------|
|  | worktops up to 300mm deep | per m ¹ MH4-030 | 539,00 | 652,19 |
| | worktops up to 600mm deep | per m ¹ MH4-060 | 847,00 | 1.024,87 |
| | worktops up to 650mm deep | per m ¹ MH4-065 | 944,00 | 1.142,24 |
| | worktops up to 700mm deep | per m ¹ MH4-070 | 1.031,00 | 1.247,51 |
| | worktops up to 800mm deep | per m ¹ MH4-080 | 1.206,00 | 1.459,26 |
| | worktops up to 900mm deep | per m ¹ MH4-090 | 1.291,00 | 1.562,11 |
| | worktops up to 1000mm deep | per m ¹ MH4-100 | 1.520,00 | 1.839,20 |
| | worktops up to 1100mm deep | per m ¹ MH4-110 | 1.623,00 | 1.963,83 |
| | worktops up to 1200mm deep | per m ¹ MH4-120 | 1.766,00 | 2.136,86 |

| Corner connections | | order no. | excl. VAT | incl. VAT |
|----------------------|--|--|-----------|-----------------|
| Corner connection 1 | (angle connection) |  per unit MH-HV1 | 90,00 | 108,90 |
| Corner connection 3a | (slanted corner part with angled coupling) |  per unit MH-HV3A | 1.395,00 | 1.687,95 |
| Corner connection 4a | (full angle section with mitre joint) |  per unit MH-HV4A | 1.995,00 | 2.413,95 |

Angled (with small facet)

| | | | order no. | excl. VAT | incl. VAT |
|---|---|-----|---------------------------|-----------|--------------|
|  |  | HAA | per m ¹ MH-HAA | 64,00 | 77,44 |

Angled (with small facet)

Single round

| | | | | | |
|---|---|-----|---------------------------|-------|--------------|
|  |  | HRE | per m ¹ MH-HRE | 64,00 | 77,44 |
|---|---|-----|---------------------------|-------|--------------|

Single round

Double round

| | | | | | |
|--|--|-----|---------------------------|-------|--------------|
|  |  | HRD | per m ¹ MH-HRD | 64,00 | 77,44 |
|--|--|-----|---------------------------|-------|--------------|


Double round

Angled thickened

| | | | | | |
|---|---|-----|---------------------------|--------|---------------|
|  |  | H08 | per m ¹ MH-H08 | 212,00 | 256,52 |
|---|---|-----|---------------------------|--------|---------------|

Angled thickened up to 80 mm

Single round thickened

| | | | | | |
|---|---|-----|---------------------------|--------|---------------|
|  |  | HE8 | per m ¹ MH-HE8 | 212,00 | 256,52 |
|---|---|-----|---------------------------|--------|---------------|

Single round thickened to 80 mm

Other edge finishes on request. For high cabinet finishes, always order/calculate the entire side.

| Cut-outs | | | order no. | excl. VAT | incl. VAT |
|---|--|----------|-------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep | | per unit | MH-KPL | 110,00 | 133,10 |
| Cut-out built-on hob with a depth larger than 600 mm | | per unit | MH-KOOK-OP2 | 150,00 | 181,50 |
| Cut-out semi-undermount sink square max. 450 x 450 mm | | per unit | H-VIERK | 213,00 | 257,73 |
| Cut-out semi-undermount sink square max. 450 x 450 mm | | per unit | H-VIERK-GR | 308,00 | 372,68 |
| Cut-out undermount sink | | per unit | H-OND | 308,00 | 372,68 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unit |B | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) | | per unit | MH-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) | | per unit | MH-KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) | | per unit | MH-KPL-ROND | 105,00 | 127,05 |

| Additional machinings | | | | | |
|--|--|--------------------|------------------|--------|---------------|
| Oblique side without edge finishing | | per unit | MH-S | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing | | per unit | MH-R30 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing | | per unit | MH-R31 | 189,00 | 228,69 |
| Double cut-out (two sides), without edge finishing | | per unit | MH-KOLOM | 95,00 | 114,95 |
| Triple cut-out (three sides), without edge finishing | | per unit | MH-KOLOM3 | 123,00 | 148,83 |
| area with 4 stainless steel pins, model small rectangle (400 x 150 mm) | | per unit | H-AFZ-4-VIERK | 265,00 | 320,65 |
| area with 5 stainless steel pins, large oval model (400 x 200 mm) | | per unit | H-AFZ-5-VIERK-GR | 315,00 | 381,15 |
| Solid thickened | | per m ² | MH-ONDZ-OPD | 498,00 | 602,58 |
| Maintenance oil* | | per order | MH-ONDZ | 138,00 | 166,98 |
| Sanding and oiling bottom side | | per m ² | MH-ONDZ-VER | 140,00 | 169,40 |
| Stabilization profile 50 mm wide (see product information)** | | per m ¹ | | | |

Always calculate an edge finishing on extra works separately!

* Supplied as standard and calculated with every order

** For tops without a substructure, we recommend using a stabilization profile per 500 mm length. This applies to all edge finishes.

| Sidepanel 60 mm type B completely free-standing | | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|--------------------|----------------|-----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | MH30-STOLB-030 | 740,00 | 895,40 |
| | Sidepanels up to 650mm deep | per m ¹ | MH30-STOLB-060 | 1.053,00 | 1.274,13 |
| | Sidepanels up to 900 mm deep | per m ¹ | MH30-STOLB-090 | 1.553,00 | 1.879,13 |
| | Sidepanels up to 1200 mm deep | per m ¹ | MH30-STOLB-120 | 2.084,00 | 2.521,64 |
| Sidepanels width 60 mm, base 30 mm thick | | | | | |

| Sidepanel 80 mm type B completely free-standing | | | order no. | excl. VAT | incl. VAT |
|---|-------------------------------|--------------------|----------------|-----------|-----------------|
| | Sidepanels up to 300mm deep | per m ¹ | MH40-STOLB-030 | 895,00 | 1.082,95 |
| | Sidepanels up to 650mm deep | per m ¹ | MH40-STOLB-060 | 1.248,00 | 1.510,08 |
| | Sidepanels up to 900 mm deep | per m ¹ | MH40-STOLB-090 | 1.788,00 | 2.163,48 |
| | Sidepanels up to 1200 mm deep | per m ¹ | MH40-STOLB-120 | 2.359,00 | 2.854,39 |
| Sidepanel width 80 mm, base 40 mm thick | | | | | |

- > The tolerances in measurement between worktop, cabinet and sidepanel are very critical. For this reason, we recommend 2 mm overhang per visible side of the worktop. When processing your order, we will do this automatically.
- > To guarantee a good joint between the worktop and the sidepanel we advise to indicate on which side the sidepanel will be installed.
- > Sidepanels that serve as support for tables without lower cabinets are on request.
- > Calculate per part; round up to nearest 100 mm (above), minimum of 600 mm.

| Maintenance oil | | | order no. | excl. VAT | incl. VAT |
|--|--|--|-------------------|-----------|--------------|
| | This oil* is specially designed for maintaining and treating solid wood countertops. Comes with abrasive sponge. | | Naturel 290075 | 37,19 | 45,00 |
| | | | White Wash 290074 | 37,19 | 45,00 |
| * Supplied as standard and calculated with every order | | | | | |
| | | | | | |



Worktop Solid Wood Oak Carbon

Advantages



Innovative design



Extensive colour collection



maintenance friendly



Acid-resistant

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width




Stains are more visible



Scratches are more visible






GLASS

Contents

- 15.3 Color options
- 15.4 Structure overview
- 15.6 Base material
- 15.7 Extra works
- 15.8 Wallpanels 6 mm
- 15.9 Edge Finishes
- 15.10 Standard wallpanels




Wallpanels Glass Caviar Black with structure Fiori Lucido

| Wallpanels and countertops | color sample | full panel |
|---|--------------|------------|
| <p>Color: Caviar Black</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities: </p> | | |
| <p>Color: Lageto</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: lingotti</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: Mirror Bronze</p> <p>Thickness: 6 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: Mirror Grey</p> <p>Thickness: 6 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: Monto</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: Ottone</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |
| <p>Color: Quick Silver</p> <p>Thickness: 6 mm / 10 mm</p> <p>Surface: see, structures</p> <p>Max. dimensions: 3000 1200</p> <p>Particularities:</p> | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

The colours in the colour overview are available as a kitchen worktop and as a wallpanel (with the exception of the Mirror Gray and Mirror Bronze, which are only available as a wallpanel). The combination with the structure determines the price category:

- > Classic (gloss)
- > Premium (matt)
- > Ultimo (Filo, Fiori Lucido and Rain)

| Classic | | color sample | full panel |
|------------------|---|---|--|
| Color: | Gloss G |  |  |
| Thickness: | 6 mm / 10 mm | | |
| Max. dimensions: | 3000 x 1200 | | |
| Particularities: |  | | |

| Premium | | color sample | full panel |
|------------------|---|---|--|
| Color: | Mat M |  |  |
| Thickness: | 6 mm / 10 mm | | |
| Max. dimensions: | 3000 x 1200 | | |
| Particularities: |  | | |

| Ultimo | | color sample | full panel |
|------------------|---------------|---|--|
| Color: | Filo L |  |  |
| Thickness: | 6 mm | | |
| Max. dimensions: | 3000 x 1200 | | |
| Particularities: | | | |

| | | | |
|------------------|-----------------------|---|--|
| Color: | Fiori Lucido F |  |  |
| Thickness: | 6 mm / 10 mm | | |
| Max. dimensions: | 3000 x 1200 | | |
| Particularities: | | | |

| | | | |
|------------------|--------------|---|--|
| Color: | Rain |  |  |
| Thickness: | 6 mm / 10 mm | | |
| Max. dimensions: | 3000 x 1200 | | |
| Particularities: | | | |

15

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Colour: | thickness | RAL-/ NCS-colours | surface texture | maximum size | particularities |
|--|--------------|-------------------|--------------------------|----------------|---|
| Classic (glossy) - tops and back panels | | | | | |
| Caviar Black | 6 mm / 10 mm | RAL 9005 | Shine | 3000 x 1200 mm |   |
| Lageto | 6 mm / 10 mm | RAL 2009005 | Shine | 3000 x 1200 mm | |
| Lingotti | 6 mm / 10 mm | | Shine | 3000 x 1200 mm | |
| Mirror Bronze | 6 mm | | Shine | 3000 x 1200 mm | only possible as wallpanel |
| Mirror Grey | 6 mm | | Shine | 3000 x 1200 mm | only possible as wallpanel |
| Monto | 6 mm / 10 mm | RAL 9016 | Shine | 3000 x 1200 mm | |
| Ottone | 6 mm / 10 mm | | Shine | 3000 x 1200 mm | |
| Quick Silver | 6 mm / 10 mm | RAL 9006 | Shine | 3000 x 1200 mm | |
| Premium (matt) - tops and back panels | | | | | |
| Caviar Black | 6 mm / 10 mm | RAL 9005 | Matt | 3000 x 1200 mm |   |
| Lageto | 6 mm / 10 mm | RAL 2009005 | Matt | 3000 x 1200 mm | |
| Lingotti | 6 mm / 10 mm | | Mat | 3000 x 1200 mm | |
| Mirror Bronze | 6 mm | | Mat | 3000 x 1200 mm | only possible as wallpanel |
| Mirror Grey | 6 mm | | Matt | 3000 x 1200 mm | only possible as wallpanel |
| Monto | 6 mm / 10 mm | RAL 9016 | Matt | 3000 x 1200 mm | |
| Ottone | 6 mm / 10 mm | | Matt | 3000 x 1200 mm | |
| Quick Silver | 6 mm / 10 mm | RAL 9006 | Matt | 3000 x 1200 mm | |
| Ultimo (Filo, Fiori Lucido, Rain) wallpanel (6mm) | | | | | |
| Caviar Black | 6 mm | RAL 9005 | Filo, Fiori Lucido, Rain | 3000 x 1200 mm |   |
| Lageto | 6 mm | RAL 2009005 | Filo, Fiori Lucido, Rain | 3000 x 1200 mm | |
| Lingotti | 6 mm | | Filo, Fiori Lucido, Rain | 3000 x 1200 mm | |
| Monto | 6 mm | RAL 9016 | Filo, Fiori Lucido, Rain | 3000 x 1200 mm | |
| Ottone | 6 mm | | Filo, Fiori Lucido, Rain | 3000 x 1200 mm | |
| Quick Silver | 6 mm | RAL 9006 | Filo, Fiori Lucido, Rain | 3000 x 1200 mm | |

Please note! These colours are sampled as standard when a showroom top/back panel is ordered. Other colours based on RAL-, Sikkens-, PMS- or NCS-color number are available. Please contact your regular contact person for this. Please consider different delivery times, prices on request.


Explanation icons







Stains are more visible





Scratches are more visible











| Classic glossy texture (10 mm) | | | | order no. | excl. VAT | incl. VAT |
|---|----------------|-------------|--------------------|-------------|-----------|-----------------|
|  | worktops up to | 300mm deep | per m ¹ | GLA10-1-030 | 241,00 | 291,61 |
| | worktops up to | 600mm deep | per m ¹ | GLA10-1-060 | 477,00 | 577,17 |
| | worktops up to | 650mm deep | per m ¹ | GLA10-1-065 | 510,00 | 617,10 |
| | worktops up to | 700mm deep | per m ¹ | GLA10-1-070 | 553,00 | 669,13 |
| | worktops up to | 800mm deep | per m ¹ | GLA10-1-080 | 632,00 | 764,72 |
| | worktops up to | 900mm deep | per m ¹ | GLA10-1-090 | 701,00 | 848,21 |
| | worktops up to | 1000mm deep | per m ¹ | GLA10-1-100 | 778,00 | 941,38 |
| | worktops up to | 1100mm deep | per m ¹ | GLA10-1-110 | 814,00 | 984,94 |
| | worktops up to | 1200mm deep | per m ¹ | GLA10-1-120 | 868,00 | 1.050,28 |

| Premium matt structure (10 mm) | | | | | | |
|---|----------------|-------------|--------------------|-------------|--------|-----------------|
|  | worktops up to | 300mm deep | per m ¹ | GLA10-2-030 | 304,00 | 367,84 |
| | worktops up to | 600mm deep | per m ¹ | GLA10-2-060 | 553,00 | 669,13 |
| | worktops up to | 650mm deep | per m ¹ | GLA10-2-065 | 581,00 | 703,01 |
| | worktops up to | 700mm deep | per m ¹ | GLA10-2-070 | 655,00 | 792,55 |
| | worktops up to | 800mm deep | per m ¹ | GLA10-2-080 | 723,00 | 874,83 |
| | worktops up to | 900mm deep | per m ¹ | GLA10-2-090 | 783,00 | 947,43 |
| | worktops up to | 1000mm deep | per m ¹ | GLA10-2-100 | 865,00 | 1.046,65 |
| | worktops up to | 1100mm deep | per m ¹ | GLA10-2-110 | 913,00 | 1.104,73 |
| | worktops up to | 1200mm deep | per m ¹ | GLA10-2-120 | 973,00 | 1.177,33 |






| Corner connections | | | | | | |
|----------------------|--|---|----------|--------------|----------|-----------------|
| Corner connection 1 | (angle connection) |  | per unit | GLA10-HV1 | 58,00 | 70,18 |
| Corner connection 3a | (slanted corner part with angled coupling) |  | per unit | GLA10-2-HV3A | 923,00 | 1.116,83 |
| Corner connection 4a | (full angle section with mitre joint) |  | per unit | GLA10-2-HV4A | 1.112,00 | 1.345,52 |

| Edge finishing double facet edge | | | | | | |
|---|---|----|--------------------|----------|-------|--------------|
|  |  | 2F | per m ¹ | GLA10-2F | 47,00 | 56,87 |

10 mm double facet edge

| Cut-outs | | order no. | excl. VAT | incl. VAT |
|---|---|-------------------------|-----------|---------------|
| Cut-out built-up hob up to 600 mm deep |  | per unit GLA10-KPL-OP1 | 163,00 | 197,23 |
| Cut-out built-on hob with a depth larger than 600 mm |  | per unit GLA10-KPL-OP2 | 212,00 | 256,52 |
| Cut out integrated hot plate (send a technical drawing please) |  | per unit GLA-UIT-KOOK-I | 407,00 | 492,47 |
| <i>(Flat built-in hobs with an installation depth of ≥ 3 mm must first be tested for technical feasibility)</i> | | | | |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit GLA-UITVK | 277,00 | 335,17 |
| Cut-out integrated sink max. 450 x 450 mm |  | per unit GLA-UITVKGR | 365,00 | 441,65 |
| Cut-out undermount sink max. 450 x 450 mm |  | per unit GLA-ONDVK | 480,00 | 580,80 |
| Cut-out undermount sink larger than 450 x 450 mm |  | per unit GLA-ONDVKGR | 600,00 | 726,00 |
| Surcharge for sinks outside the collection (.....=article number cut-out) | | per unitB | 100,00 | 121,00 |
| Tap hole in worktop (mention diameter) |  | per unit GLA10-KRG | 44,00 | 53,24 |
| Tap hole in the kitchen sink (mention diameter) |  | per unit GLA10-KRG035 | 25,50 | 30,86 |
| Cut out for surface-mounted powerport / socket (Ø 70-120 mm) |  | per unit GLA10-KPL-ROND | 125,00 | 151,25 |

Notice: angled cutouts in glass are not possible. The minimum radius is 13 mm. For undermount sinks with radius 10, the radius of the cutout will be 13 mm.
Caution! (flush-mounted) cooktops and sinks with a weight ≥ 20 kg must be additionally supported. Please use our support set (item number: DIV-STEUN-GR)










| Additional machinings | | | | |
|--|---|-----------------------|--------|---------------|
| Oblique side without edge finishing |  | per unit GLA10-S-POL | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing |  | per unit GLA10-R1-POL | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing |  | per unit GLA10-R2-POL | 348,00 | 421,08 |
| Double cut-out (two sides), without edge finishing |  | per unit GLA10-KOL-A | 147,00 | 177,87 |
| Triple cut-out (three sides), without edge finishing |  | per unit GLA10-KOL3-A | 189,00 | 228,69 |
| Surcharge for RAL / Sikkens / PMS colour (outside standard collection) | | per unit GLA-KBC | 260,00 | 314,60 |
| Cost of colour sample (for confirmation of special color) | | per unit GLA-MONSTER | 130,00 | 157,30 |

| Classic glossy structure | | order no. | excl. VAT | incl. VAT |
|--------------------------|--------------|------------------------------------|-----------|---------------|
| Wallpanels up to | 100 mm high | per m ¹ GLA06-NAW-1-010 | 75,00 | 90,75 |
| Wallpanels up to | 200 mm high | per m ¹ GLA06-NAW-1-020 | 128,00 | 154,88 |
| Wallpanels up to | 300 mm high | per m ¹ GLA06-NAW-1-030 | 175,00 | 211,75 |
| Wallpanels up to | 400 mm high | per m ¹ GLA06-NAW-1-040 | 228,00 | 275,88 |
| Wallpanels up to | 500 mm high | per m ¹ GLA06-NAW-1-050 | 274,00 | 331,54 |
| Wallpanels up to | 600 mm high | per m ¹ GLA06-NAW-1-060 | 322,00 | 389,62 |
| Wallpanels up to | 700 mm high | per m ¹ GLA06-NAW-1-070 | 372,00 | 450,12 |
| Wallpanels up to | 800 mm high | per m ¹ GLA06-NAW-1-080 | 421,00 | 509,41 |
| Wallpanels up to | 900 mm high | per m ¹ GLA06-NAW-1-090 | 469,00 | 567,49 |
| Wallpanels up to | 1000 mm high | per m ¹ GLA06-NAW-1-100 | 511,00 | 618,31 |
| Wallpanels up to | 1100 mm high | per m ¹ GLA06-NAW-1-110 | 559,00 | 676,39 |
| Wallpanels up to | 1200 mm high | per m ¹ GLA06-NAW-1-120 | 615,00 | 744,15 |


| Premium matt structure | | order no. | excl. VAT | incl. VAT |
|------------------------|--------------|------------------------------------|-----------|---------------|
| Wallpanels up to | 100 mm high | per m ¹ GLA06-NAW-2-010 | 90,00 | 108,90 |
| Wallpanels up to | 200 mm high | per m ¹ GLA06-NAW-2-020 | 154,00 | 186,34 |
| Wallpanels up to | 300 mm high | per m ¹ GLA06-NAW-2-030 | 210,00 | 254,10 |
| Wallpanels up to | 400 mm high | per m ¹ GLA06-NAW-2-040 | 274,00 | 331,54 |
| Wallpanels up to | 500 mm high | per m ¹ GLA06-NAW-2-050 | 329,00 | 398,09 |
| Wallpanels up to | 600 mm high | per m ¹ GLA06-NAW-2-060 | 386,00 | 467,06 |
| Wallpanels up to | 700 mm high | per m ¹ GLA06-NAW-2-070 | 446,00 | 539,66 |
| Wallpanels up to | 800 mm high | per m ¹ GLA06-NAW-2-080 | 505,00 | 611,05 |
| Wallpanels up to | 900 mm high | per m ¹ GLA06-NAW-2-090 | 563,00 | 681,23 |
| Wallpanels up to | 1000 mm high | per m ¹ GLA06-NAW-2-100 | 613,00 | 741,73 |
| Wallpanels up to | 1100 mm high | per m ¹ GLA06-NAW-2-110 | 671,00 | 811,91 |
| Wallpanels up to | 1200 mm high | per m ¹ GLA06-NAW-2-120 | 738,00 | 892,98 |

| Ultimo design back panels | | order no. | excl. VAT | incl. VAT |
|---------------------------|--------------|------------------------------------|-----------|-----------------|
| Wallpanels up to | 100 mm high | per m ¹ GLA06-NAW-3-010 | 108,00 | 130,68 |
| Wallpanels up to | 200 mm high | per m ¹ GLA06-NAW-3-020 | 185,00 | 223,85 |
| Wallpanels up to | 300 mm high | per m ¹ GLA06-NAW-3-030 | 252,00 | 304,92 |
| Wallpanels up to | 400 mm high | per m ¹ GLA06-NAW-3-040 | 329,00 | 398,09 |
| Wallpanels up to | 500 mm high | per m ¹ GLA06-NAW-3-050 | 395,00 | 477,95 |
| Wallpanels up to | 600 mm high | per m ¹ GLA06-NAW-3-060 | 463,00 | 560,23 |
| Wallpanels up to | 700 mm high | per m ¹ GLA06-NAW-3-070 | 535,00 | 647,35 |
| Wallpanels up to | 800 mm high | per m ¹ GLA06-NAW-3-080 | 606,00 | 733,26 |
| Wallpanels up to | 900 mm high | per m ¹ GLA06-NAW-3-090 | 676,00 | 817,96 |
| Wallpanels up to | 1000 mm high | per m ¹ GLA06-NAW-3-100 | 736,00 | 890,56 |
| Wallpanels up to | 1100 mm high | per m ¹ GLA06-NAW-3-110 | 805,00 | 974,05 |
| Wallpanels up to | 1200 mm high | per m ¹ GLA06-NAW-3-120 | 886,00 | 1.072,06 |

Calculate per part: round to 100 mm, minimum price 600 mm.
 Minimum required for hardening: 0.3 m².

| Finishing wallpanels | | | order no. | excl. VAT | incl. VAT |
|--|---|--------------------|-----------------|-----------|---------------|
| Polishing visible side - double facet (2F) |  | per m ¹ | GLA06-NAW-POL | 47,00 | 56,87 |
| Cutouts wallpanels | | | | | |
| Socket cut-outs (Ø70 mm) |  | per unit | GLA06-NAW-KR070 | 65,00 | 78,65 |
| Hole for mounting (holes up to Ø10 mm) |  | per unit | GLA06-NAW-GAT | 34,00 | 41,14 |
| Other cut-outs (smaller than 490 x 450 mm) |  | per unit | GLA06-NAW-KPLOP | 106,00 | 128,26 |
| Wallpanel completely magnetic | | per m ² | GLA06-NAW-ONDZM | 150,00 | 181,50 |
| Extra works to wallpanels | | | | | |
| Oblique side without edge finishing |  | per unit | GLA06-NAW-S-POL | 83,00 | 100,43 |
| Rounded corner up to radius 300 mm, without edge finishing |  | per unit | GLA06-NAW-R1 | 189,00 | 228,69 |
| Rounded corner from radius 300 mm, without edge finishing |  | per unit | GLA06-NAW-R2 | 348,00 | 421,08 |
| Double cut-out (two sides), without edge finishing |  | per unit | GLA06-NAW-KOL-A | 147,00 | 177,87 |
| Triple cut-out (three sides), without edge finishing |  | per unit | GLA06-NAW-KOL3A | 189,00 | 228,69 |


Standard wallpanels for behind the cooktop (glass) 6 mm order no excl. VAT incl. VAT



| Classic (gloss) | | | |
|----------------------|--|----------|------------------|
| Caviar Black (Nigro) | | per Unit | GLA06-ST1-060070 |
| Lageto (Verda) | | per unit | GLA06-ST1-060070 |
| lingotti | | per unit | GLA06-ST1-060070 |
| Mirror Bronze | | per Unit | GLA06-ST1-060070 |
| Mirror Grey | | per unit | GLA06-ST1-060070 |
| Monto (Blanka) | | per unit | GLA06-ST1-060070 |
| Ottone | | per Unit | GLA06-ST1-060070 |
| Quick Silver | | per Unit | GLA06-ST1-060070 |

| Premium (matt) | | | |
|----------------------|--|----------|------------------|
| Caviar Black (Nigro) | | per unit | GLA06-ST2-060070 |
| Lageto (Verda) | | per Unit | GLA06-ST2-060070 |
| lingotti | | per Unit | GLA06-ST2-060070 |
| Mirror Bronze | | per Unit | GLA06-ST2-060070 |
| Mirror Grey | | per Unit | GLA06-ST2-060070 |
| Monto (Blanka) | | per unit | GLA06-ST2-060070 |
| Ottone | | per Unit | GLA06-ST2-060070 |
| Quick Silver | | per unit | GLA06-ST2-060070 |

Standard wallpanels for behind the cooktop (glass) 6 mm



15

| Classic (gloss) | | | |
|----------------------|--|----------|------------------|
| Caviar Black (Nigro) | | per unit | GLA06-ST1-090070 |
| Lageto (Verda) | | per Unit | GLA06-ST1-090070 |
| lingotti | | per Unit | GLA06-ST1-090070 |
| Mirror Bronze | | per Unit | GLA06-ST1-090070 |
| Mirror Grey | | per Unit | GLA06-ST1-090070 |
| Monto (Blanka) | | per Unit | GLA06-ST1-090070 |
| Ottone | | per unit | GLA06-ST1-090070 |
| Quick Silver | | per unit | GLA06-ST1-090070 |

| Premium (matt) | | | |
|----------------------|--|----------|------------------|
| Caviar Black (Nigro) | | per Unit | GLA06-ST2-090070 |
| Lageto (Verda) | | per Unit | GLA06-ST2-090070 |
| lingotti | | per unit | GLA06-ST2-090070 |
| Mirror Bronze | | per unit | GLA06-ST2-090070 |
| Mirror Grey | | per unit | GLA06-ST2-090070 |
| Monto (Blanka) | | per unit | GLA06-ST2-090070 |
| Ottone | | per Unit | GLA06-ST2-090070 |
| Quick Silver | | per unit | GLA06-ST2-090070 |

Note: not in combination with customization due to color difference.



Skirting with Glass Lingotti

Advantages



Light weight



Heat resistant



Economical choice



Easy make-to-measure

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



Maximum length



Maximum width




Pattern direction is horizontal



Panels must be mounted in the same direction























ALUSPLASH

Contents:



















- 16.3 Color options
- 16.8 Custom wallpanels
- 16.9 Finishing profiles
- 16.10 Extra works and standard panels
- 16.11 Standard panels







Wallpanel AluSplash Mystical



| Classic (high gloss) | | color sample | full panel |
|----------------------|---|---|--|
| Color: | Arctic White |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Champaign Brushed |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | →  | | |
| Color: | First Frost |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Graphite Grey |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Ivory Mist |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Sandy Steps |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Silver Brushed |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | →  | | |
| Color: | Space Silver |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.

| Classic (high gloss) | | color sample | full panel |
|----------------------|---|---|--|
| Color: | Stardust Black |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | → | | |
| Color: | Winter Dream |  |  |
| Thickness: | 4 mm | | |
| Surface: | High gloss | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | →  | | |
| Classic (matt) | | | |
| Color: | Autumn Leaves |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | → | | |
| Color: | Black Sand |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | →  | | |
| Color: | Iceberg White |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | →  | | |
| Color: | Midnight Moon |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | →  | | |
| Color: | Pebble Stone |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | → | | |

Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.

| Classic (matt) | | color sample | full panel |
|------------------|---------------------|---|--|
| Color: | Rustic Earth |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | → | | |
| <hr/> | | | |
| Color: | Smoked Ember |  |  |
| Thickness: | 4 mm | | |
| Surface: | Mat | | |
| Max. dimensions: | 4100 x 1500 | | |
| Particularities: | → | | |

| Premium (Essenza) | | color sample | full panel |
|-------------------|------------------|---|--|
| Color: | Astroid |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Cosmic |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → |  | |
| Color: | Eclipse |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Galaxy |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Milky Way |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → |  | |
| Color: | Mystical |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → |  | |
| Color: | Neutron |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → | | |
| Color: | Supernova |  |  |
| Thickness: | 4 mm | | |
| Surface: | Essenza | | |
| Max. dimensions: | 4100 1500 | | |
| Particularities: | → |  | |

Although the pictures in this chapter give you a good impression of our colours, there might be slight differences in reality. Therefore, we recommend to always consult your samples.


| Colour | thickness | surface texture | maximum size | colour on backside | particularities |
|-------------------|-----------|-----------------|----------------|-----------------------------|-----------------|
| Classic | | | | | |
| Arctic White | 4 mm | High gloss | 4100 x 1500 mm | Sandy Steps | |
| Autumn Leaves | 4 mm | Mat | 4100 x 1500 mm | Black Sand | |
| Black Sand | 4 mm | Mat | 4100 x 1500 mm | Autumn Leaves | |
| Champaign Brushed | 4 mm | High gloss | 4100 x 1500 mm | - | |
| First Frost | 4 mm | High gloss | 4100 x 1500 mm | Stardust Black | |
| Graphite Grey | 4 mm | High gloss | 4100 x 1500 mm | Space Silver | |
| Iceberg White | 4 mm | Mat | 4100 x 1500 mm | Pebble Stone | |
| Ivory Mist | 4 mm | High gloss | 4100 x 1500 mm | Winter Dream | |
| Midnight Moon | 4 mm | Mat | 4100 x 1500 mm | Rustic Earth | |
| Pebble Stone | 4 mm | Mat | 4100 x 1500 mm | Iceberg White | |
| Rustic Earth | 4 mm | Mat | 4100 x 1500 mm | Midnight Moon | |
| Sandy Steps | 4 mm | High gloss | 4100 x 1500 mm | Arctic White | |
| Silver Brushed | 4 mm | High gloss | 4100 x 1500 mm | - | |
| Smoked Ember | 4 mm | Mat | 4100 x 1500 mm | Glacier Blue (out of print) | |
| Space Silver | 4 mm | High gloss | 4100 x 1500 mm | Graphite Grey | |
| Stardust Black | 4 mm | High gloss | 4100 x 1500 mm | First Frost | |
| Winter Dream | 4 mm | High gloss | 4100 x 1500 mm | Ivory Mist | |
| Premium | | | | | |
| Astroid | 4 mm | Essenza | 4100 x 1500 mm | Galaxy | |
| Cosmic | 4 mm | Essenza | 4100 x 1500 mm | Milky Way | |
| Eclipse | 4 mm | Essenza | 4100 x 1500 mm | Neutron | |
| Galaxy | 4 mm | Essenza | 4100 x 1500 mm | Astroid | |
| Milky Way | 4 mm | Essenza | 4100 x 1500 mm | Cosmic | |
| Mystical | 4 mm | Essenza | 4100 x 1500 mm | Supernova | |
| Neutron | 4 mm | Essenza | 4100 x 1500 mm | Eclipse | |
| Supernova | 4 mm | Essenza | 4100 x 1500 mm | Mystical | |

Explanation icons

- Pattern direction is horizontal
- Panels must be mounted in the same direction

Discontinued colors 2024 (available while stock last)


Glacier Blue




* contains a fine surface finishing (structure).

The Alusplash wallpanels are sensitive to scratches (no guarantee!) and are only suitable for the use as wallpanels. Although the pictures in this chapter give you a good impression of our colours, there might be slightly differences in reality. Therefore, we recommend to always consult your samples.



For product information about AluSplash such as benefits, concerns, ordering, supplying or maintaining this material, see Chapter 1 General Information.

| Classic | | | order no. | excl. VAT | incl. VAT |
|--|------------------|--------------|--------------------------------|-----------|---------------|
|  4 mm without edge finishing | Wallpanels up to | 100 mm high | per m ¹ ASNAW-1-010 | 48,00 | 58,08 |
| | Wallpanels up to | 200 mm high | per m ¹ ASNAW-1-020 | 90,00 | 108,90 |
| | Wallpanels up to | 300 mm high | per m ¹ ASNAW-1-030 | 121,00 | 146,41 |
| | Wallpanels up to | 400 mm high | per m ¹ ASNAW-1-040 | 154,00 | 186,34 |
| | Wallpanels up to | 500 mm high | per m ¹ ASNAW-1-050 | 184,00 | 222,64 |
| | Wallpanels up to | 600 mm high | per m ¹ ASNAW-1-060 | 197,00 | 238,37 |
| | Wallpanels up to | 700 mm high | per m ¹ ASNAW-1-070 | 238,00 | 287,98 |
| | Wallpanels up to | 800 mm high | per m ¹ ASNAW-1-080 | 281,00 | 340,01 |
| | Wallpanels up to | 900 mm high | per m ¹ ASNAW-1-090 | 325,00 | 393,25 |
| | Wallpanels up to | 1000 mm high | per m ¹ ASNAW-1-100 | 366,00 | 442,86 |
| | Wallpanels up to | 1100 mm high | per m ¹ ASNAW-1-110 | 388,00 | 469,48 |
| | Wallpanels up to | 1250 mm high | per m ¹ ASNAW-1-125 | 408,00 | 493,68 |
| | Wallpanels up to | 1500 mm high | per m ¹ ASNAW-1-150 | 488,00 | 590,48 |

Calculate per part: round up to 100 mm, minimum 600 mm.
The maximum length is 4100 mm.

| Premium | | | | | |
|---|------------------|--------------|--------------------------------|--------|---------------|
|  4 mm without edge finishing | Wallpanels up to | 100 mm high | per m ¹ ASNAW-2-010 | 54,00 | 65,34 |
| | Wallpanels up to | 200 mm high | per m ¹ ASNAW-2-020 | 101,00 | 122,21 |
| | Wallpanels up to | 300 mm high | per m ¹ ASNAW-2-030 | 135,00 | 163,35 |
| | Wallpanels up to | 400 mm high | per m ¹ ASNAW-2-040 | 173,00 | 209,33 |
| | Wallpanels up to | 500 mm high | per m ¹ ASNAW-2-050 | 206,00 | 249,26 |
| | Wallpanels up to | 600 mm high | per m ¹ ASNAW-2-060 | 221,00 | 267,41 |
| | Wallpanels up to | 700 mm high | per m ¹ ASNAW-2-070 | 266,00 | 321,86 |
| | Wallpanels up to | 800 mm high | per m ¹ ASNAW-2-080 | 314,00 | 379,94 |
| | Wallpanels up to | 900 mm high | per m ¹ ASNAW-2-090 | 364,00 | 440,44 |
| | Wallpanels up to | 1000 mm high | per m ¹ ASNAW-2-100 | 410,00 | 496,10 |
| | Wallpanels up to | 1100 mm high | per m ¹ ASNAW-2-110 | 434,00 | 525,14 |
| | Wallpanels up to | 1250 mm high | per m ¹ ASNAW-2-125 | 457,00 | 552,97 |
| | Wallpanels up to | 1500 mm high | per m ¹ ASNAW-2-150 | 544,00 | 658,24 |

Calculate per part: round up to 100 mm, minimum 600 mm.
The maximum length is 4100 mm.

| Edge finishing | | | | | |
|---|---|-----------|--------------------------------|-------|--------------|
|  |  | Bent edge | per m ¹ ASNAW-PF004 | 26,50 | 32,07 |
| Corners are only folded and not closed. | | | | | |

16

bent edge

TABLE DISPLAY FREE OF CHARGE

When you include an AluSplash wallpanel in your showroom, you will receive these table displays free of charge.







High gloss



Mat








Essenza

| Aluminum edge finishing profile | | order no. | excl. VAT | incl. VAT |
|---|----------------|------------------------------------|-----------|--------------|
|  | Length 750 mm | per unit ASNAW-AWPRAF075 | 10,00 | 12,10 |
| | Length 2050 mm | per unit ASNAW-AWPRAF205 | 24,00 | 29,04 |
| | Length 4100 mm | per unit ASNAW-AWPRAF410 | 45,00 | 54,45 |
| | Customized | per m ¹ ASNAW-AWPRAF-M1 | 15,00 | 18,15 |
| Aluminium connection profile | | | | |
|  | Length 2050 mm | per unit ASNAW-AWPBL-205 | 24,00 | 29,04 |
| | Length 4100 mm | per unit ASNAW-AWPBL-410 | 45,00 | 54,45 |
| | Customized | per m ¹ ASNAW-AWPBLADM1 | 15,00 | 18,15 |
| Aluminum inner corner profile 90° | | | | |
|  | Customized | per m ¹ ASNAW-AWPBIN-M1 | 22,00 | 26,62 |
| Aluminum outer corner profile 90° | | | | |
|  | Customized | per m ¹ ASNAW-AWPBUI-M1 | 24,00 | 29,04 |

The edge profiles are supplied separately and have double sided tape on the inside for easy attachment to the wallpanel.
The profile thickness is 1 mm



Aluminum edge finishing profile

| Extra works | | order no. | excl. VAT | incl. VAT |
|---|---|-----------------------|-----------|---------------|
| Oblique side without edge finishing |  | per unit ASNAW-S-GEEN | 83,00 | 100,43 |
| Double cut-out (two sides), without edge finishing |  | per unit ASNAW-KOLOM | 57,00 | 68,97 |
| Triple cut-out (three sides), without edge finishing |  | per unit ASNAW-KOLOM3 | 57,00 | 68,97 |
| Corner or column cutouts are always with an inner radius of 10 mm | | | | |
| Wall sockets cut-outs (70 mm round) |  | per unit ASNAW-KRG070 | 65,00 | 78,65 |
| Other cut-outs (smaller than 490 x 450 mm) |  | per unit ASNAW-KPL | 101,00 | 122,21 |

Standard wallpanels (customize it yourself)

| Classic | | | | |
|-----------------|------------------|---------------------------|----------|-----------------|
| AluSplash panel | ± 2050 x 750 mm | per unit ASNAW-ST1-205075 | 309,00 | 373,89 |
| AluSplash panel | ± 4100 x 750 mm | per unit ASNAW-ST1-410075 | 615,00 | 744,15 |
| AluSplash panel | ± 2050 x 1500 mm | per unit ASNAW-ST1-205150 | 615,00 | 744,15 |
| AluSplash panel | ± 4100 x 1500 mm | per unit ASNAW-ST1-410150 | 1.230,00 | 1.488,30 |
| Premium | | | | |
| AluSplash panel | ± 2050 x 750 mm | per unit ASNAW-ST2-205075 | 347,00 | 419,87 |
| AluSplash panel | ± 4100 x 750 mm | per unit ASNAW-ST2-410075 | 687,00 | 831,27 |
| AluSplash panel | ± 2050 x 1500 mm | per unit ASNAW-ST2-205150 | 687,00 | 831,27 |
| AluSplash panel | ± 4100 x 1500 mm | per unit ASNAW-ST2-410150 | 1.378,00 | 1.667,38 |

- > Packed in carton
- > Size tolerance 2 mm

Tip: finish your top with the separate finishing profiles

These wallpanels are very easy made-to-measure by using the following tools:

- > Circular saw (with saw blade for metal)
- > 2. Hole cutter (for metal)
- > Jigsaw (saw blades for metal)

Please visit www.dekkerzevenhuizen.nl/alusplash for the assembly instructions

| Standard wallpanels for behind the hob 600 x 740mm | | order no. | excl. VAT | incl. VAT |
|--|-----------------------------|-----------------|-----------|---------------|
| | Classic (high gloss) | | | |
| | Graphite Grey | per unit 300311 | 161,00 | 194,81 |
| | Silver Brushed | per unit 300310 | 161,00 | 194,81 |
| | Stardust Black | per unit 300305 | 161,00 | 194,81 |
| | Classic (matt) | | | |
| | Black Sand | per unit 300502 | 161,00 | 194,81 |

Available from stock.

| Standard wallpanels for behind the cooktop 900 x 740 mm | | order no. | excl. VAT | incl. VAT |
|---|-----------------------------|-----------------|-----------|---------------|
| | Classic (high gloss) | | | |
| | Graphite Grey | per unit 300331 | 255,00 | 308,55 |
| | Silver Brushed | per unit 300330 | 255,00 | 308,55 |
| | Stardust Black | per unit 300325 | 255,00 | 308,55 |
| | Classic (matt) | | | |
| | Black Sand | per unit 300522 | 255,00 | 308,55 |

Available from stock.

These panels are supplied with two finished sides in the color of the rear wall (edge finish PF), packed in cardboard. Other colors can be ordered via the custom items.

Icons



The separate sinks fall into this price group (unless stated otherwise).



The accessories and service parts fall into this condition group




Sinks incl. cutout fall into the price group of the respective worktop material




New sink in the collection


Mounting methods




Flush-mounting (VIB)



Semi-undermount (SON)



Full undermount (OND)



Rimless (RIM)

SINKS

Contents:

17.3 Sinks Overview

Lanesto stainless steel

- 17.4 Lanesto stainless steel sinks Lugano
- 17.8 Lanesto stainless steel sinks Victoria
- 17.9 Lanesto stainless steel sinks Orta
- 17.13 Lanesto stainless steel sinks Giro
- 17.22 Lanesto stainless steel sinks Destra
- 17.32 Lanesto stainless steel sinks Como
- 17.34 Lanesto stainless steel sinks Maggiore
- 17.38 Lanesto stainless steel sinks Nordic

Lanesto pvd

- 17.42 Lanesto pvd Sinks Urban

Lanesto other materials

- 17.84 Lanesto sinks Lyse
- 17.86 Lanesto Sinks Sogne 2.0
- 17.88 Lanesto Sinks Corian
- 17.91 Lanesto Sinks Fenix

Lanesto stone

- 17.92 Lanesto stone sinks Stone
- 17.98 Lanesto stone sinks Idro
- 17.106 Sinks consisting of tiles

TopZero

- 17.108 Global

Reginox

- 17.116 Stainless steel sinks

Franke

- 17.135 Stainless steel sinks
- 17.144 Fraganite sinks
- 17.147 Tectonite sinks

- 17.148 Loose parts and accessories

SINKS



Sink Lanesto Urban 500 x 400 Copper, semi-undermount method

SINKS Overview

| Series | Sink no. | dimension (mm) | radius | cupboard | page |
|--------------------------------|----------|------------------------|--------|----------|-------|
| LANESTO Flush-mounted | | | | | |
| Lugano | 001 | Ø440 | | 450 | 17.4 |
| Lugano | 041 | Ø440 | | 450 | 17.5 |
| Lugano | 003 | 400 x 350 | R=65 | 450* | 17.6 |
| Lugano | 014 | 400 x 350 | R=65 | 450* | 17.7 |
| Lugano | 040 | 400 x 370 | R=60 | 450* | 17.8 |
| Orta | 046 | 400 x 400 | R=50 | 450* | 17.9 |
| Orta | 048 | 450 x 400 | R=50 | 500* | 17.10 |
| Orta | 047 | 500 x 400 | R=50 | 600 | 17.11 |
| Giro | 910 | 400 x 340 | R=20 | 450* | 17.13 |
| Giro | 911 | 170 x 400 | R=20 | 250 | 17.14 |
| Giro | 912 | 340 x 400 | R=20 | 400* | 17.15 |
| Giro | 913 | 400 x 400 | R=20 | 450* | 17.16 |
| Giro | 914 | 450 x 400 | R=20 | 500* | 17.17 |
| Giro | 916 | 500 x 400 | R=20 | 600 | 17.18 |
| Giro | 915 | 550 x 400 | R=20 | 600 | 17.19 |
| Giro | 918/919 | 340 x 400+170 x 400 | R=20 | 600* | 17.20 |
| Destra | 021 | 170 x 400 | R=10 | 250 | 17.22 |
| Destra | 022 | 340 x 400 | R=10 | 400* | 17.23 |
| Destra | 025 | 400 x 400 | R=10 | 450* | 17.24 |
| Destra | 023 | 450 x 400 | R=10 | 500* | 17.25 |
| Destra | 024 | 500 x 400 | R=10 | 600 | 17.26 |
| Destra | 026 | 740 x 400 | R=10 | 800* | 17.27 |
| Destra | 051/052 | 340 x 400+170 x 400 | R=10 | 600* | 17.28 |
| Destra | 060 | 340 x 400+340 x 400 | R=10 | 800* | 17.30 |
| Como | 072 | 400 x 400 | R=0 | 450* | 17.32 |
| Como | 073 | 500 x 400 | R=0 | 600 | 17.33 |
| Maggiore | 050 | 360 x 420+160 x 300 | R=80 | 600* | 17.34 |
| Maggiore | 042 | 340 x 400 with drainer | R=95 | 450* | 17.35 |
| Maggiore | 044 | 340 x 340+340 x 340 | R=95 | 800 | 17.36 |
| Nordic | 971 | 340 x 400+190 x 400 | R=10 | 600* | 17.38 |
| Nordic | 972 | 530 x 400+195 x 400 | R=10 | 900 | 17.39 |
| Nordic | 973 | 360 x 400+360 x 400 | R=10 | 800* | 17.40 |
| Urban | 611 | 180 x 400 | R=10 | 250 | 17.42 |
| Urban | 612 | 340 x 400 | R=10 | 400* | 17.44 |
| Urban | 613 | 400 x 400 | R=10 | 450* | 17.46 |
| Urban | 615 | 500 x 400 | R=10 | 600 | 17.58 |
| Urban | 616 | 740 x 400 | R=10 | 800* | 17.70 |
| Urban | 618 | 340 x 400+180 x 400 | R=10 | 600* | 17.72 |
| Urban | 620 | 340 x 400+340 x 400 | R=10 | 800* | 17.80 |
| Lyse | 606 | 430 x 370 | R=10 | 600 | 17.85 |
| Sogne 2.0 | 662ZVIB | 400 x 380 | R=10 | 500 | 17.86 |
| Sogne 2.0 | 663ZVIB | 500 x 380 | R=10 | 600 | 17.87 |
| LANESTO Semi-undermount | | | | | |
| Orta | 056 | 400 x 400 | R=50 | 450* | 17.9 |
| Orta | 038 | 450 x 400 | R=50 | 500* | 17.10 |
| Orta | 037 | 500 x 400 | R=50 | 600 | 17.11 |
| Giro | 930 | 400 x 340 | R=20 | 450* | 17.13 |
| Giro | 931 | 170 x 400 | R=20 | 250 | 17.14 |
| Giro | 932 | 340 x 400 | R=20 | 400* | 17.15 |
| Giro | 933 | 400 x 400 | R=20 | 450* | 17.16 |
| Giro | 934 | 450 x 400 | R=20 | 500* | 17.17 |
| Giro | 936 | 500 x 400 | R=20 | 600 | 17.18 |
| Giro | 935 | 550 x 400 | R=20 | 600 | 17.19 |
| Giro | 938/939 | 340 x 400+170 x 400 | R=20 | 600* | 17.20 |
| Destra | 031 | 170 x 400 | R=10 | 250 | 17.22 |
| Destra | 032 | 340 x 400 | R=10 | 400* | 17.23 |
| Destra | 035 | 400 x 400 | R=10 | 450* | 17.24 |
| Destra | 033 | 450 x 400 | R=10 | 500* | 17.25 |
| Destra | 034 | 500 x 400 | R=10 | 600 | 17.26 |
| Destra | 036 | 740 x 400 | R=10 | 800* | 17.27 |
| Destra | 053/054 | 340 x 400+170 x 400 | R=10 | 600* | 17.28 |
| Destra | 060 | 340 x 400+340 x 400 | R=10 | 800* | 17.30 |
| Como | 082 | 400 x 400 | R=0 | 450* | 17.32 |
| Como | 083 | 500 x 400 | R=0 | 600 | 17.33 |
| Nordic | 991 | 340 x 400+190 x 400 | R=10 | 600* | 17.38 |
| Nordic | 992 | 530 x 400+195 x 400 | R=10 | 900 | 17.39 |
| Nordic | 993 | 360 x 400+360 x 400 | R=10 | 800* | 17.40 |
| Urban | 641 | 180 x 400 | R=10 | 250 | 17.42 |
| Urban | 642 | 340 x 400 | R=10 | 400* | 17.44 |

| Series | Sink no. | dimension (mm) | radius | cupboard | page |
|-----------|----------|---------------------|--------|----------|--------|
| Urban | 643 | 400 x 400 | R=10 | 450* | 17.46 |
| Urban | 645 | 500 x 400 | R=10 | 600 | 17.58 |
| Urban | 648 | 340 x 400+180 x 400 | R=10 | 600* | 17.72 |
| Urban | 620 | 340 x 400+340 x 400 | R=10 | 800* | 17.80 |
| Lyse | 626 | 430 x 370 | R=10 | 600 | 17.85 |
| Sogne 2.0 | 662ZOPB | 400 x 380 | R=10 | 500 | 17.86 |
| Sogne 2.0 | 663ZOPB | 500 x 380 | R=10 | 600 | 17.87 |
| Corian | 965 | 400 x 400 | R=13 | 450 | 17.88 |
| Corian | 970 | 530 x 400 | R=13 | 600 | 17.89 |
| Fenix | FE5040 | 500 x 400 | R=5 | 600 | 17.91 |
| Stone | 450 | 450 x 400 | R=0 | 500 | 17.92 |
| Stone | 500 | 500 x 400 | R=0 | 600 | 17.94 |
| Stone | 550 | 550 x 400 | R=0 | 600 | 17.96 |
| Idro | 400 | 400 x 400 | R=0 | 450 | 17.98 |
| Idro | 500 | 500 x 400 | R=0 | 600 | 17.102 |
| Tile sink | TB005 | 400 x 400 | R=0 | 450 | 17.106 |
| Tile sink | TB006 | 500 x 400 | R=0 | 600 | 17.107 |

| TOPZERO [®] | | Rimless | | | |
|----------------------|-----|-----------|------|-----|--------|
| Global | 950 | 400 x 340 | R=20 | 450 | 17.109 |
| Global | 954 | 450 x 400 | R=20 | 500 | 17.110 |
| Global | 955 | 550 x 400 | R=20 | 600 | 17.114 |

| REGINOX [®] | | Flush-mounted | | | |
|----------------------|-----|---------------------|--------|------|--------|
| IB | 102 | 400 x 400 | R=60 | 450* | 17.116 |
| IB | 103 | 500 x 400 | R=60 | 600 | 17.117 |
| Ohio | 105 | 400 x 400 | R=26.5 | 450* | 17.118 |
| Ohio | 106 | 500 x 400 | R=26.5 | 600 | 17.119 |
| New York | 130 | 340 x 400 | R=10 | 400* | 17.120 |
| New York | 131 | 400 x 400 | R=10 | 450* | 17.121 |
| New York | 132 | 500 x 400 | R=10 | 600 | 17.122 |
| New York | 133 | 340 x 400+180 x 400 | R=10 | 600* | 17.123 |
| New York | 134 | 180 x 400+340 x 400 | R=10 | 600* | 17.124 |
| New Jersey | 178 | 400 x 370 | R=10 | 450* | 17.125 |
| New Jersey | 179 | 500 x 370 | R=10 | 600 | 17.126 |
| New Jersey 100 mm | 120 | 400 x 370 | R=10 | 450* | 17.127 |
| New Jersey 100 mm | 121 | 500 x 370 | R=10 | 600 | 17.128 |
| New Jersey 100 mm | 122 | 340 x 370+180 x 370 | R=10 | 600* | 17.129 |
| Morena | 176 | 340 x 400+150 x 250 | R=80 | 600* | 17.130 |
| Queen | 177 | 330 x 400+160 x 300 | R=80 | 600* | 17.131 |
| Princess | 145 | 340 x 400+340 x 400 | R=80 | 800 | 17.132 |

| FRANCE | | Flush-mounted | | | |
|------------------------|-----|---------------|------|------|--------|
| Smart SRX 210.40 | 445 | 400 x 400 | R=60 | 450* | 17.135 |
| Smart SRX 210.50 | 446 | 500 x 400 | R=60 | 600 | 17.136 |
| Bolero Plus BXX 210.40 | 484 | 400 x 400 | R=12 | 450* | 17.137 |
| Bolero Plus BXX 210.50 | 485 | 500 x 400 | R=12 | 600 | 17.138 |
| Maris MRX 210.40 | 402 | 400 x 400 | R=16 | 450* | 17.139 |
| Maris MRX 210.50 | 403 | 500 x 400 | R=16 | 600 | 17.140 |
| Mythos MYX 210.45 | 459 | 450 x 400 | R=25 | 500* | 17.141 |
| Mythos MYX 210.50 | 460 | 500 x 400 | R=25 | 600 | 17.142 |
| Mythos MYX 210.55 | 461 | 550 x 400 | R=25 | 600* | 17.143 |
| Maris Fragranite | 455 | 520 x 400 | R=20 | 600 | 17.144 |
| MRG 210.52 | | | | | |

| FRANCE | | Semi-undermount | | | |
|-----------------------------|-----|-----------------|------|-----|--------|
| Sirius Tectonite SID 110.50 | 680 | 500 x 410 | R=10 | 600 | 17.147 |

* Please note: For flush installation in the materials listed below, the cabinet must be sawn in due to the necessary clamps. When this is not desired, you can choose a larger cabinet. In the case of (semi-)substructure, this does not apply.

- > TopLaminate / DecorTop (for edge finishing up to 30 mm high) / Fenix 0.9
- > TopCore / Fenix 10 (for edge finishing up to 30 mm high)
- > Solid Surface
- > Evora Quarz / Evora Granite (for edge finishing up to 30 mm high)
- > Cosmolite/Obsidiana (for edge trim up to 30 mm high)
- > Evora Ceramics / Dekton (for edge finishing up to 30 mm high)


For product information such as benefits, points of interest, ordering, delivery or maintenance of the sinks, see chapter 1 general information.

Lanesto Lugano Ø440 Stop & Chain (001)

Description

Front: flush-mounted 60 mm
semi-undermount 80 mm
 Minimum cabinet width: 450 mm

Complete with stopper & chain and overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0001N | 291,00 | 352,11 |
| | TopCore / Fenix 10 | TC/FE-VIB-0001N | 377,00 | 456,17 |
| | Solid Surface | SS-DE0001N | 441,00 | 533,61 |
| | Evora Quartz Evora Granite | CO/GR-DE0001N | 441,00 | 533,61 |
| | Cosmolite Obsidiana | CO-DE0001N | 441,00 | 533,61 |
| | Glass | GL-DE0001N | 441,00 | 533,61 |
| | Evora Ceramics Dekton | CE/LA-DE0001N | 441,00 | 533,61 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0001N | 377,00 | 456,17 |
| | Solid Wood | MH-SON-0001N | 377,00 | 456,17 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311001N | 164,00 | 198,44 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Loose plug & chain | 240017 | 18,00 | 21,78 |
| Drain set | 240020 | 15,00 | 18,15 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Lugano Ø440 basket plug (041)



Description

| | | |
|------------------------|-----------------|--------|
| Front: | flush-mounted | 60 mm |
| | semi-undermount | 80 mm |
| Minimum cabinet width: | | 450 mm |

Complete with Magna and basket plug and wall overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0041N | 308,00 | 372,68 |
| | TopCore / Fenix 10 | TC/FE-VIB-0041N | 394,00 | 476,74 |
| | Solid Surface | SS-DE0041N | 458,00 | 554,18 |
| | Evora Quartz Evora Granite | CO/GR-DE0041N | 458,00 | 554,18 |
| | Cosmolite Obsidiana | CO-DE0041N | 458,00 | 554,18 |
| | Glass | GL-DE0041N | 458,00 | 554,18 |
| | Evora Ceramics Dekton | CE/LA-DE0041N | 458,00 | 554,18 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0041N | 394,00 | 476,74 |
| | Solid Wood | MH-SON-0041N | 394,00 | 476,74 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311041N | 181,00 | 219,01 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set | 240023 | 29,00 | 35,09 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Lugano 400 x 350 plug & chain (003)




Description

| | | |
|------------------------|------------------------|---------|
| Front: | <i>flush-mounted</i> | 70 mm |
| | <i>semi-undermount</i> | 80 mm |
| Minimum cabinet width: | | 450 mm* |

Complete with stopper & chain and overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0003N | 261,00 | 315,81 |
| | TopCore / Fenix 10 | TC/FE-VIB-0003N | 347,00 | 419,87 |
| | Solid Surface | SS-DE0003N | 411,00 | 497,31 |
| | Evora Quartz Evora Granite | CO/GR-DE0003N | 411,00 | 497,31 |
| | Cosmolite Obsidiana | CO-DE0003N | 411,00 | 497,31 |
| | Glass | GL-DE0003N | 411,00 | 497,31 |
| | Evora Ceramics Dekton | CE/LA-DE0003N | 411,00 | 497,31 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0003N | 347,00 | 419,87 |
| | Solid Wood | MH-SON-0003N | 347,00 | 419,87 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311003N | 134,00 | 162,14 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Loose plug & chain | 240017 | 18,00 | 21,78 |
| Drain set | 240020 | 15,00 | 18,15 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Lugano 400 x 350 (014)




Description

| | | |
|------------------------|-----------------|---------|
| Front: | flush-mounted | 70 mm |
| | semi-undermount | 80 mm |
| Minimum cabinet width: | | 450 mm* |

Complete with strainer plug and overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0014 | 258,00 | 312,18 |
| | TopCore / Fenix 10 | TC/FE-VIB-0014 | 332,00 | 401,72 |
| | Solid Surface | SS-DE0014 | 396,00 | 479,16 |
| | Evora Quartz Evora Granite | CO/GR-DE0014 | 396,00 | 479,16 |
| | Cosmolite Obsidiana | CO-DE0014 | 396,00 | 479,16 |
| | Glass | GL-DE0014 | 396,00 | 479,16 |
| | Evora Ceramics Dekton | CE/LA-DE0014 | 396,00 | 479,16 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0014 | 332,00 | 401,72 |
| | Solid Wood | MH-SON-0014 | 332,00 | 401,72 |

separate sink

| | | | |
|---------------|--------|--------|---------------|
| Separate sink | 311014 | 119,00 | 143,99 |
|---------------|--------|--------|---------------|

service parts


| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Drain set | 240051 | 29,00 | 35,09 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Victoria 400 x 370 (040) Description



Front: flush-mounted 70 mm
 semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0040 | 281,00 | 340,01 |
| | TopCore / Fenix 10 | TC/FE-VIB-0040 | 363,00 | 439,23 |
| | Solid Surface | SS-DE0040 | 427,00 | 516,67 |
| | Evora Quartz Evora Granite | CO/GR-DE0040 | 427,00 | 516,67 |
| | Cosmolite Obsidiana | CO-DE0040 | 427,00 | 516,67 |
| | Glass | GL-DE0040 | 427,00 | 516,67 |
| | Evora Ceramics Dekton | CE/LA-DE0040 | 427,00 | 516,67 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0040 | 363,00 | 439,23 |
| | Solid Wood | MH-SON-0040 | 363,00 | 439,23 |


| | | | | |
|----------------------|-------------------------------|--------|--------|---------------|
| separate sink | | | | |
| | Separate sink | 311040 | 150,00 | 181,50 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Orta 400 x 400 (046/056) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 450 mm*

Complete with Magna- and strainer plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0046N | 347,00 | 419,87 |
| | TopCore / Fenix 10 | TC/FE-VIB-0046N | 399,00 | 482,79 |
| | Solid Surface | SS-DE0046N | 463,00 | 560,23 |
| | Evora Quartz Evora Granite | CO/GR-DE0046N | 463,00 | 560,23 |
| | Cosmolite Obsidiana | CO-DE0046N | 463,00 | 560,23 |
| | Glass Inox | GL/R-DE0046N | 463,00 | 560,23 |
| | Evora Ceramics Dekton | CE/LA-DE0046N | 463,00 | 560,23 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0056N | 701,00 | 848,21 |
| | TopCore / Fenix 10 | TC/FE-SON-0046N | 399,00 | 482,79 |
| | Solid Wood | MH-SON-0046N | 399,00 | 482,79 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0056N | 494,00 | 597,74 |
| | Solid Surface | SS-OND-DE0056N | 551,00 | 666,71 |
| | Solid Wood | MH-OND-0056N | 494,00 | 597,74 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0056N | 666,00 | 805,86 |
| | Cosmolite Obsidiana | CO-OND-DE0056N | 666,00 | 805,86 |
| | Glass | GL-OND-DE0056N | 666,00 | 805,86 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0056N | 666,00 | 805,86 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|----------------------|---------------|---------|--------|---------------|
| | Separate sink | 311046N | 186,00 | 225,06 |

| service parts | | | | |
|----------------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Orta 450 x 400 (048/038)




Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 500 mm*

Complete with Magna- and strainer plug and luxury overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0048 | 393,00 | 475,53 |
| | TopCore / Fenix 10 | TC/FE-VIB-0048 | 526,00 | 636,46 |
| | Solid Surface | SS-DE0048 | 583,00 | 705,43 |
| | Evora Quartz Evora Granite | CO/GR-DE0048 | 583,00 | 705,43 |
| | Cosmolite Obsidiana | CO-DE0048 | 583,00 | 705,43 |
| | Glass Inox | GL/R-DE0048 | 583,00 | 705,43 |
| | Evora Ceramics Dekton | CE/LA-DE0048 | 583,00 | 705,43 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0038 | 733,00 | 886,93 |
| | TopCore / Fenix 10 | TC/FE-SON-0048 | 526,00 | 636,46 |
| | Solid Wood | MH-SON-0048 | 526,00 | 636,46 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0038 | 526,00 | 636,46 |
| | Solid Surface | SS-OND-DE0038 | 583,00 | 705,43 |
| | Solid Wood | MH-OND-0038 | 526,00 | 636,46 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0038 | 818,00 | 989,78 |
| | Cosmolite Obsidiana | CO-OND-DE0038 | 818,00 | 989,78 |
| | Glass | GL-OND-DE0038 | 818,00 | 989,78 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0038 | 818,00 | 989,78 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311048 | 218,00 | 263,78 |
| service parts | | | | |
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Orta 500 x 400 (047/037)



Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm

Complete with Magna- and strainer plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0047 | 559,00 | 676,39 |
| | TopCore / Fenix 10 | TC/FE-VIB-0047 | 692,00 | 837,32 |
| | Solid Surface | SS-DE0047 | 749,00 | 906,29 |
| | Evora Quartz Evora Granite | CO/GR-DE0047 | 749,00 | 906,29 |
| | Cosmolite Obsidiana | CO-DE0047 | 749,00 | 906,29 |
| | Glass Inox | GL/R-DE0047 | 749,00 | 906,29 |
| | Evora Ceramics Dekton | CE/LA-DE0047 | 749,00 | 906,29 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0037 | 899,00 | 1.087,79 |
| | TopCore / Fenix 10 | TC/FE-SON-0047 | 692,00 | 837,32 |
| | Solid Wood | MH-SON-0047 | 692,00 | 837,32 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0037 | 692,00 | 837,32 |
| | Solid Surface | SS-OND-DE0037 | 749,00 | 906,29 |
| | Solid Wood | MH-OND-0037 | 692,00 | 837,32 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0037 | 984,00 | 1.190,64 |
| | Cosmolite Obsidiana | CO-OND-DE0037 | 984,00 | 1.190,64 |
| | Glass | GL-OND-DE0037 | 984,00 | 1.190,64 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0037 | 984,00 | 1.190,64 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|----------------------|---------------|--------|--------|---------------|
| | Separate sink | 311047 | 384,00 | 464,64 |

| service parts | | | | |
|----------------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |



17

Lanesto

Lanesto Premeris plug


Lanesto Giro 400 x 340 (910/930)



Description

Front: flush-mounted 70 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 450 mm*

Complete with Premeris plug and luxury overflow.
 Especially suitable for shallow worktops and handleless kitchens.
 *In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3




| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0910 | 457,00 | 552,97 |
| | TopCore / Fenix 10 | TC/FE-VIB-0910 | 513,00 | 620,73 |
| | Solid Surface | SS-DE0910 | 577,00 | 698,17 |
| | Evora Quartz Evora Granite | CO/GR-DE0910 | 577,00 | 698,17 |
| | Cosmolite Obsidiana | CO-DE0910 | 577,00 | 698,17 |
| | Glass Inox | GL/R-DE0910 | 577,00 | 698,17 |
| | Evora Ceramics Dekton | CE/LA-DE0910 | 577,00 | 698,17 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0930 | 815,00 | 986,15 |
| | TopCore / Fenix 10 | TC/FE-SON-0910 | 513,00 | 620,73 |
| | Solid Wood | MH-SON-0910 | 513,00 | 620,73 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0930 | 608,00 | 735,68 |
| | Solid Surface | SS-OND-DE0930 | 665,00 | 804,65 |
| | Solid Wood | MH-OND-0930 | 608,00 | 735,68 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0930 | 780,00 | 943,80 |
| | Cosmolite Obsidiana | CO-OND-DE0930 | 780,00 | 943,80 |
| | Glass | GL-OND-DE0930 | 780,00 | 943,80 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0930 | 780,00 | 943,80 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311910 | 300,00 | 363,00 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Giro 170 x 400 (911/931) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 250 mm
 Complete with Premeris plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0911 | 409,00 | 494,89 |
| | TopCore / Fenix 10 | TC/FE-VIB-0911 | 465,00 | 562,65 |
| | Solid Surface | SS-DE0911 | 529,00 | 640,09 |
| | Evora Quartz Evora Granite | CO/GR-DE0911 | 529,00 | 640,09 |
| | Cosmolite Obsidiana | CO-DE0911 | 529,00 | 640,09 |
| | Glass Inox | GL/R-DE0911 | 529,00 | 640,09 |
| | Evora Ceramics Dekton | CE/LA-DE0911 | 529,00 | 640,09 |

| semi-undermount | | | | |
|-----------------|--------------------|----------------|--------|---------------|
| | Straight plywood | HPL-OND-0931 | 767,00 | 928,07 |
| | TopCore / Fenix 10 | TC/FE-SON-0911 | 465,00 | 562,65 |
| | Solid Wood | MH-SON-0911 | 465,00 | 562,65 |

| under-mounted | | | | |
|---------------|------------------------------|------------------|--------|---------------|
| | TopCore / Fenix 10 | TC/FE-OND-0931 | 560,00 | 677,60 |
| | Solid Surface | SS-OND-DE0931 | 617,00 | 746,57 |
| | Solid Wood | MH-OND-0931 | 560,00 | 677,60 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0931 | 732,00 | 885,72 |
| | Cosmolite Obsidiana | CO-OND-DE0931 | 732,00 | 885,72 |
| | Glass | GL-OND-DE0931 | 732,00 | 885,72 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0931 | 732,00 | 885,72 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|--------|--------|---------------|
| | Separate sink | 311911 | 252,00 | 304,92 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Giro 340 x 400 (912/932) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 400 mm*

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0912 | 437,00 | 528,77 |
| | TopCore / Fenix 10 | TC/FE-VIB-0912 | 493,00 | 596,53 |
| | Solid Surface | SS-DE0912 | 557,00 | 673,97 |
| | Evora Quartz Evora Granite | CO/GR-DE0912 | 557,00 | 673,97 |
| | Cosmolite Obsidiana | CO-DE0912 | 557,00 | 673,97 |
| | Glass Inox | GL/R-DE0912 | 557,00 | 673,97 |
| | Evora Ceramics Dekton | CE/LA-DE0912 | 557,00 | 673,97 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0932 | 795,00 | 961,95 |
| | TopCore / Fenix 10 | TC/FE-SON-0912 | 493,00 | 596,53 |
| | Solid Wood | MH-SON-0912 | 493,00 | 596,53 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0932 | 588,00 | 711,48 |
| | Solid Surface | SS-OND-DE0932 | 645,00 | 780,45 |
| | Solid Wood | MH-OND-0932 | 588,00 | 711,48 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0932 | 760,00 | 919,60 |
| | Cosmolite Obsidiana | CO-OND-DE0932 | 760,00 | 919,60 |
| | Glass | GL-OND-DE0932 | 760,00 | 919,60 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0932 | 760,00 | 919,60 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|----------------------|---------------|--------|--------|---------------|
| | Separate sink | 311912 | 280,00 | 338,80 |

| service parts | | | | |
|----------------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Giro 400 x 400 (913/933)


Description



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 450 mm*

Complete with Premeris plug and luxury overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0913 | 457,00 | 552,97 |
| | TopCore / Fenix 10 | TC/FE-VIB-0913 | 513,00 | 620,73 |
| | Solid Surface | SS-DE0913 | 577,00 | 698,17 |
| | Evora Quartz Evora Granite | CO/GR-DE0913 | 577,00 | 698,17 |
| | Cosmolite Obsidiana | CO-DE0913 | 577,00 | 698,17 |
| | Glass Inox | GL/R-DE0913 | 577,00 | 698,17 |
| | Evora Ceramics Dekton | CE/LA-DE0913 | 577,00 | 698,17 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0933 | 815,00 | 986,15 |
| | TopCore / Fenix 10 | TC/FE-SON-0913 | 513,00 | 620,73 |
| | Solid Wood | MH-SON-0913 | 513,00 | 620,73 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0933 | 608,00 | 735,68 |
| | Solid Surface | SS-OND-DE0933 | 665,00 | 804,65 |
| | Solid Wood | MH-OND-0933 | 608,00 | 735,68 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0933 | 780,00 | 943,80 |
| | Cosmolite Obsidiana | CO-OND-DE0933 | 780,00 | 943,80 |
| | Glass | GL-OND-DE0933 | 780,00 | 943,80 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0933 | 780,00 | 943,80 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311913.1 | 300,00 | 363,00 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Giro 450 x 400 (914/934)




Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 500 mm*

Complete with Premeris plug and luxury overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3




| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0914 | 517,00 | 625,57 |
| | TopCore / Fenix 10 | TC/FE-VIB-0914 | 625,00 | 756,25 |
| | Solid Surface | SS-DE0914 | 682,00 | 825,22 |
| | Evora Quartz Evora Granite | CO/GR-DE0914 | 682,00 | 825,22 |
| | Cosmolite Obsidiana | CO-DE0914 | 682,00 | 825,22 |
| | Glass Inox | GL/R-DE0914 | 682,00 | 825,22 |
| | Evora Ceramics Dekton | CE/LA-DE0914 | 682,00 | 825,22 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0934 | 832,00 | 1.006,72 |
| | TopCore / Fenix 10 | TC/FE-SON-0914 | 625,00 | 756,25 |
| | Solid Wood | MH-SON-0914 | 625,00 | 756,25 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0934 | 625,00 | 756,25 |
| | Solid Surface | SS-OND-DE0934 | 682,00 | 825,22 |
| | Solid Wood | MH-OND-0934 | 625,00 | 756,25 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0934 | 917,00 | 1.109,57 |
| | Cosmolite Obsidiana | CO-OND-DE0934 | 917,00 | 1.109,57 |
| | Glass | GL-OND-DE0934 | 917,00 | 1.109,57 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0934 | 917,00 | 1.109,57 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311914.1 | 317,00 | 383,57 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Giro 500 x 400 (916/936) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm
 Complete with Premeris plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| | | | | |
|---------------------------|------------------------------------|----------------|--------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0916 | 543,00 | 657,03 |
| | TopCore / Fenix 10 | TC/FE-VIB-0916 | 635,00 | 768,35 |
| | Solid Surface | SS-DE0916 | 692,00 | 837,32 |
| | Evora Quartz Evora Granite | CO/GR-DE0916 | 692,00 | 837,32 |
| | Cosmolite Obsidiana | CO-DE0916 | 692,00 | 837,32 |
| | Glass Inox | GL/R-DE0916 | 692,00 | 837,32 |
| | Evora Ceramics Dekton | CE/LA-DE0916 | 692,00 | 837,32 |

| | | | | |
|------------------------|--------------------|----------------|--------|-----------------|
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0936 | 842,00 | 1.018,82 |
| | TopCore / Fenix 10 | TC/FE-SON-0916 | 635,00 | 768,35 |
| | Solid Wood | MH-SON-0916 | 635,00 | 768,35 |

| | | | | |
|-------------------|------------------------------|------------------|--------|-----------------|
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0936 | 635,00 | 768,35 |
| | Solid Surface | SS-OND-DE0936 | 692,00 | 837,32 |
| | Solid Wood | MH-OND-0936 | 635,00 | 768,35 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0936 | 927,00 | 1.121,67 |
| | Cosmolite Obsidiana | CO-OND-DE0936 | 927,00 | 1.121,67 |
| | Glass | GL-OND-DE0936 | 927,00 | 1.121,67 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0936 | 927,00 | 1.121,67 |

* Note: increased risk of damage from use due to chipping at the sink edge

| | | | | |
|----------------------|---------------|--------|--------|---------------|
| separate sink | | | | |
| | Separate sink | 311916 | 327,00 | 395,67 |

| | | | | |
|----------------------|-------------------------------|--------|-------|--------------|
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Giro 550 x 400 (915/935)



Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm (700 mm *)

Complete with Premeris plug and luxury overflow.
 For worktops with an edge up to 30 mm high
Largest sink for 600 mm wide cabinets.




| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|--|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0915 | 552,00 | 667,92 |
| | TopCore / Fenix 10 | TC/FE-VIB-0915 | 644,00 | 779,24 |
| | Solid Surface | SS-DE0915 | 701,00 | 848,21 |
| | Evora Quartz Evora Granite | CO/GR-DE0915 | 701,00 | 848,21 |
| | Cosmolite Obsidiana | CO-DE0915 | 701,00 | 848,21 |
| | Glass Inox | GL/R-DE0915 | 701,00 | 848,21 |
| | Evora Ceramics Dekton | CE/LA-DE0915 | 701,00 | 848,21 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0935 | 851,00 | 1.029,71 |
| | TopCore / Fenix 10 | TC/FE-SON-0915 | 644,00 | 779,24 |
| | Solid Wood | MH-SON-0915 | 644,00 | 779,24 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0935 | 644,00 | 779,24 |
| | Solid Surface | SS-OND-DE0935 | 701,00 | 848,21 |
| | Solid Wood | MH-OND-0935 | 644,00 | 779,24 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0935 | 936,00 | 1.132,56 |
| | Cosmolite Obsidiana | CO-OND-DE0935 | 936,00 | 1.132,56 |
| | Glass | GL-OND-DE0935 | 936,00 | 1.132,56 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0935 | 936,00 | 1.132,56 |
| | * Note: increased risk of damage from use due to chipping at the sink edge | | | |
| separate sink | | | | |
| | Separate sink | 311915 | 336,00 | 406,56 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Giro 340 x 400 + 170 x 400 (918/938) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm*

Complete with two Premeris plugs and luxury overflow.
 Tap hole not possible
 *In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0918 | 679,00 | 821,59 |
| | TopCore / Fenix 10 | TC/FE-VIB-0918 | 765,00 | 925,65 |
| | Solid Surface | SS-DE0918 | 822,00 | 994,62 |
| | Evora Quartz Evora Granite | CO/GR-DE0918 | 822,00 | 994,62 |
| | Cosmolite Obsidiana | CO-DE0918 | 822,00 | 994,62 |
| | Glass Inox | GL-DE0918 | 822,00 | 994,62 |
| | Evora Ceramics Dekton | CE/LA-DE0918 | 822,00 | 994,62 |

| semi-undermount | | | | |
|-----------------|--------------------|----------------|--------|-----------------|
| | Straight plywood | HPL-OND-0938 | 972,00 | 1.176,12 |
| | TopCore / Fenix 10 | TC/FE-SON-0918 | 765,00 | 925,65 |
| | Solid Wood | MH-SON-0918 | 765,00 | 925,65 |

| under-mounted | | | | |
|---------------|------------------------------|------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0938 | 765,00 | 925,65 |
| | Solid Surface | SS-OND-DE0938 | 822,00 | 994,62 |
| | Solid Wood | MH-OND-0938 | 765,00 | 925,65 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0938 | 1.057,00 | 1.278,97 |
| | Cosmolite Obsidiana | CO-OND-DE0938 | 1.057,00 | 1.278,97 |
| | Glass | GL-OND-DE0938 | 1.057,00 | 1.278,97 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0938 | 1.057,00 | 1.278,97 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|--------|--------|---------------|
| | Separate sink | 311918 | 457,00 | 552,97 |


| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set (order 2x) | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Giro 170 x 400 + 340 x 400 (919/939) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*

Complete with two Premeris plugs and luxury overflow.
 Tap hole not possible
 *In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0919 | 679,00 | 821,59 |
| | TopCore / Fenix 10 | TC/FE-VIB-0919 | 765,00 | 925,65 |
| | Solid Surface | SS-DE0919 | 822,00 | 994,62 |
| | Evora Quartz Evora Granite | CO/GR-DE0919 | 822,00 | 994,62 |
| | Cosmolite Obsidiana | CO-DE0919 | 822,00 | 994,62 |
| | Glass Inox | GL-DE0919 | 822,00 | 994,62 |
| | Evora Ceramics Dekton | CE/LA-DE0919 | 822,00 | 994,62 |

| semi-undermount | | | | |
|-----------------|--------------------|----------------|--------|-----------------|
| | Straight plywood | HPL-OND-0939 | 972,00 | 1.176,12 |
| | TopCore / Fenix 10 | TC/FE-SON-0919 | 765,00 | 925,65 |
| | Solid Wood | MH-SON-0919 | 765,00 | 925,65 |

| under-mounted | | | | |
|---------------|------------------------------|------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0939 | 765,00 | 925,65 |
| | Solid Surface | SS-OND-DE0939 | 822,00 | 994,62 |
| | Solid Wood | MH-OND-0939 | 765,00 | 925,65 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0939 | 1.057,00 | 1.278,97 |
| | Cosmolite Obsidiana | CO-OND-DE0939 | 1.057,00 | 1.278,97 |
| | Glass | GL-OND-DE0939 | 1.057,00 | 1.278,97 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0939 | 1.057,00 | 1.278,97 |

* Note: increased risk of damage from use due to chipping at the sink edge


| separate sink | | | | |
|---------------|---------------|--------|--------|---------------|
| | Separate sink | 311919 | 457,00 | 552,97 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set (order 2x) | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Destra 170 x 400 (021/031) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 250 mm
 Complete with Premeris plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|-----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0021N | 505,00 | 611,03 |
| | TopCore / Fenix 10 | TC/FE-VIB-0021N | 561,00 | 678,81 |
| | Solid Surface | SS-DE0021N | 625,00 | 756,25 |
| | Evora Quartz Evora Granite | CO/GR-DE0021N | 625,00 | 756,25 |
| | Cosmolite Obsidiana | CO-DE0021N | 625,00 | 756,25 |
| | Glass Inox | GL/R-DE0021N | 625,00 | 756,25 |
| | Evora Ceramics Dekton | CE/LA-DE0021N | 625,00 | 756,25 |

| semi-undermount | | | | |
|-----------------|--------------------|-----------------|--------|-----------------|
| | Straight plywood | HPL-OND-0031N | 863,00 | 1.044,23 |
| | TopCore / Fenix 10 | TC/FE-SON-0021N | 561,00 | 678,81 |
| | Solid Wood | MH-SON-0021N | 561,00 | 678,81 |

| under-mounted | | | | |
|---------------|------------------------------|-------------------|--------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0031N | 656,00 | 793,76 |
| | Solid Surface | SS-OND-DE0031N | 713,00 | 862,73 |
| | Solid Wood | MH-OND-0031N | 656,00 | 793,76 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0031N | 828,00 | 1.001,88 |
| | Cosmolite Obsidiana | CO-OND-DE0031N | 828,00 | 1.001,88 |
| | Glass | GL-OND-DE0031N | 828,00 | 1.001,88 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0031N | 828,00 | 1.001,88 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|---------|--------|---------------|
| | Separate sink | 311021N | 348,00 | 421,08 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Destra 340 x 400 (022/032)




Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 400* mm

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|-------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0022N | 527,00 | 637,67 |
| | TopCore / Fenix 10 | TC/FE-VIB-0022N | 583,00 | 705,43 |
| | Solid Surface | SS-DE0022N | 647,00 | 782,87 |
| | Evora Quartz Evora Granite | CO/GR-DE0022N | 647,00 | 782,87 |
| | Cosmolite Obsidiana | CO-DE0022N | 647,00 | 782,87 |
| | Glass Inox | GL/R-DE0022N | 647,00 | 782,87 |
| | Evora Ceramics Dekton | CE/LA-DE0022N | 647,00 | 782,87 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0032N | 885,00 | 1.070,85 |
| | TopCore / Fenix 10 | TC/FE-SON-0022N | 583,00 | 705,43 |
| | Solid Wood | MH-SON-0022N | 583,00 | 705,43 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0032N | 678,00 | 820,38 |
| | Solid Surface | SS-OND-DE0032N | 735,00 | 889,35 |
| | Solid Wood | MH-OND-0032N | 678,00 | 820,38 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0032N | 850,00 | 1.028,50 |
| | Cosmolite Obsidiana | CO-OND-DE0032N | 850,00 | 1.028,50 |
| | Glass | GL-OND-DE0032N | 850,00 | 1.028,50 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0032N | 850,00 | 1.028,50 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311022N | 370,00 | 447,70 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Destra 400 x 400 (025/035)




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 450 mm*

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|-----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0025N | 539,00 | 652,19 |
| | TopCore / Fenix 10 | TC/FE-VIB-0025N | 595,00 | 719,95 |
| | Solid Surface | SS-DE0025N | 659,00 | 797,39 |
| | Evora Quartz Evora Granite | CO/GR-DE0025N | 659,00 | 797,39 |
| | Cosmolite Obsidiana | CO-DE0025N | 659,00 | 797,39 |
| | Glass Inox | GL/R-DE0025N | 659,00 | 797,39 |
| | Evora Ceramics Dekton | CE/LA-DE0025N | 659,00 | 797,39 |

| semi-undermount | | | | |
|-----------------|--------------------|-----------------|--------|-----------------|
| | Straight plywood | HPL-OND-0035N | 897,00 | 1.085,37 |
| | TopCore / Fenix 10 | TC/FE-SON-0025N | 595,00 | 719,95 |
| | Solid Wood | MH-SON-0025N | 595,00 | 719,95 |

| undermount | | | | |
|------------|------------------------------|-------------------|--------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0035N | 690,00 | 834,90 |
| | Solid Surface | SS-OND-DE0035N | 747,00 | 903,87 |
| | Solid Wood | MH-OND-0035N | 690,00 | 834,90 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0035N | 862,00 | 1.043,02 |
| | Cosmolite Obsidiana | CO-OND-DE0035N | 862,00 | 1.043,02 |
| | Glass | GL-OND-DE0035N | 862,00 | 1.043,02 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0035N | 862,00 | 1.043,02 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|---------|--------|---------------|
| | Separate sink | 311025N | 382,00 | 462,22 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Destra 450 x 400 (023/033) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 500 mm*

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|-----------------|--------|---------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0023N | 573,00 | 693,33 |
| | TopCore / Fenix 10 | TC/FE-VIB-0023N | 701,00 | 848,21 |
| | Solid Surface | SS-DE0023N | 758,00 | 917,18 |
| | Evora Quartz Evora Granite | CO/GR-DE0023N | 758,00 | 917,18 |
| | Cosmolite Obsidiana | CO-DE0023N | 758,00 | 917,18 |
| | Glass Inox | GL/R-DE0023N | 758,00 | 917,18 |
| | Evora Ceramics Dekton | CE/LA-DE0023N | 758,00 | 917,18 |

| semi-undermount | | | | |
|-----------------|--------------------|-----------------|--------|-----------------|
| | Straight plywood | HPL-OND-0033N | 908,00 | 1.098,68 |
| | TopCore / Fenix 10 | TC/FE-SON-0023N | 701,00 | 848,21 |
| | Solid Wood | MH-SON-0023N | 701,00 | 848,21 |

| undermount | | | | |
|------------|------------------------------|-------------------|--------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0033N | 701,00 | 848,21 |
| | Solid Surface | SS-OND-DE0033N | 758,00 | 917,18 |
| | Solid Wood | MH-OND-0033N | 701,00 | 848,21 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0033N | 993,00 | 1.201,53 |
| | Cosmolite Obsidiana | CO-OND-DE0033N | 993,00 | 1.201,53 |
| | Glass | GL-OND-DE0033N | 993,00 | 1.201,53 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0033N | 993,00 | 1.201,53 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|---------|--------|---------------|
| | Separate sink | 311023N | 393,00 | 475,53 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Destra 500 x 400 (024/034)



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

Complete with Premeris plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|-------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0024N | 591,00 | 715,11 |
| | TopCore / Fenix 10 | TC/FE-VIB-0024N | 719,00 | 869,99 |
| | Solid Surface | SS-DE0024N | 776,00 | 938,96 |
| | Evora Quartz Evora Granite | CO/GR-DE0024N | 776,00 | 938,96 |
| | Cosmolite Obsidiana | CO-DE0024N | 776,00 | 938,96 |
| | Glass Inox | GL/R-DE0024N | 776,00 | 938,96 |
| | Evora Ceramics Dekton | CE/LA-DE0024N | 776,00 | 938,96 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0034N | 926,00 | 1.120,46 |
| | TopCore / Fenix 10 | TC/FE-SON-0024N | 719,00 | 869,99 |
| | Solid Wood | MH-SON-0024N | 719,00 | 869,99 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0034N | 719,00 | 869,99 |
| | Solid Surface | SS-OND-DE0034N | 776,00 | 938,96 |
| | Solid Wood | MH-OND-0034N | 719,00 | 869,99 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0034N | 1.011,00 | 1.223,31 |
| | Cosmolite Obsidiana | CO-OND-DE0034N | 1.011,00 | 1.223,31 |
| | Glass | GL-OND-DE0034N | 1.011,00 | 1.223,31 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0034N | 1.011,00 | 1.223,31 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311024N | 411,00 | 497,31 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Destra 740 x 400 (026/036) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 800 mm*

Complete with Premeris plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|--|-------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0026N | 678,00 | 820,38 |
| | TopCore / Fenix 10 | TC/FE-VIB-0026N | 770,00 | 931,70 |
| | Solid Surface | SS-DE0026N | 827,00 | 1.000,67 |
| | Evora Quartz Evora Granite | CO/GR-DE0026N | 827,00 | 1.000,67 |
| | Cosmolite Obsidiana | CO-DE0026N | 827,00 | 1.000,67 |
| | Glass Inox | GL/R-DE0026N | 827,00 | 1.000,67 |
| | Evora Ceramics Dekton | CE/LA-DE0026N | 827,00 | 1.000,67 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0036N | 977,00 | 1.182,17 |
| | TopCore / Fenix 10 | TC/FE-SON-0026N | 770,00 | 931,70 |
| | Solid Wood | MH-SON-0026N | 770,00 | 931,70 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0036N | 770,00 | 931,70 |
| | Solid Surface | SS-OND-DE0036N | 827,00 | 1.000,67 |
| | Solid Wood | MH-OND-0036N | 770,00 | 931,70 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0036N | 1.062,00 | 1.285,02 |
| | Cosmolite Obsidiana | CO-OND-DE0036N | 1.062,00 | 1.285,02 |
| | Glass | GL-OND-DE0036N | 1.062,00 | 1.285,02 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0036N | 1.062,00 | 1.285,02 |
| | * Note: increased risk of damage from use due to chipping at the sink edge | | | |
| separate sink | | | | |
| | Separate sink | 311026N | 462,00 | 559,02 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Destra 340 x 400 + 170 x 400 (051/053)




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm*

Complete with two Premeris plugs and luxury overflow.

Tap hole not possible

*In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3




| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|--|-------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0051N | 737,00 | 891,77 |
| | TopCore / Fenix 10 | TC/FE-VIB-0051N | 829,00 | 1.003,09 |
| | Solid Surface | SS-DE0051N | 886,00 | 1.072,06 |
| | Evora Quartz Evora Granite | CO/GR-DE0051N | 886,00 | 1.072,06 |
| | Cosmolite Obsidiana | CO-DE0051N | 886,00 | 1.072,06 |
| | Glass Inox | GL-DE0051N | 886,00 | 1.072,06 |
| | Evora Ceramics Dekton | CE/LA-DE0051N | 886,00 | 1.072,06 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0053N | 1.036,00 | 1.253,56 |
| | TopCore / Fenix 10 | TC/FE-SON-0051N | 829,00 | 1.003,09 |
| | Solid Wood | MH-SON-0051N | 829,00 | 1.003,09 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0053N | 829,00 | 1.003,09 |
| | Solid Surface | SS-OND-DE0053N | 886,00 | 1.072,06 |
| | Solid Wood | MH-OND-0053N | 829,00 | 1.003,09 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0053N | 1.121,00 | 1.356,41 |
| | Cosmolite Obsidiana | CO-OND-DE0053N | 1.121,00 | 1.356,41 |
| | Glass | GL-OND-DE0053N | 1.121,00 | 1.356,41 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0053N | 1.121,00 | 1.356,41 |
| | * Note: increased risk of damage from use due to chipping at the sink edge | | | |
| separate sink | | | | |
| | Separate sink | 311051N | 521,00 | 630,41 |
| service parts | | | | |
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set (order 2x) | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Destra 170 x 400 + 340 x 400 (052/054) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*

Complete with two Premeris plugs and luxury overflow.
 Tap hole not possible
 *In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|-----------------|--------|-----------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0052N | 737,00 | 891,77 |
| | TopCore / Fenix 10 | TC/FE-VIB-0052N | 829,00 | 1.003,09 |
| | Solid Surface | SS-DE0052N | 886,00 | 1.072,06 |
| | Evora Quartz Evora Granite | CO/GR-DE0052N | 886,00 | 1.072,06 |
| | Cosmolite Obsidiana | CO-DE0052N | 886,00 | 1.072,06 |
| | Glass Inox | GL-DE0052N | 886,00 | 1.072,06 |
| | Evora Ceramics Dekton | CE/LA-DE0052N | 886,00 | 1.072,06 |

| semi-undermount | | | | |
|-----------------|--------------------|-----------------|----------|-----------------|
| | Straight plywood | HPL-OND-0054N | 1.036,00 | 1.253,56 |
| | TopCore / Fenix 10 | TC/FE-SON-0052N | 829,00 | 1.003,09 |
| | Solid Wood | MH-SON-0052N | 829,00 | 1.003,09 |

| undermount | | | | |
|------------|------------------------------|-------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0054N | 829,00 | 1.003,09 |
| | Solid Surface | SS-OND-DE0054N | 886,00 | 1.072,06 |
| | Solid Wood | MH-OND-0054N | 829,00 | 1.003,09 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0054N | 1.121,00 | 1.356,41 |
| | Cosmolite Obsidiana | CO-OND-DE0054N | 1.121,00 | 1.356,41 |
| | Glass | GL-OND-DE0054N | 1.121,00 | 1.356,41 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0054N | 1.121,00 | 1.356,41 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|---------|--------|---------------|
| | Separate sink | 311052N | 521,00 | 630,41 |


| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set (order 2x) | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Destra 340x400 + 340x400 (060) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 800 mm*

Complete with Premeris plug and luxury overflow.
 Tap hole not possible
 *In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|------------------|--------|-----------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0060 | 815,00 | 986,15 |
| | TopCore / Fenix 10 | TC/FE-VIB-0060 | 907,00 | 1.097,47 |
| | Solid Surface | SS-VIB-DE0060 | 964,00 | 1.166,44 |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0060 | 964,00 | 1.166,44 |
| | Cosmolite Obsidiana | CO-VIB-DE0060 | 964,00 | 1.166,44 |
| | Glass Inox | GL/R-VIB-DE0060 | 964,00 | 1.166,44 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0060 | 964,00 | 1.166,44 |

| semi-undermount | | | | |
|-----------------|--------------------|----------------|----------|-----------------|
| | Straight plywood | HPL-OND-0060 | 1.114,00 | 1.347,94 |
| | TopCore / Fenix 10 | TC/FE-SON-0060 | 907,00 | 1.097,47 |
| | Solid Wood | MH-SON-0060 | 907,00 | 1.097,47 |

| under-mounted | | | | |
|---------------|------------------------------|------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0060 | 907,00 | 1.097,47 |
| | Solid Surface | SS-OND-DE0060 | 964,00 | 1.166,44 |
| | Solid Wood | MH-OND-0060 | 907,00 | 1.097,47 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0060 | 1.199,00 | 1.450,79 |
| | Cosmolite Obsidiana | CO-OND-DE0060 | 1.199,00 | 1.450,79 |
| | Glass | GL-OND-DE0060 | 1.199,00 | 1.450,79 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0060 | 1.199,00 | 1.450,79 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|--------|--------|---------------|
| | Separate sink | 311060 | 599,00 | 724,79 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240041 | 23,00 | 27,83 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Drain set (order 2x) | 240052 | 36,00 | 43,56 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |



Sink Lanesto Urban 340 x 400 + 340 x 400 Gun Metal, flush mount method


Lanesto Como 400x400 (072/082) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 450 mm*

Complete with Magna- and strainer plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3




| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|-------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0072N | 623,00 | 753,83 |
| | TopCore / Fenix 10 | TC/FE-VIB-0072N | 679,00 | 821,59 |
| | Solid Surface | SS-DE0072N | 743,00 | 899,03 |
| | Evora Quartz Evora Granite | CO/GR-DE0072N | 743,00 | 899,03 |
| | Cosmolite Obsidiana | CO-DE0072N | 743,00 | 899,03 |
| | Glass Inox | GL/R-DE0072N | 743,00 | 899,03 |
| | Evora Ceramics Dekton | CE/LA-DE0072N | 743,00 | 899,03 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0082N | 981,00 | 1.187,01 |
| | TopCore / Fenix 10 | TC/FE-SON-0072N | 679,00 | 821,59 |
| | Solid Wood | MH-SON-0072N | 679,00 | 821,59 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0082N | 774,00 | 936,54 |
| | Solid Surface | SS-OND-DE0082N | 831,00 | 1.005,51 |
| | Solid Wood | MH-OND-0082N | 774,00 | 936,54 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0082N | 946,00 | 1.144,66 |
| | Cosmolite Obsidiana | CO-OND-DE0082N | 946,00 | 1.144,66 |
| | Glass | GL-OND-DE0082N | 946,00 | 1.144,66 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0082N | 946,00 | 1.144,66 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311072N | 466,00 | 563,86 |
| service parts | | | | |
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Como 500 x 400 (073/083) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm

Complete with Magna- and strainer plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|-----------------|--------|-----------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0073N | 740,00 | 895,40 |
| | TopCore / Fenix 10 | TC/FE-VIB-0073N | 832,00 | 1.006,72 |
| | Solid Surface | SS-DE0073N | 889,00 | 1.075,69 |
| | Evora Quartz Evora Granite | CO/GR-DE0073N | 889,00 | 1.075,69 |
| | Cosmolite Obsidiana | CO-DE0073N | 889,00 | 1.075,69 |
| | Glass Inox | GL/R-DE0073N | 889,00 | 1.075,69 |
| | Evora Ceramics Dekton | CE/LA-DE0073N | 889,00 | 1.075,69 |

| semi-undermount | | | | |
|-----------------|--------------------|-----------------|----------|-----------------|
| | Straight plywood | HPL-OND-0083N | 1.039,00 | 1.257,19 |
| | TopCore / Fenix 10 | TC/FE-SON-0073N | 832,00 | 1.006,72 |
| | Solid Wood | MH-SON-0073N | 832,00 | 1.006,72 |

| undermount | | | | |
|------------|------------------------------|-------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0083N | 832,00 | 1.006,72 |
| | Solid Surface | SS-OND-DE0083N | 889,00 | 1.075,69 |
| | Solid Wood | MH-OND-0083N | 832,00 | 1.006,72 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0083N | 1.124,00 | 1.360,04 |
| | Cosmolite Obsidiana | CO-OND-DE0083N | 1.124,00 | 1.360,04 |
| | Glass | GL-OND-DE0083N | 1.124,00 | 1.360,04 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0083N | 1.124,00 | 1.360,04 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|---------------|---------|--------|---------------|
| | Separate sink | 311073N | 524,00 | 634,04 |

| service parts | | | | |
|---------------|-------------------------------|--------|-------|--------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

Lanesto Maggiore one and a half (050)




Description

| | | |
|------------------------|------------------------|---------|
| Front: | <i>flush-mounted</i> | 60 mm |
| | <i>semi-undermount</i> | 80 mm |
| Minimum cabinet width: | | 600 mm* |

Complete with stainless steel insert, two Magna- and strainer plugs, luxury overflow and siphon¹.

Sink is reversible. Tap hole possible.

*In case of flush installation, cut the carcass to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0050N | 640,00 | 774,40 |
| | TopCore / Fenix 10 | TC/FE-VIB-0050N | 727,00 | 879,67 |
| | Solid Surface | SS-DE0050N | 784,00 | 948,64 |
| | Evora Quartz Evora Granite | CO/GR-DE0050N | 784,00 | 948,64 |
| | Cosmolite Obsidiana | CO-DE0050N | 784,00 | 948,64 |
| | Glass | GL-DE0050N | 784,00 | 948,64 |
| | Evora Ceramics Dekton | CE/LA-DE0050N | 784,00 | 948,64 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0050N | 727,00 | 879,67 |
| | Solid Wood | MH-SON-0050N | 727,00 | 879,67 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311050N | 419,00 | 506,99 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|-------------------------------|---------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set with overflow | 240031 | 36,00 | 43,56 |
| Drain set without overflow | 240022 | 25,00 | 30,25 |
| Space-saving siphon | 240070 | 29,00 | 35,09 |
| Stainless steel insert | 311066N | 72,00 | 87,12 |

Lanesto Maggiore with drainer (042)




Description

| | | |
|------------------------|-----------------|---------|
| Front: | flush-mounted | 60 mm |
| | semi-undermount | 80 mm |
| Minimum cabinet width: | | 450 mm* |

Complete with Magna- and strainer plug and luxury overflow.
Tap hole possible. Not suitable for a high tap.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0042N | 546,00 | 660,66 |
| | TopCore / Fenix 10 | TC/FE-VIB-0042N | 641,00 | 775,61 |
| | Solid Surface | SS-DE0042N | 698,00 | 844,58 |
| | Evora Quartz Evora Granite | CO/GR-DE0042N | 698,00 | 844,58 |
| | Cosmolite Obsidiana | CO-DE0042N | 698,00 | 844,58 |
| | Glass | GL-DE0042N | 698,00 | 844,58 |
| | Evora Ceramics Dekton | CE/LA-DE0042N | 698,00 | 844,58 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0042N | 641,00 | 775,61 |
| | Solid Wood | MH-SON-0042N | 641,00 | 775,61 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311042N | 333,00 | 402,93 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set | 240031 | 36,00 | 43,56 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |


Lanesto Maggiore 340 x 400 + 340 x 400 (044)



Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>flush-mounted</i> | 60 mm |
| | <i>semi-undermount</i> | 80 mm |
| Minimum cabinet width: | | 800 mm |

Complete with two Magna and two basket plugs and luxury overflow.
Tap hole possible. Not suitable for a high tap.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|-----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0044N | 632,00 | 764,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0044N | 762,00 | 922,02 |
| | Solid Surface | SS-DE0044N | 819,00 | 990,99 |
| | Evora Quartz Evora Granite | CO/GR-DE0044N | 819,00 | 990,99 |
| | Cosmolite Obsidiana | CO-DE0044N | 819,00 | 990,99 |
| | Glass | GL-DE0044N | 819,00 | 990,99 |
| | Evora Ceramics Dekton | CE/LA-DE0044N | 819,00 | 990,99 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0044N | 762,00 | 922,02 |
| | Solid Wood | MH-SON-0044N | 762,00 | 922,02 |

separate sink

| | | | |
|---------------|---------|--------|---------------|
| Separate sink | 311044N | 454,00 | 549,34 |
|---------------|---------|--------|---------------|

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set with overflow | 240031 | 36,00 | 43,56 |
| Drain set without overflow | 240022 | 25,00 | 30,25 |
| Space-saving siphon | 240070 | 29,00 | 35,09 |




**For all Lanesto accessories (also in stainless steel),
see end of this chapter**

Lanesto Nordic 340 x 400 + 190 x 400 (971/991) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm*

Lowered partition (height 80 mm).
 Complete with two Magna and two basket plugs and luxury overflow.
 Tap hole not possible.



*When flush mounting due to the necessary clamps inspect the body.
 For explanation, see p.15.3


| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0971 | 821,00 | 993,41 |
| | TopCore / Fenix 10 | TC/FE-VIB-0971 | 913,00 | 1.104,73 |
| | Solid Surface | SS-DE0971 | 970,00 | 1.173,70 |
| | Evora Quartz Evora Granite | CO/GR-DE0971 | 970,00 | 1.173,70 |
| | Cosmolite Obsidiana | CO-DE0971 | 970,00 | 1.173,70 |
| | Glass Inox | GL/R-DE0971 | 970,00 | 1.173,70 |
| | Evora Ceramics Dekton | CE/LA-DE0971 | 970,00 | 1.173,70 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0991 | 1.120,00 | 1.355,20 |
| | TopCore / Fenix 10 | TC/FE-SON-0971 | 913,00 | 1.104,73 |
| | Solid Wood | MH-SON-0971 | 913,00 | 1.104,73 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0991 | 913,00 | 1.104,73 |
| | Solid Surface | SS-OND-DE0991 | 970,00 | 1.173,70 |
| | Solid Wood | MH-OND-0991 | 913,00 | 1.104,73 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0991 | 1.205,00 | 1.458,05 |
| | Cosmolite Obsidiana | CO-OND-DE0991 | 1.205,00 | 1.458,05 |
| | Glass | GL-OND-DE0991 | 1.205,00 | 1.458,05 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0991 | 1.205,00 | 1.458,05 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311971 | 605,00 | 732,05 |
| service parts | | | | |
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set with overflow | 240031 | 36,00 | 43,56 |
| | Drain set without overflow | 240022 | 25,00 | 30,25 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Nordic 530 x 400 + 190 x 400 (972/992) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 900 mm

Lowered partition (height 170 mm).
 Complete with two Magna and two basket plugs and luxury overflow.
 Tap hole not possible.




| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0972 | 833,00 | 1.007,93 |
| | TopCore / Fenix 10 | TC/FE-VIB-0972 | 925,00 | 1.119,25 |
| | Solid Surface | SS-DE0972 | 982,00 | 1.188,22 |
| | Evora Quartz Evora Granite | CO/GR-DE0972 | 982,00 | 1.188,22 |
| | Cosmolite Obsidiana | CO-DE0972 | 982,00 | 1.188,22 |
| | Glass Inox | GL/R-DE0972 | 982,00 | 1.188,22 |
| | Evora Ceramics Dekton | CE/LA-DE0972 | 982,00 | 1.188,22 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0992 | 1.132,00 | 1.369,72 |
| | TopCore / Fenix 10 | TC/FE-SON-0972 | 925,00 | 1.119,25 |
| | Solid Wood | MH-SON-0972 | 925,00 | 1.119,25 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0992 | 925,00 | 1.119,25 |
| | Solid Surface | SS-OND-DE0992 | 982,00 | 1.188,22 |
| | Solid Wood | MH-OND-0992 | 925,00 | 1.119,25 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0992 | 1.217,00 | 1.472,57 |
| | Cosmolite Obsidiana | CO-OND-DE0992 | 1.217,00 | 1.472,57 |
| | Glass | GL-OND-DE0992 | 1.217,00 | 1.472,57 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0992 | 1.217,00 | 1.472,57 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311972 | 617,00 | 746,57 |
| service parts | | | | |
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set with overflow | 240031 | 36,00 | 43,56 |
| | Drain set without overflow | 240022 | 25,00 | 30,25 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |

Lanesto Nordic 360 x 400 + 360 x 400 (973/993) **Description**



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 800 mm*

Lowered partition (height 80 mm).
 Complete with two Magna and two basket plugs and luxury overflow.
 Tap hole not possible.



*In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation see p.15.3

| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| flush installation | | | | |
|--------------------|------------------------------------|----------------|--------|-----------------|
| | TopLaminate DecorTop Fenix 0.9 | SDE-0973 | 830,00 | 1.004,30 |
| | TopCore / Fenix 10 | TC/FE-VIB-0973 | 922,00 | 1.115,62 |
| | Solid Surface | SS-DE0973 | 979,00 | 1.184,59 |
| | Evora Quartz Evora Granite | CO/GR-DE0973 | 979,00 | 1.184,59 |
| | Cosmolite Obsidiana | CO-DE0973 | 979,00 | 1.184,59 |
| | Glass Inox | GL/R-DE0973 | 979,00 | 1.184,59 |
| | Evora Ceramics Dekton | CE/LA-DE0973 | 979,00 | 1.184,59 |

| semi-undermount | | | | |
|-----------------|--------------------|----------------|----------|-----------------|
| | Straight plywood | HPL-OND-0993 | 1.129,00 | 1.366,09 |
| | TopCore / Fenix 10 | TC/FE-SON-0973 | 922,00 | 1.115,62 |
| | Solid Wood | MH-SON-0973 | 922,00 | 1.115,62 |

| under-mounted | | | | |
|---------------|------------------------------|------------------|----------|-----------------|
| | TopCore / Fenix 10 | TC/FE-OND-0993 | 922,00 | 1.115,62 |
| | Solid Surface | SS-OND-DE0993 | 979,00 | 1.184,59 |
| | Solid Wood | MH-OND-0993 | 922,00 | 1.115,62 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0993 | 1.214,00 | 1.468,94 |
| | Cosmolite Obsidiana | CO-OND-DE0993 | 1.214,00 | 1.468,94 |
| | Glass | GL-OND-DE0993 | 1.214,00 | 1.468,94 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0993 | 1.214,00 | 1.468,94 |

* Note: increased risk of damage from use due to chipping at the sink edge

| separate sink | | | | |
|---------------|--------|--------|---------------|--|
| Separate sink | 311973 | 614,00 | 742,94 | |

| service parts | | | | |
|-------------------------------|--------|-------|--------------|--|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 | |
| Overflow plate | 240027 | 15,00 | 18,15 | |
| Drain set with overflow | 240031 | 36,00 | 43,56 | |
| Drain set without overflow | 240022 | 25,00 | 30,25 | |
| Space-saving siphon | 240070 | 29,00 | 35,09 | |



Sink Lanesto Nordic 360 x 400 + 360 x 400 full undermount method




Sink Lanesto Urban 180 x 400 Gun Metal, full undermount method




Lanesto Urban 180x400 Gunmetal (611GM/641GM)

Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 250 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0611GM | 697,00 | 843,37 |
| | TopCore / Fenix 10 | TC/FE-VIB-0611GM | 753,00 | 911,13 |
| | Solid Surface | SS-DE0611GM | 817,00 | 988,57 |
| | Evora Quartz Evora Granite | CO/GR-DE0611GM | 817,00 | 988,57 |
| | Cosmolite Obsidiana | CO-DE0611GM | 817,00 | 988,57 |
| | Glass Inox | GL-DE0611GM | 817,00 | 988,57 |
| | Evora Ceramics Dekton | CE/LA-DE0611GM | 817,00 | 988,57 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0641GM | 1.055,00 | 1.276,55 |
| | TopCore / Fenix 10 | TC/FE-SON-0611GM | 753,00 | 911,13 |
| | Solid Wood | MH-SON-0611GM | 753,00 | 911,13 |
| under-mounted | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0641GM | 848,00 | 1.026,08 |
| | Solid Surface | SS-OND-DE0641GM | 905,00 | 1.095,05 |
| | Solid Wood | MH-OND-0641GM | 848,00 | 1.026,08 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0641GM | 1.020,00 | 1.234,20 |
| | Cosmolite Obsidiana | CO-OND-DE0641GM | 1.020,00 | 1.234,20 |
| | Glass | GL-OND-DE0641GM | 1.020,00 | 1.234,20 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0641GM | 1.020,00 | 1.234,20 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311611GM | 540,00 | 653,40 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |






Sink Lanesto Urban 340 x 400 Gun Metal, full undermount method

Lanesto Urban 340x400 Gunmetal (612GM/642GM)

Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 400 mm*

PVC sink, complete with basket strainer and deluxe overflow.
 *In case of flush installation, cut the carcase to mount the necessary clamps. For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0612GM | 726,00 | 878,46 |
| | TopCore / Fenix 10 | TC/FE-VIB-0612GM | 782,00 | 946,22 |
| | Solid Surface | SS-DE0612GM | 846,00 | 1.023,66 |
| | Evora Quartz Evora Granite | CO/GR-DE0612GM | 846,00 | 1.023,66 |
| | Cosmolite Obsidiana | CO-DE0612GM | 846,00 | 1.023,66 |
| | Glass Inox | GL-DE0612GM | 846,00 | 1.023,66 |
| | Evora Ceramics Dekton | CE/LA-DE0612GM | 846,00 | 1.023,66 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0642GM | 1.084,00 | 1.311,64 |
| | TopCore / Fenix 10 | TC/FE-SON-0612GM | 782,00 | 946,22 |
| | Solid Wood | MH-SON-0612GM | 782,00 | 946,22 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0642GM | 877,00 | 1.061,17 |
| | Solid Surface | SS-OND-DE0642GM | 934,00 | 1.130,14 |
| | Solid Wood | MH-OND-0642GM | 877,00 | 1.061,17 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0642GM | 1.049,00 | 1.269,29 |
| | Cosmolite Obsidiana | CO-OND-DE0642GM | 1.049,00 | 1.269,29 |
| | Glass | GL-OND-DE0642GM | 1.049,00 | 1.269,29 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0642GM | 1.049,00 | 1.269,29 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311612GM | 569,00 | 688,49 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |
| | Insert tray | 311551GM | 170,00 | 205,70 |





Sink Lanesto Urban 400 x 400 Gun Metal, full substructure method


Lanesto Urban 400x400 Gunmetal (613GM/643GM)

Description


- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 450 mm*


PVC sink, complete with basket strainer and deluxe overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0613GM | 742,00 | 897,82 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613GM | 798,00 | 965,58 |
| | Solid Surface | SS-DE0613GM | 862,00 | 1.043,02 |
| | Evora Quartz Evora Granite | CO/GR-DE0613GM | 862,00 | 1.043,02 |
| | Cosmolite Obsidiana | CO-DE0613GM | 862,00 | 1.043,02 |
| | Glass Inox | GL-DE0613GM | 862,00 | 1.043,02 |
| | Evora Ceramics Dekton | CE/LA-DE0613GM | 862,00 | 1.043,02 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0643GM | 1.100,00 | 1.331,00 |
| | TopCore / Fenix 10 | TC/FE-SON-0613GM | 798,00 | 965,58 |
| | Solid Wood | MH-SON-0613GM | 798,00 | 965,58 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0643GM | 893,00 | 1.080,53 |
| | Solid Surface | SS-OND-DE0643GM | 950,00 | 1.149,50 |
| | Solid Wood | MH-OND-0643GM | 893,00 | 1.080,53 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643GM | 1.065,00 | 1.288,65 |
| | Cosmolite Obsidiana | CO-OND-DE0643GM | 1.065,00 | 1.288,65 |
| | Glass | GL-OND-DE0643GM | 1.065,00 | 1.288,65 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643GM | 1.065,00 | 1.288,65 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311613GM | 585,00 | 707,85 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |
| | Insert tray | 311551GM | 170,00 | 205,70 |
| | Bottom rack | 311560GM | 82,00 | 99,22 |





Sink Lanesto Urban 400 x 400 Copper, flush mount method

Lanesto Urban 400 x 400 Copper (613CP/643CP)


Description

- Front: flush-mounted 60 mm (with stainless steel 80 mm)
- semi-undermount 80 mm
- Undermount 90 mm
- Minimum cabinet width: 450 mm*


PVC sink, complete with basket strainer and deluxe overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0613CP | 742,00 | 897,82 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613CP | 798,00 | 965,58 |
| | Solid Surface | SS-DE0613CP | 862,00 | 1.043,02 |
| | Evora Quartz Evora Granite | CO/GR-DE0613CP | 862,00 | 1.043,02 |
| | Cosmolite Obsidiana | CO-DE0613CP | 862,00 | 1.043,02 |
| | Glass Inox | GL-DE0613CP | 862,00 | 1.043,02 |
| | Evora Ceramics Dekton | CE/LA-DE0613CP | 862,00 | 1.043,02 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0643CP | 1.100,00 | 1.331,00 |
| | TopCore / Fenix 10 | TC/FE-SON-0613CP | 798,00 | 965,58 |
| | Solid Wood | MH-SON-0613CP | 798,00 | 965,58 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0643CP | 893,00 | 1.080,53 |
| | Solid Surface | SS-OND-DE0643CP | 950,00 | 1.149,50 |
| | Solid Wood | MH-OND-0643CP | 893,00 | 1.080,53 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643CP | 1.065,00 | 1.288,65 |
| | Cosmolite Obsidiana | CO-OND-DE0643CP | 1.065,00 | 1.288,65 |
| | Glass | GL-OND-DE0643CP | 1.065,00 | 1.288,65 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643CP | 1.065,00 | 1.288,65 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311613CP | 585,00 | 707,85 |
| service parts | | | | |
| | Strainer plug stainless steel | 881018 | 25,00 | 30,25 |
| | Overflow plate | 881007 | 20,00 | 24,20 |
| | Drain set | 881015 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300077 | 95,00 | 114,95 |
| | Insert tray | 311551CP | 170,00 | 205,70 |
| | Bottom rack | 311560CP | 82,00 | 99,22 |





Sink Lanesto Urban 400 x 400 Gold, undermount method


Lanesto Urban 400x400 Gold (613GO/643GO) Description







Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 450 mm*

PVC sink, complete with basket strainer and deluxe overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0613GO | 742,00 | 897,82 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613GO | 798,00 | 965,58 |
| | Solid Surface | SS-DE0613GO | 862,00 | 1.043,02 |
| | Evora Quartz Evora Granite | CO/GR-DE0613GO | 862,00 | 1.043,02 |
| | Cosmolite Obsidiana | CO-DE0613GO | 862,00 | 1.043,02 |
| | Glass Inox | GL-DE0613GO | 862,00 | 1.043,02 |
| | Evora Ceramics Dekton | CE/LA-DE0613GO | 862,00 | 1.043,02 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0643GO | 1.100,00 | 1.331,00 |
| | TopCore / Fenix 10 | TC/FE-SON-0613GO | 798,00 | 965,58 |
| | Solid Wood | MH-SON-0613GO | 798,00 | 965,58 |
| undermount | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0643GO | 893,00 | 1.080,53 |
| | Solid Surface | SS-OND-DE0643GO | 950,00 | 1.149,50 |
| | Solid Wood | MH-OND-0643GO | 893,00 | 1.080,53 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643GO | 1.065,00 | 1.288,65 |
| | Cosmolite Obsidiana | CO-OND-DE0643GO | 1.065,00 | 1.288,65 |
| | Glass | GL-OND-DE0643GO | 1.065,00 | 1.288,65 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643GO | 1.065,00 | 1.288,65 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311613GO | 585,00 | 707,85 |
| service parts | | | | |
| | Strainer plug stainless steel | 881019 | 25,00 | 30,25 |
| | Overflow plate | 881008 | 20,00 | 24,20 |
| | Drain set | 881016 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300078 | 95,00 | 114,95 |
| | Insert tray | 311551GO | 170,00 | 205,70 |
| | Bottom rack | 311560GO | 82,00 | 99,22 |





Sink Lanesto Urban 400 x 400 Patinated Brass, flush mounting method

Lanesto Urban 400 x 400 Patinated Brass (613PB/643PB)



Description




- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 450 mm*


PVC sink, complete with basket strainer and deluxe overflow.


*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0613PB | 807,00 | 976,47 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613PB | 863,00 | 1.044,23 |
| | Solid Surface | SS-DE0613PB | 927,00 | 1.121,67 |
| | Evora Quartz Evora Granite | CO/GR-DE0613PB | 927,00 | 1.121,67 |
| | Cosmolite Obsidiana | CO-DE0613PB | 927,00 | 1.121,67 |
| | Glass Inox | GL-DE0613PB | 927,00 | 1.121,67 |
| | Evora Ceramics Dekton | CE/LA-DE0613PB | 927,00 | 1.121,67 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0643PB | 1.165,00 | 1.409,65 |
| | TopCore / Fenix 10 | TC/FE-SON-0613PB | 863,00 | 1.044,23 |
| | Solid Wood | MH-SON-0613PB | 863,00 | 1.044,23 |
| undermount | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0643PB | 958,00 | 1.159,18 |
| | Solid Surface | SS-OND-DE0643PB | 1.015,00 | 1.228,15 |
| | Solid Wood | MH-OND-0643PB | 958,00 | 1.159,18 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643PB | 1.130,00 | 1.367,30 |
| | Cosmolite Obsidiana | CO-OND-DE0643PB | 1.130,00 | 1.367,30 |
| | Glass | GL-OND-DE0643PB | 1.130,00 | 1.367,30 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643PB | 1.130,00 | 1.367,30 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311613PB | 650,00 | 786,50 |
| service parts | | | | |
| | Strainer plug stainless steel | 881026 | 25,00 | 30,25 |
| | Overflow plate | 881027 | 20,00 | 24,20 |
| | Drain set | 881028 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Insert tray | 311551PB | 189,00 | 228,69 |
| | Bottom rack | 311560PB | 82,00 | 99,22 |





Lanesto Urban 400 x 400 Sturdy Black, flush mounting method

Lanesto Urban 400x400 Sturdy Black (613SB/643SB)


Description

| | | |
|------------------------|------------------------|------------------------------------|
| Front: | <i>flush-mounted</i> | 60 mm (with stainless steel 80 mm) |
| | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 450 mm* |


PVC sink, complete with basket strainer and deluxe overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0613SB | 892,00 | 1.079,32 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613SB | 948,00 | 1.147,08 |
| | Solid Surface | SS-DE0613SB | 1.012,00 | 1.224,52 |
| | Evora Quartz Evora Granite | CO/GR-DE0613SB | 1.012,00 | 1.224,52 |
| | Cosmolite Obsidiana | CO-DE0613SB | 1.012,00 | 1.224,52 |
| | Glass Inox | GL-DE0613SB | 1.012,00 | 1.224,52 |
| | Evora Ceramics Dekton | CE/LA-DE0613SB | 1.012,00 | 1.224,52 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0643SB | 1.250,00 | 1.512,50 |
| | TopCore / Fenix 10 | TC/FE-SON-0613SB | 948,00 | 1.147,08 |
| | Solid Wood | MH-SON-0613SB | 948,00 | 1.147,08 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0643SB | 1.043,00 | 1.262,03 |
| | Solid Surface | SS-OND-DE0643SB | 1.100,00 | 1.331,00 |
| | Solid Wood | MH-OND-0643SB | 1.043,00 | 1.262,03 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643SB | 1.215,00 | 1.470,15 |
| | Cosmolite Obsidiana | CO-OND-DE0643SB | 1.215,00 | 1.470,15 |
| | Glass | GL-OND-DE0643SB | 1.215,00 | 1.470,15 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643SB | 1.215,00 | 1.470,15 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311613SB | 735,00 | 889,35 |
| service parts | | | | |
| | Strainer plug stainless steel | 881024 | 30,00 | 36,30 |
| | Overflow plate | 881025 | 24,00 | 29,04 |
| | Drain set | 881023 | 54,00 | 65,34 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300079 | 95,00 | 114,95 |
| | Insert tray | 311551SB | 231,00 | 279,51 |
| | Bottom rack | 311560SB | 113,00 | 136,73 |





Lanesto Urban 400 x 400 Rose Copper, semi-undermount method

Lanesto Urban 400 x 400 Rose Copper (613RC/643RC)



Description

- Front: flush-mounted 60 mm (with stainless steel 80 mm)
- semi-undermount 80 mm
- Undermount 90 mm
- Minimum cabinet width: 450 mm*

PVC sink, complete with basket strainer and deluxe overflow.


*In case of flush installation, cut the carcass to mount the necessary clamps.


For explanation, see p.17.3



Available from second quarter 2024

| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0613RC | 742,00 | 897,82 |
| | TopCore / Fenix 10 | TC/FE-VIB-0613RC | 798,00 | 965,58 |
| | Solid Surface | SS-DE0613RC | 862,00 | 1.043,02 |
| | Evora Quartz Evora Granite | CO/GR-DE0613RC | 862,00 | 1.043,02 |
| | Cosmolite Obsidiana | CO-DE0613RC | 862,00 | 1.043,02 |
| | Glass Inox | GL-DE0613RC | 862,00 | 1.043,02 |
| | Evora Ceramics Dekton | CE/LA-DE0613RC | 862,00 | 1.043,02 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0643RC | 1.100,00 | 1.331,00 |
| | TopCore / Fenix 10 | TC/FE-SON-0613RC | 798,00 | 965,58 |
| | Solid Wood | MH-SON-0613RC | 798,00 | 965,58 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0643RC | 893,00 | 1.080,53 |
| | Solid Surface | SS-OND-DE0643RC | 950,00 | 1.149,50 |
| | Solid Wood | MH-OND-0643RC | 893,00 | 1.080,53 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0643RC | 1.065,00 | 1.288,65 |
| | Cosmolite Obsidiana | CO-OND-DE0643RC | 1.065,00 | 1.288,65 |
| | Glass | GL-OND-DE0643RC | 1.065,00 | 1.288,65 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0643RC | 1.065,00 | 1.288,65 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311613RC | 585,00 | 707,85 |
| service parts | | | | |
| | Strainer plug stainless steel | 881029 | 25,00 | 30,25 |
| | Overflow plate | 881030 | 20,00 | 24,20 |
| | Drain set | 881031 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300074 | 95,00 | 114,95 |
| | Insert tray | 311551RC | 170,00 | 205,70 |
| | Bottom rack | 311560RC | 82,00 | 99,22 |






Sink Lanesto Urban 500 x 400 Gun Metal, flush mounting method

Lanesto Urban 500x400 Gunmetal (615GM/645GM)


Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0615GM | 832,00 | 1.006,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615GM | 924,00 | 1.118,04 |
| | Solid Surface | SS-DE0615GM | 981,00 | 1.187,01 |
| | Evora Quartz Evora Granite | CO/GR-DE0615GM | 981,00 | 1.187,01 |
| | Cosmolite Obsidiana | CO-DE0615GM | 981,00 | 1.187,01 |
| | Glass Inox | GL-DE0615GM | 981,00 | 1.187,01 |
| | Evora Ceramics Dekton | CE/LA-DE0615GM | 981,00 | 1.187,01 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0645GM | 1.131,00 | 1.368,51 |
| | TopCore / Fenix 10 | TC/FE-SON-0615GM | 924,00 | 1.118,04 |
| | Solid Wood | MH-SON-0615GM | 924,00 | 1.118,04 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0645GM | 924,00 | 1.118,04 |
| | Solid Surface | SS-OND-DE0645GM | 981,00 | 1.187,01 |
| | Solid Wood | MH-OND-0645GM | 924,00 | 1.118,04 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645GM | 1.216,00 | 1.471,36 |
| | Cosmolite Obsidiana | CO-OND-DE0645GM | 1.216,00 | 1.471,36 |
| | Glass | GL-OND-DE0645GM | 1.216,00 | 1.471,36 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645GM | 1.216,00 | 1.471,36 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311615GM | 616,00 | 745,36 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |
| | Insert tray | 311551GM | 170,00 | 205,70 |
| | Bottom rack | 311561GM | 94,00 | 113,74 |







Sink Lanesto Urban 500 x 400 Copper, semi-undermount method

Lanesto Urban 500 x 400 Copper (615CP/645CP)


Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0615CP | 832,00 | 1.006,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615CP | 924,00 | 1.118,04 |
| | Solid Surface | SS-DE0615CP | 981,00 | 1.187,01 |
| | Evora Quartz Evora Granite | CO/GR-DE0615CP | 981,00 | 1.187,01 |
| | Cosmolite Obsidiana | CO-DE0615CP | 981,00 | 1.187,01 |
| | Glass Inox | GL-DE0615CP | 981,00 | 1.187,01 |
| | Evora Ceramics Dekton | CE/LA-DE0615CP | 981,00 | 1.187,01 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0645CP | 1.131,00 | 1.368,51 |
| | TopCore / Fenix 10 | TC/FE-SON-0615CP | 924,00 | 1.118,04 |
| | Solid Wood | MH-SON-0615CP | 924,00 | 1.118,04 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0645CP | 924,00 | 1.118,04 |
| | Solid Surface | SS-OND-DE0645CP | 981,00 | 1.187,01 |
| | Solid Wood | MH-OND-0645CP | 924,00 | 1.118,04 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645CP | 1.216,00 | 1.471,36 |
| | Cosmolite Obsidiana | CO-OND-DE0645CP | 1.216,00 | 1.471,36 |
| | Glass | GL-OND-DE0645CP | 1.216,00 | 1.471,36 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645CP | 1.216,00 | 1.471,36 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311615CP | 616,00 | 745,36 |
| service parts | | | | |
| | Strainer plug stainless steel | 881018 | 25,00 | 30,25 |
| | Overflow plate | 881007 | 20,00 | 24,20 |
| | Drain set | 881015 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300077 | 95,00 | 114,95 |
| | Insert tray | 311551CP | 170,00 | 205,70 |
| | Bottom rack | 311561CP | 94,00 | 113,74 |






Sink Lanesto Urban 500 x 400 Gold, full undermount method

Lanesto Urban 500x400 Gold (615GO/645GO)



Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0615GO | 832,00 | 1.006,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615GO | 924,00 | 1.118,04 |
| | Solid Surface | SS-DE0615GO | 981,00 | 1.187,01 |
| | Evora Quartz Evora Granite | CO/GR-DE0615GO | 981,00 | 1.187,01 |
| | Cosmolite Obsidiana | CO-DE0615GO | 981,00 | 1.187,01 |
| | Glass Inox | GL-DE0615GO | 981,00 | 1.187,01 |
| | Evora Ceramics Dekton | CE/LA-DE0615GO | 981,00 | 1.187,01 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0645GO | 1.131,00 | 1.368,51 |
| | TopCore / Fenix 10 | TC/FE-SON-0615GO | 924,00 | 1.118,04 |
| | Solid Wood | MH-SON-0615GO | 924,00 | 1.118,04 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0645GO | 924,00 | 1.118,04 |
| | Solid Surface | SS-OND-DE0645GO | 981,00 | 1.187,01 |
| | Solid Wood | MH-OND-0645GO | 924,00 | 1.118,04 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645GO | 1.216,00 | 1.471,36 |
| | Cosmolite Obsidiana | CO-OND-DE0645GO | 1.216,00 | 1.471,36 |
| | Glass | GL-OND-DE0645GO | 1.216,00 | 1.471,36 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645GO | 1.216,00 | 1.471,36 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311615GO | 616,00 | 745,36 |
| service parts | | | | |
| | Strainer plug stainless steel | 881019 | 25,00 | 30,25 |
| | Overflow plate | 881008 | 20,00 | 24,20 |
| | Drain set | 881016 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300078 | 95,00 | 114,95 |
| | Insert tray | 311551GO | 170,00 | 205,70 |
| | Bottom rack | 311561GO | 94,00 | 113,74 |







Lanesto Urban 500 x 400 Patinated Brass, flush mount method




Lanesto Urban 500 x 400 Patinated Brass (615PB/645PB)


Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0615PB | 897,00 | 1.085,37 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615PB | 989,00 | 1.196,69 |
| | Solid Surface | SS-DE0615PB | 1.046,00 | 1.265,66 |
| | Evora Quartz Evora Granite | CO/GR-DE0615PB | 1.046,00 | 1.265,66 |
| | Cosmolite Obsidiana | CO-DE0615PB | 1.046,00 | 1.265,66 |
| | Glass Inox | GL-DE0615PB | 1.046,00 | 1.265,66 |
| | Evora Ceramics Dekton | CE/LA-DE0615PB | 1.046,00 | 1.265,66 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0645PB | 1.196,00 | 1.447,16 |
| | TopCore / Fenix 10 | TC/FE-SON-0615PB | 989,00 | 1.196,69 |
| | Solid Wood | MH-SON-0615PB | 989,00 | 1.196,69 |
| Undermount | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0645PB | 989,00 | 1.196,69 |
| | Solid Surface | SS-OND-DE0645PB | 1.046,00 | 1.265,66 |
| | Solid Wood | MH-OND-0645PB | 989,00 | 1.196,69 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645PB | 1.281,00 | 1.550,01 |
| | Cosmolite Obsidiana | CO-OND-DE0645PB | 1.281,00 | 1.550,01 |
| | Glass | GL-OND-DE0645PB | 1.281,00 | 1.550,01 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645PB | 1.281,00 | 1.550,01 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311615PB | 681,00 | 824,01 |
| service parts | | | | |
| | Strainer plug stainless steel | 881026 | 25,00 | 30,25 |
| | Overflow plate | 881027 | 20,00 | 24,20 |
| | Drain set | 881028 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Insert tray | 311551PB | 189,00 | 228,69 |
| | Bottom rack | 311561PB | 94,00 | 113,74 |






Lanesto Urban 500 x 400 Sturdy Black, flush mounting method

Lanesto Urban 500x400 Sturdy Black (615SB/645SB)


Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0615SB | 982,00 | 1.188,22 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615SB | 1.074,00 | 1.299,54 |
| | Solid Surface | SS-DE0615SB | 1.131,00 | 1.368,51 |
| | Evora Quartz Evora Granite | CO/GR-DE0615SB | 1.131,00 | 1.368,51 |
| | Cosmolite Obsidiana | CO-DE0615SB | 1.131,00 | 1.368,51 |
| | Glass Inox | GL-DE0615SB | 1.131,00 | 1.368,51 |
| | Evora Ceramics Dekton | CE/LA-DE0615SB | 1.131,00 | 1.368,51 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0645SB | 1.281,00 | 1.550,01 |
| | TopCore / Fenix 10 | TC/FE-SON-0615SB | 1.074,00 | 1.299,54 |
| | Solid Wood | MH-SON-0615SB | 1.074,00 | 1.299,54 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0645SB | 1.074,00 | 1.299,54 |
| | Solid Surface | SS-OND-DE0645SB | 1.131,00 | 1.368,51 |
| | Solid Wood | MH-OND-0645SB | 1.074,00 | 1.299,54 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645SB | 1.366,00 | 1.652,86 |
| | Cosmolite Obsidiana | CO-OND-DE0645SB | 1.366,00 | 1.652,86 |
| | Glass | GL-OND-DE0645SB | 1.366,00 | 1.652,86 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645SB | 1.366,00 | 1.652,86 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311615SB | 766,00 | 926,86 |
| service parts | | | | |
| | Strainer plug stainless steel | 881024 | 30,00 | 36,30 |
| | Overflow plate | 881025 | 24,00 | 29,04 |
| | Drain set | 881023 | 54,00 | 65,34 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300079 | 95,00 | 114,95 |
| | Insert tray | 311551SB | 231,00 | 279,51 |
| | Bottom rack | 311561SB | 125,00 | 151,25 |







Lanesto Urban 500 x 400 Rose Copper, flush mount method

Lanesto Urban 500 x 400 Rose Copper (615RC/645RC)

Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 600 mm

PVC sink, complete with basket strainer and deluxe overflow.




17

Lanesto



Available from second quarter 2024

| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0615RC | 832,00 | 1.006,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0615RC | 924,00 | 1.118,04 |
| | Solid Surface | SS-DE0615RC | 981,00 | 1.187,01 |
| | Evora Quartz Evora Granite | CO/GR-DE0615RC | 981,00 | 1.187,01 |
| | Cosmolite Obsidiana | CO-DE0615RC | 981,00 | 1.187,01 |
| | Glass Inox | GL-DE0615RC | 981,00 | 1.187,01 |
| | Evora Ceramics Dekton | CE/LA-DE0615RC | 981,00 | 1.187,01 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0645RC | 1.131,00 | 1.368,51 |
| | TopCore / Fenix 10 | TC/FE-SON-0615RC | 924,00 | 1.118,04 |
| | Solid Wood | MH-SON-0615RC | 924,00 | 1.118,04 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0645RC | 924,00 | 1.118,04 |
| | Solid Surface | SS-OND-DE0645RC | 981,00 | 1.187,01 |
| | Solid Wood | MH-OND-0645RC | 924,00 | 1.118,04 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0645RC | 1.216,00 | 1.471,36 |
| | Cosmolite Obsidiana | CO-OND-DE0645RC | 1.216,00 | 1.471,36 |
| | Glass | GL-OND-DE0645RC | 1.216,00 | 1.471,36 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0645RC | 1.216,00 | 1.471,36 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311615RC | 616,00 | 745,36 |
| service parts | | | | |
| | Strainer plug stainless steel | 881029 | 25,00 | 30,25 |
| | Overflow plate | 881030 | 20,00 | 24,20 |
| | Drain set | 881031 | 41,00 | 49,61 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300074 | 95,00 | 114,95 |
| | Insert tray | 311551RC | 170,00 | 205,70 |
| | Bottom rack | 311561RC | 94,00 | 113,74 |





Lanesto Urban 740x400 Sturdy Black, flush mount method


Lanesto Urban 740x400 Sturdy Black (616SB)

Description


Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 800* mm

ceramic-pvd sink, complete with basket strainer and deluxe overflow.

*For flush-mounted installation, cut into the cabinet because of the necessary clamps. See p.17.3 for explanation



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0616SB | 1.022,00 | 1.236,62 |
| | TopCore / Fenix 10 | TC/FE-VIB-0616SB | 1.114,00 | 1.347,94 |
| | Solid Surface | SS-VIB-DE0616SB | 1.171,00 | 1.416,91 |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0616SB | 1.171,00 | 1.416,91 |
| | Cosmolite Obsidiana | CO-VIB-DE0616SB | 1.171,00 | 1.416,91 |
| | Glass Inox | GL-VIB-DE0616SB | 1.171,00 | 1.416,91 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0616SB | 1.171,00 | 1.416,91 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0616SB | 1.321,00 | 1.598,41 |
| | TopCore / Fenix 10 | TC/FE-SON-0616SB | 1.114,00 | 1.347,94 |
| | Solid Wood | MH-SON-0616SB | 1.114,00 | 1.347,94 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0616SB | 1.114,00 | 1.347,94 |
| | Solid Surface | SS-OND-DE0616SB | 1.171,00 | 1.416,91 |
| | Solid Wood | MH-OND-0616SB | 1.114,00 | 1.347,94 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0616SB | 1.406,00 | 1.701,26 |
| | Cosmolite Obsidiana | CO-OND-DE0616SB | 1.406,00 | 1.701,26 |
| | Glass | GL-OND-DE0616SB | 1.406,00 | 1.701,26 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0616SB | 1.406,00 | 1.701,26 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311616SB | 806,00 | 975,26 |
| service parts | | | | |
| | Strainer plug stainless steel | 881024 | 30,00 | 36,30 |
| | Overflow plate | 881025 | 24,00 | 29,04 |
| | Drain set | 881023 | 54,00 | 65,34 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300079 | 95,00 | 114,95 |
| | Insert tray | 311551SB | 231,00 | 279,51 |





Sink Lanesto Urban 340 x 400 + 180 x 400 Gun Metal, flush-mount method

Lanesto Urban 340x400 + 180x400 Gunmetal (618GM/648GM)


Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*

PVC sink, complete with basket strainer and deluxe overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3




| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0618GM | 1.150,00 | 1.391,50 |
| | TopCore / Fenix 10 | TC/FE-VIB-0618GM | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-DE0618GM | 1.299,00 | 1.571,79 |
| | Evora Quartz Evora Granite | CO/GR-DE0618GM | 1.299,00 | 1.571,79 |
| | Cosmolite Obsidiana | CO-DE0618GM | 1.299,00 | 1.571,79 |
| | Glass Inox | GL-DE0618GM | 1.299,00 | 1.571,79 |
| | Evora Ceramics Dekton | CE/LA-DE0618GM | 1.299,00 | 1.571,79 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0648GM | 1.449,00 | 1.753,29 |
| | TopCore / Fenix 10 | TC/FE-SON-0618GM | 1.242,00 | 1.502,82 |
| | Solid Wood | MH-SON-0618GM | 1.242,00 | 1.502,82 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0648GM | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-OND-DE0648GM | 1.299,00 | 1.571,79 |
| | Solid Wood | MH-OND-0648GM | 1.242,00 | 1.502,82 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0648GM | 1.534,00 | 1.856,14 |
| | Cosmolite Obsidiana | CO-OND-DE0648GM | 1.534,00 | 1.856,14 |
| | Glass | GL-OND-DE0648GM | 1.534,00 | 1.856,14 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0648GM | 1.534,00 | 1.856,14 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311618GM | 934,00 | 1.130,14 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set (order 2) | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |
| | Insert tray | 311551GM | 170,00 | 205,70 |






Sink Lanesto Urban 340 x 400 + 180 x 400 Copper, semi-undermount method




Lanesto Urban 340 x 400 + 180 x 400 Copper (618CP/648CP) Description



Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*

PVC sink, complete with basket strainer and deluxe overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0618CP | 1.150,00 | 1.391,50 |
| | TopCore / Fenix 10 | TC/FE-VIB-0618CP | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-DE0618CP | 1.299,00 | 1.571,79 |
| | Evora Quartz Evora Granite | CO/GR-DE0618CP | 1.299,00 | 1.571,79 |
| | Cosmolite Obsidiana | CO-DE0618CP | 1.299,00 | 1.571,79 |
| | Glass Inox | GL-DE0618CP | 1.299,00 | 1.571,79 |
| | Evora Ceramics Dekton | CE/LA-DE0618CP | 1.299,00 | 1.571,79 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0648CP | 1.449,00 | 1.753,29 |
| | TopCore / Fenix 10 | TC/FE-SON-0618CP | 1.242,00 | 1.502,82 |
| | Solid Wood | MH-SON-0618CP | 1.242,00 | 1.502,82 |
| undermount | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0648CP | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-OND-DE0648CP | 1.299,00 | 1.571,79 |
| | Solid Wood | MH-OND-0648CP | 1.242,00 | 1.502,82 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0648CP | 1.534,00 | 1.856,14 |
| | Cosmolite Obsidiana | CO-OND-DE0648CP | 1.534,00 | 1.856,14 |
| | Glass | GL-OND-DE0648CP | 1.534,00 | 1.856,14 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0648CP | 1.534,00 | 1.856,14 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311618CP | 934,00 | 1.130,14 |
| service parts | | | | |
| | Strainer plug stainless steel | 881018 | 25,00 | 30,25 |
| | Overflow plate | 881007 | 20,00 | 24,20 |
| | Drain set (order 2) | 881015 | 41,00 | 49,61 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |
| accessories | | | | |
| | Pan grid | 300077 | 95,00 | 114,95 |
| | Insert tray | 311551CP | 170,00 | 205,70 |





Lanesto Urban sink 340 x 400 + 180 x 400 Gold, flush mounting method

Lanesto Urban 340x400 + 180x400 Gold (618GO/648GO)



Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*


PVC sink, complete with basket strainer and deluxe overflow.

*In case of flush installation, cut the carcase to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0618GO | 1.150,00 | 1.391,50 |
| | TopCore / Fenix 10 | TC/FE-VIB-0618GO | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-DE0618GO | 1.299,00 | 1.571,79 |
| | Evora Quartz Evora Granite | CO/GR-DE0618GO | 1.299,00 | 1.571,79 |
| | Cosmolite Obsidiana | CO-DE0618GO | 1.299,00 | 1.571,79 |
| | Glass Inox | GL-DE0618GO | 1.299,00 | 1.571,79 |
| | Evora Ceramics Dekton | CE/LA-DE0618GO | 1.299,00 | 1.571,79 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0648GO | 1.449,00 | 1.753,29 |
| | TopCore / Fenix 10 | TC/FE-SON-0618GO | 1.242,00 | 1.502,82 |
| | Solid Wood | MH-SON-0618GO | 1.242,00 | 1.502,82 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0648GO | 1.242,00 | 1.502,82 |
| | Solid Surface | SS-OND-DE0648GO | 1.299,00 | 1.571,79 |
| | Solid Wood | MH-OND-0648GO | 1.242,00 | 1.502,82 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0648GO | 1.534,00 | 1.856,14 |
| | Cosmolite Obsidiana | CO-OND-DE0648GO | 1.534,00 | 1.856,14 |
| | Glass | GL-OND-DE0648GO | 1.534,00 | 1.856,14 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0648GO | 1.534,00 | 1.856,14 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311618GO | 934,00 | 1.130,14 |
| service parts | | | | |
| | Strainer plug stainless steel | 881019 | 25,00 | 30,25 |
| | Overflow plate | 881008 | 20,00 | 24,20 |
| | Drain set (order 2) | 881016 | 41,00 | 49,61 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |
| accessories | | | | |
| | Pan grid | 300078 | 95,00 | 114,95 |
| | Insert tray | 311551GO | 170,00 | 205,70 |






Lanesto Urban 340x400+180x400 Sturdy Black, flush mount method

Lanesto Urban 340x400+180x400 Sturdy Black (618SB)

Description

Front: flush-mounted 60 mm (with stainless steel 80 mm)
 semi-undermount 80 mm
 Undermount 90 mm
 Minimum cabinet width: 600 mm*

ceramic-pvd sink, complete with basket strainer and deluxe overflow.
 *For flush-mounted installation, cut into the cabinet because of the necessary clamps. See p.17.3 for explanation



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0618SB | 1.300,00 | 1.573,00 |
| | TopCore / Fenix 10 | TC/FE-VIB-0618SB | 1.392,00 | 1.684,32 |
| | Solid Surface | SS-DE0618SB | 1.449,00 | 1.753,29 |
| | Evora Quartz Evora Granite | CO/GR-DE0618SB | 1.449,00 | 1.753,29 |
| | Cosmolite Obsidiana | CO-VIB-DE0618SB | 1.449,00 | 1.753,29 |
| | Glass Inox | GL-DE0618SB | 1.449,00 | 1.753,29 |
| | Evora Ceramics Dekton | CE/LA-DE0618SB | 1.449,00 | 1.753,29 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0648SB | 1.599,00 | 1.934,79 |
| | TopCore / Fenix 10 | TC/FE-SON-0618SB | 1.392,00 | 1.684,32 |
| | Solid Wood | MH-SON-0618SB | 1.392,00 | 1.684,32 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0648SB | 1.392,00 | 1.684,32 |
| | Solid Surface | SS-DE0618SB | 1.449,00 | 1.753,29 |
| | Solid Wood | MH-OND-0648SB | 1.392,00 | 1.684,32 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0648SB | 1.684,00 | 2.037,64 |
| | Cosmolite Obsidiana | CO-OND-DE0618SB | 1.684,00 | 2.037,64 |
| | Glass | GL-OND-DE0648SB | 1.684,00 | 2.037,64 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0648SB | 1.684,00 | 2.037,64 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Separate sink | 311618SB | 1.084,00 | 1.311,64 |
| service parts | | | | |
| | Strainer plug stainless steel | 881024 | 30,00 | 36,30 |
| | Overflow plate | 881025 | 24,00 | 29,04 |
| | Drain set (order 2) | 881023 | 54,00 | 65,34 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| accessories | | | | |
| | Pan grid | 300079 | 95,00 | 114,95 |
| | Insert tray | 311551SB | 231,00 | 279,51 |






Lanesto Urban 340 x 400 + 340 x 400 Gun Metal, flush mount method

Lanesto Urban 340x400 + 340x400 Gunmetal (620GM) Description



- Front: flush-mounted 60 mm (with stainless steel 80 mm)
- semi-undermount 80 mm
- Undermount 90 mm
- Minimum cabinet width: 800 mm*

PVC sink, complete with basket strainer and deluxe overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0620GM | 1.215,00 | 1.470,15 |
| | TopCore / Fenix 10 | TC/FE-VIB-0620GM | 1.307,00 | 1.581,47 |
| | Solid Surface | SS-VIB-DE0620GM | 1.364,00 | 1.650,44 |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0620GM | 1.364,00 | 1.650,44 |
| | Cosmolite Obsidiana | CO-VIB-DE0620GM | 1.364,00 | 1.650,44 |
| | Glass Inox | GL-VIB-DE0620GM | 1.364,00 | 1.650,44 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0620GM | 1.364,00 | 1.650,44 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0620GM | 1.514,00 | 1.831,94 |
| | TopCore / Fenix 10 | TC/FE-SON-0620GM | 1.307,00 | 1.581,47 |
| | Solid Wood | MH-SON-0620GM | 1.307,00 | 1.581,47 |
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0620GM | 1.307,00 | 1.581,47 |
| | Solid Surface | SS-OND-DE0620GM | 1.364,00 | 1.650,44 |
| | Solid Wood | MH-OND-0620GM | 1.307,00 | 1.581,47 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0620GM | 1.599,00 | 1.934,79 |
| | Cosmolite Obsidiana | CO-OND-DE0620GM | 1.599,00 | 1.934,79 |
| | Glass | GL-OND-DE0620GM | 1.599,00 | 1.934,79 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0620GM | 1.599,00 | 1.934,79 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311620GM | 999,00 | 1.208,79 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set (order 2) | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |
| accessories | | | | |
| | Pan grid | 300076 | 95,00 | 114,95 |
| | Insert tray | 311551GM | 170,00 | 205,70 |






Lanesto Urban 340x400+340x400 Sturdy Black, flush mount method




Lanesto Urban 340x400+340x400 Sturdy Black (620SB)

Description

- Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
- semi-undermount* 80 mm
- Undermount* 90 mm
- Minimum cabinet width: 800 mm*

ceramic-pvd sink, complete with basket strainer and deluxe overflow.
 *For flush-mounted installation, cut into the cabinet because of the necessary clamps. See p.17.3 for explanation



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|--------------------|-----------|-----------------|
| flush installation | | | | |
|  | TopLaminate DecorTop Fenix 0.9 | SDE-0620SB | 1.365,00 | 1.651,65 |
| | TopCore / Fenix 10 | TC/FE-VIB-0620SB | 1.457,00 | 1.762,97 |
| | Solid Surface | SS-VIB-DE0620SB | 1.514,00 | 1.831,94 |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0620SB | 1.514,00 | 1.831,94 |
| | Cosmolite Obsidiana | CO-VIB-DE0620SB | 1.514,00 | 1.831,94 |
| | Glass Inox | GL-VIB-DE0620SB | 1.514,00 | 1.831,94 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0620SB | 1.514,00 | 1.831,94 |
| semi-undermount | | | | |
|  | Straight plywood | HPL-OND-0620SB | 1.664,00 | 2.013,44 |
| | TopCore / Fenix 10 | TC/FE-SON-0620SB | 1.457,00 | 1.762,97 |
| | Solid Wood | MH-SON-0620SB | 1.457,00 | 1.762,97 |
| under-mounted | | | | |
|  | TopCore / Fenix 10 | TC/FE-OND-0620SB | 1.457,00 | 1.762,97 |
| | Solid Surface | SS-OND-DE0620SB | 1.514,00 | 1.831,94 |
| | Solid Wood | MH-OND-0620SB | 1.457,00 | 1.762,97 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0620SB | 1.749,00 | 2.116,29 |
| | Cosmolite Obsidiana | CO-OND-DE0620SB | 1.749,00 | 2.116,29 |
| | Glass | GL-OND-DE0620SB | 1.749,00 | 2.116,29 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0620SB | 1.749,00 | 2.116,29 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Separate sink | 311620SB | 1.149,00 | 1.390,29 |
| service parts | | | | |
| | Strainer plug stainless steel | 881017 | 25,00 | 30,25 |
| | Overflow plate | 881006 | 20,00 | 24,20 |
| | Drain set (order 2) | 881014 | 41,00 | 49,61 |
| | Space-saving siphon | 240070 | 29,00 | 35,09 |
| accessories | | | | |
| | Pan grid | 300079 | 95,00 | 114,95 |
| | Insert tray | 311551SB | 231,00 | 279,51 |






Lanesto Lyse Foggy Black sink, flush mounting method

Lanesto Lyse Foggy Black 430 x 370 (606/626) **Description**



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

Fybertec sink, complete with black basket plug and luxury overflow. Also suitable as a surface-mounted sink.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SDE-0606 | 540,00 | 653,40 |
| | TopCore / Fenix 10 | TC/FE-VIB-0606 | 691,00 | 836,11 |
| | Solid Surface | SS-DE0606 | 748,00 | 905,08 |
| | Evora Quartz Evora Granite | CO/GR-DE0606 | 748,00 | 905,08 |
| | Cosmolite Obsidiana | CO-DE0606 | 748,00 | 905,08 |
| | Glass Inox | GL-DE0606 | 748,00 | 905,08 |
| | Evora Ceramics Dekton | CE/LA-DE0606 | 748,00 | 905,08 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0626 | 898,00 | 1.086,58 |
| | TopCore / Fenix 10 | TC/FE-SON-0606 | 691,00 | 836,11 |
| | Solid Wood | MH-SON-0606 | 691,00 | 836,11 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0626 | 691,00 | 836,11 |
| | Solid Surface | SS-OND-DE0626 | 748,00 | 905,08 |
| | Solid Wood | MH-OND-0626 | 691,00 | 836,11 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0626 | 863,00 | 1.044,23 |
| | Cosmolite Obsidiana | CO-OND-DE0626 | 863,00 | 1.044,23 |
| | Glass | GL-OND-DE0626 | 863,00 | 1.044,23 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0626 | 863,00 | 1.044,23 |
| <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | | |
| separate sink | | | | |
| | Superstructure/substructure* | 311626 | 383,00 | 463,43 |
| service parts | | | | |
| | Strainer plug stainless steel | 240019 | 25,00 | 30,25 |
| | Overflow plate | 240038 | 19,00 | 22,99 |
| | Drain set | 240029 | 49,00 | 59,29 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

* The flush-mounted version is not sold separately due to extra processing on the sink (only in combination with a worktop).

Lanesto Sogne 2.0 400 x 380 black (662)




Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>flush-mounted</i> | 80 mm |
| | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 500 mm |

Quartztec sink, complete with black, semi-integrated basket plug and luxury wall overflow. Also suitable as a surface-mounted sink.

Note: mounting of a support set is mandatory for flush mount and (semi)-undermount. This is included (not included in the price), unless only a separate sink (311662ZVIB/OPB) is ordered.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|-------------------------------|-------------------|-----------|-----------------|
| flush installation | | | | |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0662Z | 707,00 | 855,47 |
| | Cosmolite Obsidiana | CO-VIB-DE0662Z | 707,00 | 855,47 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0662Z | 707,00 | 855,47 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0662Z | 945,00 | 1.143,45 |
| | TopCore / Fenix 10 | TC/FE-SON-0662Z | 643,00 | 778,03 |
| | Solid Wood | MH-SON-0662Z | 643,00 | 778,03 |
| Undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0662Z | 738,00 | 892,98 |
| | Solid Surface | SS-OND-DE0662Z | 795,00 | 961,95 |
| | Solid Wood | MH-OND-0662Z | 738,00 | 892,98 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0662Z | 910,00 | 1.101,10 |
| | Cosmolite Obsidiana | CO-OND-DE0662Z | 910,00 | 1.101,10 |
| | Glass | GL-OND-DE0662Z | 910,00 | 1.101,10 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0662Z | 910,00 | 1.101,10 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| separate sink | | | | |
| | Flush-mounted | 311662ZVIB | 430,00 | 520,30 |
| | Superstructure/substructure | 311662ZOPB | 430,00 | 520,30 |
| service parts | | | | |
| | Strainer plug stainless steel | 240019 | 25,00 | 30,25 |
| | Overflow plate | 240038 | 19,00 | 22,99 |
| | Drain set | 240053 | 48,00 | 58,08 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Sogne 2.0 500 x 380 black (663)




Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>flush-mounted</i> | 80 mm |
| | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Quartztec sink, complete with black, semi-integrated basket plug and luxury wall overflow. Also suitable as a surface-mounted sink.

Note: mounting of a support set is mandatory for flush mount and (semi)-undermount. This is included (not included in the price), unless only a separate sink (311663ZVIB/OPB) is ordered.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|---|-------------------|-----------|-----------------|
| flush installation | | | | |
| | Evora Quartz Evora Granite | CO/GR-VIB-DE0663Z | 810,00 | 980,10 |
| | Cosmolite Obsidiana | CO-VIB-DE0663Z | 810,00 | 980,10 |
| | Evora Ceramics Dekton | CE/LA-VIB-DE0663Z | 810,00 | 980,10 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0663Z | 960,00 | 1.161,60 |
| | TopCore / Fenix 10 | TC/FE-SON-0663Z | 753,00 | 911,13 |
| | Solid Wood | MH-SON-0663Z | 753,00 | 911,13 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0663Z | 753,00 | 911,13 |
| | Solid Surface | SS-OND-DE0663Z | 810,00 | 980,10 |
| | Solid Wood | MH-OND-0663Z | 753,00 | 911,13 |
| | Evora Quartz Evora Granite | CO/GR-OND-DE0663Z | 1.045,00 | 1.264,45 |
| | Cosmolite Obsidiana | CO-OND-DE0663Z | 1.045,00 | 1.264,45 |
| | Glass | GL-OND-DE0663Z | 1.045,00 | 1.264,45 |
| | Evora Ceramics * Dekton * | CE/LA-OND-DE0663Z | 1.045,00 | 1.264,45 |
| | <i>* Note: increased risk of damage from use due to chipping at the sink edge</i> | | | |
| separate sink | | | | |
| | Flush-mounted | 311663ZVIB | 445,00 | 538,45 |
| | Superstructure/substructure | 311663ZOPB | 445,00 | 538,45 |
| service parts | | | | |
| | Strainer plug stainless steel | 240019 | 25,00 | 30,25 |
| | Overflow plate | 240038 | 19,00 | 22,99 |
| | Drain set | 240053 | 48,00 | 58,08 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Corian 965




Description


Front: 90 mm
 Minimum cabinet width: 450 mm

Complete with strainer plug and overflow


Note: not suitable in combination with boiling water (tap)




sink only possible in the colours mentioned below



Glacier White



Designer White

| installation method | material | order no. | excl. VAT | incl. VAT |
|---|----------------|------------|-----------|-----------------|
| glued seamlessly  | Glacier White | HM-CO965GW | 1.415,00 | 1.712,15 |
| | Designer White | HM-CO965DW | 1.415,00 | 1.712,15 |

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

Corian 970




Description


Front: 90 mm
 Minimum cabinet width: 600 mm

Complete with strainer plug and overflow


Note: not suitable in combination with boiling water (tap)



sink only possible in the colours mentioned below



Glacier White



Designer White

| installation method | material | order no. | excl. VAT | incl. VAT |
|---|----------------|------------|-----------|-----------------|
| glued seamlessly  | Glacier White | HM-CO970GW | 1.616,00 | 1.955,36 |
| | Designer White | HM-CO970DW | 1.616,00 | 1.955,36 |

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|



Sink Fenix 500 x 400 Ghost White semi-undermount method


Fenix 500 x 400



Description

Front: *semi-undermount* 90 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm
 Complete with stainless steel power plug, wall overflow and siphon

Attention:
 > Installation of the supplied support set (not included in the price) is mandatory.



Improved version!
 now possible with boiling water faucet.

sink only possible in the colours mentioned below



* These sinks are not in stock. Delivery time approximately 6 weeks

| installation method | material | order no. | excl. VAT | incl. VAT |
|------------------------|----------------|-----------------|-----------|-----------------|
| semi-undermount | | | | |
| | Beige Arizona | FE-SON-5040-BEA | 1.629,00 | 1.971,09 |
| | Bold Black | FE-SON-5040-BOB | 1.513,00 | 1.830,73 |
| | Cast Iron | FE-SON-5040-CAI | 1.513,00 | 1.830,73 |
| | Castoro Ottawa | FE-SON-5040-CAO | 1.629,00 | 1.971,09 |
| | Forest Green | FE-SON-5040-FOG | 1.629,00 | 1.971,09 |
| | Ghost White | FE-SON-5040-GOW | 1.513,00 | 1.830,73 |
| | Gray Land | FE-SON-5040-GRL | 1.629,00 | 1.971,09 |
| | Night Blue | FE-SON-5040-NIB | 1.629,00 | 1.971,09 |
| | Pure Brown | FE-SON-5040-PUB | 1.629,00 | 1.971,09 |
| undermount | | | | |
| | Beige Arizona | FE-OND-5040-BEA | 1.629,00 | 1.971,09 |
| | Bold Black | FE-OND-5040-BOB | 1.513,00 | 1.830,73 |
| | Cast Iron | FE-OND-5040-CAI | 1.513,00 | 1.830,73 |
| | Castoro Ottawa | FE-OND-5040-CAO | 1.629,00 | 1.971,09 |
| | Forest Green | FE-OND-5040-FOG | 1.629,00 | 1.971,09 |
| | Ghost White | FE-OND-5040-GOW | 1.513,00 | 1.830,73 |
| | Gray Land | FE-OND-5040-GRL | 1.629,00 | 1.971,09 |
| | Night Blue | FE-OND-5040-NIB | 1.629,00 | 1.971,09 |
| | Pure Brown | FE-OND-5040-PUB | 1.629,00 | 1.971,09 |

service parts

| | | | |
|---------------------|--------------|-------|---------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Stone 450 flat base



Description

Front: *idefault* 90 mm
under-mounted 90 mm
 Minimum cabinet width: 500 mm

Stone sink complete with basket strainer and overflow. Without slope.
 Available in all countertop colors.
Suitable in combination with boiling water tap, with the exception of the composite version.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| mitered | | | | |
|---------|----------------|------------------|----------|-----------------|
| | Evora Quartz | CO-4542VERSTEK | 2.010,00 | 2.432,10 |
| | Evora Granite | GR12-4542VERSTEK | 2.010,00 | 2.432,10 |
| | Cosmolite | CO-4542VERSTEK | 2.010,00 | 2.432,10 |
| | Obsidiana | CO-4542VERSTEK | 2.010,00 | 2.432,10 |
| | Evora Ceramics | CER-4542VERSTEK | 2.010,00 | 2.432,10 |
| | Dekton | DE-4542VERSTEK | 2.010,00 | 2.432,10 |

| Undermount | | | | |
|------------|------------------|----------------|----------|-----------------|
| | Evora Quartz | CO-4542STEEN | 1.475,00 | 1.784,75 |
| | Evora Granite | GR12-4542STEEN | 1.475,00 | 1.784,75 |
| | Cosmolite | CO-4542STEEN | 1.475,00 | 1.784,75 |
| | Obsidiana | CO-4542STEEN | 1.475,00 | 1.784,75 |
| | Evora Ceramics * | CER-4542STEEN | 1.475,00 | 1.784,75 |
| | Dekton * | DE-4542STEEN | 1.475,00 | 1.784,75 |

* Note: increased risk of damage from use due to chipping at the sink edge

This sink can also be combined with a pvd drain set.
 You need to order this extra (see service parts below).

separate sink

| | | | | |
|--|---------------|------------|--------|-----------------|
| | Separate sink | xx-4542LOS | 995,00 | 1.203,95 |
|--|---------------|------------|--------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| Drain set Copper | 240039CP | 74,00 | 89,54 |
| Drain set Gold | 240039GO | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Stone 450 envelope bottom




Description

Front: *idefault* 90 mm
Undermount 90 mm
 Minimum cabinet width: 500 mm

Stone sink complete with basket plug and overflow
 Available in all worktop colors.

Suitable in combination with boiling water tap, with the exception of the composite version.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------|-------------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-4542EVERSTEK | 2.210,00 | 2.674,10 |
| | Evora Granite | GR12-4542EVERSTEK | 2.210,00 | 2.674,10 |
| | Cosmolite | CO-4542EVERSTEK | 2.210,00 | 2.674,10 |
| | Obsidiana | CO-4542EVERSTEK | 2.210,00 | 2.674,10 |
| | Evora Ceramics | CER-4542EVERSTEK | 2.210,00 | 2.674,10 |
| | Dekton | DE-4542EVERSTEK | 2.210,00 | 2.674,10 |
| undermount | | | | |
| | Evora Quartz | CO-4542ESTEEN | 1.675,00 | 2.026,75 |
| | Evora Granite | GR12-4542ESTEEN | 1.675,00 | 2.026,75 |
| | Cosmolite | CO-4542ESTEEN | 1.675,00 | 2.026,75 |
| | Obsidiana | CO-4542ESTEEN | 1.675,00 | 2.026,75 |
| | Evora Ceramics * | CER-4542ESTEEN | 1.675,00 | 2.026,75 |
| | Dekton * | DE-4542ESTEEN | 1.675,00 | 2.026,75 |

* Note: increased risk of damage from use due to chipping at the sink edge

**This sink can also be combined with a pvd drain set.
 You need to order this extra (see service parts below).**

| separate sink | | | | |
|----------------------|---------------|-------------|----------|-----------------|
| | Separate sink | xx-4542ELOS | 1.195,00 | 1.445,95 |

| service parts | | | | |
|----------------------|-------------------------------|--------------|-------|---------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| | Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| | Drain set Copper | 240039CP | 74,00 | 89,54 |
| | Drain set Gold | 240039GO | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Stone 500 flat bottom




Description

Front: *idefault* 90 mm
undermount 90 mm
 Minimum cabinet width: 600 mm

Stone sink complete with basket strainer and overflow. Available in all countertop colors.

Suitable in combination with boiling water tap, with the exception of the composite version.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------|------------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-5042VERSTEK | 2.180,00 | 2.637,80 |
| | Evora Granite | GR12-5042VERSTEK | 2.180,00 | 2.637,80 |
| | Cosmolite | CO-5042VERSTEK | 2.180,00 | 2.637,80 |
| | Obsidiana | CO-5042VERSTEK | 2.180,00 | 2.637,80 |
| | Evora Ceramics | CER-5042VERSTEK | 2.180,00 | 2.637,80 |
| | Dekton | DE-5042VERSTEK | 2.180,00 | 2.637,80 |
| Undermount | | | | |
| | Evora Quartz | CO-5042STEEN | 1.635,00 | 1.978,35 |
| | Evora Granite | GR12-5042STEEN | 1.635,00 | 1.978,35 |
| | Cosmolite | CO-5042STEEN | 1.635,00 | 1.978,35 |
| | Obsidiana | CO-5042STEEN | 1.635,00 | 1.978,35 |
| | Evora Ceramics * | CER-5042STEEN | 1.635,00 | 1.978,35 |
| | Dekton * | DE-5042STEEN | 1.635,00 | 1.978,35 |

* Note: increased risk of damage from use due to chipping at the sink edge

**This sink can also be combined with a pvd drain set.
 You need to order this extra (see service parts below).**

separate sink

| | | | | |
|--|---------------|------------|----------|-----------------|
| | Separate sink | xx-5042LOS | 1.035,00 | 1.252,35 |
|--|---------------|------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| Drain set Copper | 240039CP | 74,00 | 89,54 |
| Drain set Gold | 240039GO | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Stone 500 envelope bottom




Description

| | | |
|------------------------|-------------------|--------|
| Front: | <i>idefault</i> | 90 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Stone sink complete with basket plug and overflow
Available in all worktop colors.

Suitable in combination with boiling water tap, with the exception of the composite version.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------|-------------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-5042EVERSTEK | 2.380,00 | 2.879,80 |
| | Evora Granite | GR12-5042EVERSTEK | 2.380,00 | 2.879,80 |
| | Cosmolite | CO-5042EVERSTEK | 2.380,00 | 2.879,80 |
| | Obsidiana | CO-5042EVERSTEK | 2.380,00 | 2.879,80 |
| | Evora Ceramics | CER-5042EVERSTEK | 2.380,00 | 2.879,80 |
| | Dekton | DE-5042EVERSTEK | 2.380,00 | 2.879,80 |
| undermount | | | | |
| | Evora Quartz | CO-5042ESTEEN | 1.835,00 | 2.220,35 |
| | Evora Granite | GR12-5042ESTEEN | 1.835,00 | 2.220,35 |
| | Cosmolite | CO-5042ESTEEN | 1.835,00 | 2.220,35 |
| | Obsidiana | CO-5042ESTEEN | 1.835,00 | 2.220,35 |
| | Evora Ceramics * | CER-5042ESTEEN | 1.835,00 | 2.220,35 |
| | Dekton * | DE-5042ESTEEN | 1.835,00 | 2.220,35 |

* Note: increased risk of damage from use due to chipping at the sink edge

**This sink can also be combined with a pvd drain set.
You need to order this extra (see service parts below).**

separate sink

| | | | | |
|--|---------------|-------------|----------|-----------------|
| | Separate sink | xx-5042ELOS | 1.235,00 | 1.494,35 |
|--|---------------|-------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| Drain set Copper | 240039CP | 74,00 | 89,54 |
| Drain set Gold | 240039GO | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Stone 550 flat bottom




Description

| | | |
|------------------------|-------------------|--------|
| Front: | <i>idefault</i> | 90 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Stone sink complete with basket strainer and overflow. Without slope. Available in all countertop colors.

Suitable in combination with boiling water tap, with the exception of the composite version.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------|------------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-5542VERSTEK | 2.220,00 | 2.686,20 |
| | Evora Granite | GR12-5542VERSTEK | 2.220,00 | 2.686,20 |
| | Cosmolite | CO-5542VERSTEK | 2.220,00 | 2.686,20 |
| | Obsidiana | CO-5542VERSTEK | 2.220,00 | 2.686,20 |
| | Evora Ceramics | CER-5542VERSTEK | 2.220,00 | 2.686,20 |
| | Dekton | DE-5542VERSTEK | 2.220,00 | 2.686,20 |
| undermount | | | | |
| | Evora Quartz | CO-5542STEEN | 1.675,00 | 2.026,75 |
| | Evora Granite | GR12-5542STEEN | 1.675,00 | 2.026,75 |
| | Cosmolite | CO-5542STEEN | 1.675,00 | 2.026,75 |
| | Obsidiana | CO-5542STEEN | 1.675,00 | 2.026,75 |
| | Evora Ceramics * | CER-5542STEEN | 1.675,00 | 2.026,75 |
| | Dekton * | DE-5542STEEN | 1.675,00 | 2.026,75 |

* Note: increased risk of damage from use due to chipping at the sink edge

**This sink can also be combined with a pvd drain set.
You need to order this extra (see service parts below).**

separate sink

| | | | | |
|--|---------------|------------|----------|-----------------|
| | Separate sink | xx-5542LOS | 1.075,00 | 1.300,75 |
|--|---------------|------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240027 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| Drain set Copper | 240039CP | 74,00 | 89,54 |
| Drain set Gold | 240039GO | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Stone 550 envelope bottom




Description

| | | |
|------------------------|-------------------|--------|
| Front: | <i>idefault</i> | 90 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Stone sink complete with basket plug and overflow
Available in all worktop colors.

Suitable in combination with boiling water tap, with the exception of the composite version.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------|-------------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-5542EVERSTEK | 2.420,00 | 2.928,20 |
| | Evora Granite | GR12-5542EVERSTEK | 2.420,00 | 2.928,20 |
| | Cosmolite | CO-5542EVERSTEK | 2.420,00 | 2.928,20 |
| | Obsidiana | CO-5542EVERSTEK | 2.420,00 | 2.928,20 |
| | Evora Ceramics | CER-5542EVERSTEK | 2.420,00 | 2.928,20 |
| | Dekton | DE-5542EVERSTEK | 2.420,00 | 2.928,20 |
| undermount | | | | |
| | Evora Quartz | CO-5542ESTEEN | 1.875,00 | 2.268,75 |
| | Evora Granite | GR12-5542ESTEEN | 1.875,00 | 2.268,75 |
| | Cosmolite | CO-5542ESTEEN | 1.875,00 | 2.268,75 |
| | Obsidiana | CO-5542ESTEEN | 1.875,00 | 2.268,75 |
| | Evora Ceramics * | CER-5542ESTEEN | 1.875,00 | 2.268,75 |
| | Dekton * | DE-5542ESTEEN | 1.875,00 | 2.268,75 |

* Note: increased risk of damage from use due to chipping at the sink edge

**This sink can also be combined with a pvd drain set.
You need to order this extra (see service parts below).**

| separate sink | | | | |
|----------------------|---------------|-------------|----------|-----------------|
| | Separate sink | xx-5542ELOS | 1.275,00 | 1.542,75 |

| service parts | | | | |
|----------------------|-------------------------------|--------------|-------|---------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain kit stainless steel | 240031 | 36,00 | 43,56 |
| | Drain set Gun Metal | 240039GM | 74,00 | 89,54 |
| | Drain set Copper | 240039CP | 74,00 | 89,54 |
| | Drain set Gold | 240039GO | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Idro 400 x 400




Description

| | | |
|------------------------|-------------------|--------|
| Front: | <i>idefault</i> | 90 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 450 mm |

Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is stainless steel. Available in all countertop colors.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|-------------------------------|---------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-400400SV | 1.950,00 | 2.359,50 |
| | Evora Granite | GR12-400400SV | 1.950,00 | 2.359,50 |
| | Cosmolite | CO-400400SV | 1.950,00 | 2.359,50 |
| | Obsidiana | CO-400400SV | 1.950,00 | 2.359,50 |
| | Evora Ceramics | CER-400400SV | 1.950,00 | 2.359,50 |
| | Dekton | DE-400400SV | 1.950,00 | 2.359,50 |
| undermount | | | | |
| | Evora Quartz | CO-400400S | 1.415,00 | 1.712,15 |
| | Evora Granite | CO-400400S | 1.415,00 | 1.712,15 |
| | Cosmolite | CO-400400S | 1.415,00 | 1.712,15 |
| | Obsidiana | GR12-400400S | 1.415,00 | 1.712,15 |
| | Evora Ceramics * | CER-400400S | 1.415,00 | 1.712,15 |
| | Dekton * | DE-400400S | 1.415,00 | 1.712,15 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| glued seamlessly | | | | |
| | Solid Surface | HM-400400S | 1.950,00 | 2.359,50 |
| separate sink | | | | |
| | Separate sink | xx-400400SLOS | 935,00 | 1.131,35 |
| service parts | | | | |
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Idro 400 x 400 - Gun Metal



Description

Front: *idefault* 90 mm
Undermount 90 mm
 Minimum cabinet width: 450 mm

Stone sink complete with Magna and basket strainer and overflow.
 The bottom of the sink is Gun Metal. Available in all worktop colours.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| mitered | | | | |
|---------|----------------|-----------------|----------|-----------------|
| | Evora Quartz | CO-400400GMSV | 2.200,00 | 2.662,00 |
| | Evora Granite | GR12-400400GMSV | 2.200,00 | 2.662,00 |
| | Cosmolite | CO-400400GMSV | 2.200,00 | 2.662,00 |
| | Obsidiana | CO-400400GMSV | 2.200,00 | 2.662,00 |
| | Evora Ceramics | CER-400400GMSV | 2.200,00 | 2.662,00 |
| | Dekton | DE-400400GMSV | 2.200,00 | 2.662,00 |

| undermount | | | | |
|------------|------------------|----------------|----------|-----------------|
| | Evora Quartz | CO-400400GMS | 1.665,00 | 2.014,65 |
| | Evora Granite | GR12-400400GMS | 1.665,00 | 2.014,65 |
| | Cosmolite | CO-400400GMS | 1.665,00 | 2.014,65 |
| | Obsidiana | CO-400400GMS | 1.665,00 | 2.014,65 |
| | Evora Ceramics * | CER-400400GMS | 1.665,00 | 2.014,65 |
| | Dekton * | DE-400400GMS | 1.665,00 | 2.014,65 |

* Note: increased risk of damage from use due to chipping at the sink edge

| glued seamlessly | | | | |
|------------------|---------------|--------------|----------|-----------------|
| | Solid Surface | HM-400400GMS | 2.200,00 | 2.662,00 |

| separate sink | | | | |
|---------------|---------------|-----------------|----------|-----------------|
| | Separate sink | xx-400400GMSLOS | 1.185,00 | 1.433,85 |

| service parts | | | | |
|---------------|-------------------------------|--------------|-------|---------------|
| | Strainer plug stainless steel | 240036GM | 39,00 | 47,19 |
| | Overflow plate | 240048 | 19,00 | 22,99 |
| | Drain set | 240039GM | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Idro 400 x 400 - Copper




Description

Front: *idefault* 90 mm
under-mounted 90 mm
 Minimum cabinet width: 450 mm


Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is Copper. Available in all countertop colors.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|




| | | | | |
|---------|----------------|-----------------|----------|-----------------|
| mitered | Evora Quartz | CO-400400CPSV | 2.200,00 | 2.662,00 |
| | Evora Granite | GR12-400400CPSV | 2.200,00 | 2.662,00 |
| | Cosmolite | CO-400400CPSV | 2.200,00 | 2.662,00 |
| | Obsidiana | CO-400400CPSV | 2.200,00 | 2.662,00 |
| | Evora Ceramics | CER-400400CPSV | 2.200,00 | 2.662,00 |
| | Dekton | DE-400400CPSV | 2.200,00 | 2.662,00 |



| | | | | |
|------------|------------------|----------------|----------|-----------------|
| undermount | Evora Quartz | CO-400400CPS | 1.665,00 | 2.014,65 |
| | Evora Granite | GR12-400400CPS | 1.665,00 | 2.014,65 |
| | Cosmolite | CO-400400CPS | 1.665,00 | 2.014,65 |
| | Obsidiana | CO-400400CPS | 1.665,00 | 2.014,65 |
| | Evora Ceramics * | CER-400400CPS | 1.665,00 | 2.014,65 |
| | Dekton * | DE-400400CPS | 1.665,00 | 2.014,65 |

* Note: increased risk of damage from use due to chipping at the sink edge



| | | | | |
|------------------|---------------|--------------|----------|-----------------|
| glued seamlessly | Solid Surface | HM-400400CPS | 2.200,00 | 2.662,00 |
|------------------|---------------|--------------|----------|-----------------|

separate sink



| | | | |
|---------------|-----------------|----------|-----------------|
| Separate sink | xx-400400CPSLOS | 1.185,00 | 1.433,85 |
|---------------|-----------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240036CP | 39,00 | 47,19 |
| Overflow plate | 240047 | 19,00 | 22,99 |
| Drain set | 240039CP | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Idro 400 x 400 - Gold



Description

Front: *idefault* 90 mm
under-mounted 90 mm
 Minimum cabinet width: 450 mm

Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is Gold. Available in all countertop colors.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| mitered | | | | |
|---------|----------------|-----------------|----------|-----------------|
| | Evora Quartz | CO-400400GOSV | 2.200,00 | 2.662,00 |
| | Evora Granite | GR12-400400GOSV | 2.200,00 | 2.662,00 |
| | Cosmolite | CO-400400GOSV | 2.200,00 | 2.662,00 |
| | Obsidiana | CO-400400GOSV | 2.200,00 | 2.662,00 |
| | Evora Ceramics | CER-400400GOSV | 2.200,00 | 2.662,00 |
| | Dekton | DE-400400GOSV | 2.200,00 | 2.662,00 |

| undermount | | | | |
|------------|------------------|----------------|----------|-----------------|
| | Evora Quartz | CO-400400GOS | 1.665,00 | 2.014,65 |
| | Evora Granite | GR12-400400GOS | 1.665,00 | 2.014,65 |
| | Cosmolite | CO-400400GOS | 1.665,00 | 2.014,65 |
| | Obsidiana | CO-400400GOS | 1.665,00 | 2.014,65 |
| | Evora Ceramics * | CER-400400GOS | 1.665,00 | 2.014,65 |
| | Dekton * | DE-400400GOS | 1.665,00 | 2.014,65 |

* Note: increased risk of damage from use due to chipping at the sink edge

| glued seamlessly | | | | |
|------------------|---------------|--------------|----------|-----------------|
| | Solid Surface | HM-400400GOS | 2.200,00 | 2.662,00 |

| separate sink | | | | |
|---------------|---------------|-----------------|----------|-----------------|
| | Separate sink | xx-400400GOSLOS | 1.185,00 | 1.433,85 |


| service parts | | | | |
|---------------|-------------------------------|--------------|-------|---------------|
| | Strainer plug stainless steel | 240036GO | 39,00 | 47,19 |
| | Overflow plate | 240049 | 19,00 | 22,99 |
| | Drain set | 240039GO | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Idro 500 x 400 **Description**



Front: *idefault* 90 mm
under-mounted 90 mm
 Minimum cabinet width: 600 mm

Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is stainless steel. Available in all countertop colors.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| mitered | | | | |
|---------|----------------|---------------|----------|-----------------|
| | Evora Quartz | CO-500400SV | 2.120,00 | 2.565,20 |
| | Evora Granite | GR12-500400SV | 2.120,00 | 2.565,20 |
| | Cosmolite | CO-500400SV | 2.120,00 | 2.565,20 |
| | Obsidiana | CO-500400SV | 2.120,00 | 2.565,20 |
| | Evora Ceramics | CER-500400SV | 2.120,00 | 2.565,20 |
| | Dekton | DE-500400SV | 2.120,00 | 2.565,20 |

| Undermount | | | | |
|------------|------------------|--------------|----------|-----------------|
| | Evora Quartz | CO-500400S | 1.575,00 | 1.905,75 |
| | Evora Granite | GR12-500400S | 1.575,00 | 1.905,75 |
| | Cosmolite | CO-500400S | 1.575,00 | 1.905,75 |
| | Obsidiana | CO-500400S | 1.575,00 | 1.905,75 |
| | Evora Ceramics * | CER-500400S | 1.575,00 | 1.905,75 |
| | Dekton * | DE-500400S | 1.575,00 | 1.905,75 |

* Note: increased risk of damage from use due to chipping at the sink edge

| glued seamlessly | | | | |
|------------------|---------------|------------|----------|-----------------|
| | Solid Surface | HM-500400S | 2.120,00 | 2.565,20 |

| separate sink | | | | |
|---------------|---------------|---------------|--------|-----------------|
| | Separate sink | xx-500400SLOS | 975,00 | 1.179,75 |

| service parts | | | | |
|---------------|-------------------------------|--------------|-------|---------------|
| | Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| | Overflow plate | 240027 | 15,00 | 18,15 |
| | Magnacap | 240034 | 16,00 | 19,36 |
| | Drain set | 240031 | 36,00 | 43,56 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Idro 500 x 400 - Gun Metal



Description

Front: *idefault* 90 mm
undermount 90 mm
 Minimum cabinet width: 600 mm

Stone sink complete with Magna and basket plug and wall overflow.
 The bottom of the sink is Gun Metal Available in all worktop colours.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|-------------------------------|-----------------|-----------|-----------------|
| mitered | | | | |
| | Evora Quartz | CO-500400GMSV | 2.370,00 | 2.867,70 |
| | Evora Granite | GR12-500400GMSV | 2.370,00 | 2.867,70 |
| | Cosmolite | CO-500400GMSV | 2.370,00 | 2.867,70 |
| | Obsidiana | CO-500400GMSV | 2.370,00 | 2.867,70 |
| | Evora Ceramics | CER-500400GMSV | 2.370,00 | 2.867,70 |
| | Dekton | DE-500400GMSV | 2.370,00 | 2.867,70 |
| Undermount | | | | |
| | Evora Quartz | CO-500400GMS | 1.825,00 | 2.208,25 |
| | Evora Granite | GR12-500400GMS | 1.825,00 | 2.208,25 |
| | Cosmolite | CO-500400GMS | 1.825,00 | 2.208,25 |
| | Obsidiana | CO-500400GMS | 1.825,00 | 2.208,25 |
| | Evora Ceramics * | CER-500400GMS | 1.825,00 | 2.208,25 |
| | Dekton * | DE-500400GMS | 1.825,00 | 2.208,25 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |
| glued seamlessly | | | | |
| | Solid Surface | HM-500400GMS | 2.370,00 | 2.867,70 |
| separate sink | | | | |
| | Separate sink | xx-500400GMSLOS | 1.225,00 | 1.482,25 |
| service parts | | | | |
| | Strainer plug stainless steel | 240036GM | 39,00 | 47,19 |
| | Overflow plate | 240048 | 19,00 | 22,99 |
| | Drain set | 240039GM | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Idro 500 x 400 - Copper



Description

Front: *idefault* 90 mm
under-mounted 90 mm
 Minimum cabinet width: 600 mm

Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is Copper. Available in all countertop colors.
Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| | | | | |
|--|----------------|-----------------|----------|-----------------|
| | Evora Quartz | CO-500400CPSV | 2.370,00 | 2.867,70 |
| | Evora Granite | GR12-500400CPSV | 2.370,00 | 2.867,70 |
| | Cosmolite | CO-500400CPSV | 2.370,00 | 2.867,70 |
| | Obsidiana | CO-500400CPSV | 2.370,00 | 2.867,70 |
| | Evora Ceramics | CER-500400CPSV | 2.370,00 | 2.867,70 |
| | Dekton | DE-500400CPSV | 2.370,00 | 2.867,70 |

| | | | | |
|--|------------------|----------------|----------|-----------------|
| | Evora Quartz | CO-500400CPS | 1.825,00 | 2.208,25 |
| | Evora Granite | GR12-500400CPS | 1.825,00 | 2.208,25 |
| | Cosmolite | CO-500400CPS | 1.825,00 | 2.208,25 |
| | Obsidiana | CO-500400CPS | 1.825,00 | 2.208,25 |
| | Evora Ceramics * | CER-500400CPS | 1.825,00 | 2.208,25 |
| | Dekton * | DE-500400CPS | 1.825,00 | 2.208,25 |

* Note: increased risk of damage from use due to chipping at the sink edge

| | | | | |
|--|---------------|--------------|----------|-----------------|
| | Solid Surface | HM-500400CPS | 2.370,00 | 2.867,70 |
|--|---------------|--------------|----------|-----------------|

separate sink

| | | | | |
|--|---------------|-----------------|----------|-----------------|
| | Separate sink | xx-500400CPSLOS | 1.225,00 | 1.482,25 |
|--|---------------|-----------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240036CP | 39,00 | 47,19 |
| Overflow plate | 240047 | 19,00 | 22,99 |
| Drain set | 240039CP | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Idro 500 x 400 - Gold




Description

Front: *idefault* 90 mm
undermount 90 mm
 Minimum cabinet width: 600 mm

Stone sink complete with Magna and basket strainer and overflow. The bottom of the sink is Gold. Available in all countertop colors.

Please note: mounting of the supplied support set (not included in the price) is mandatory.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

| mitered | | | | |
|---------|----------------|-----------------|----------|-----------------|
| | Evora Quartz | CO-500400GOSV | 2.370,00 | 2.867,70 |
| | Evora Granite | GR12-500400GOSV | 2.370,00 | 2.867,70 |
| | Cosmolite | CO-500400GOSV | 2.370,00 | 2.867,70 |
| | Obsidiana | CO-500400GOSV | 2.370,00 | 2.867,70 |
| | Evora Ceramics | CER-500400GOSV | 2.370,00 | 2.867,70 |
| | Dekton | DE-500400GOSV | 2.370,00 | 2.867,70 |

| undermount | | | | |
|------------|------------------|----------------|----------|-----------------|
| | Evora Quartz | CO-500400GOS | 1.825,00 | 2.208,25 |
| | Evora Granite | GR12-500400GOS | 1.825,00 | 2.208,25 |
| | Cosmolite | CO-500400GOS | 1.825,00 | 2.208,25 |
| | Obsidiana | CO-500400GOS | 1.825,00 | 2.208,25 |
| | Evora Ceramics * | CER-500400GOS | 1.825,00 | 2.208,25 |
| | Dekton * | DE-500400GOS | 1.825,00 | 2.208,25 |

* Note: increased risk of damage from use due to chipping at the sink edge

| glued seamlessly | | | | |
|------------------|---------------|--------------|----------|-----------------|
| | Solid Surface | HM-500400GOS | 2.370,00 | 2.867,70 |

separate sink

| | | | | |
|--|---------------|-----------------|----------|-----------------|
| | Separate sink | xx-500400GOSLOS | 1.225,00 | 1.482,25 |
|--|---------------|-----------------|----------|-----------------|

service parts

| | | | |
|-------------------------------|--------------|-------|---------------|
| Strainer plug stainless steel | 240036GO | 39,00 | 47,19 |
| Overflow plate | 240049 | 19,00 | 22,99 |
| Drain set | 240039GO | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |


Lanesto Tiled sink 400 chrome




Description

Front: *idefault* 90 mm
 Minimum cabinet width: 450 mm
 Tile size: 50 x 50 mm

Stone sink complete with basket plug (chrome) and overflow
 Possible in combination with boiling water tap
Note: mounting of the included support kit (not included in the price) is mandatory



the tile colors (standard color combination is Blanc + Noir, for different combinations state on the order)



| installation method | material | order no. | excl. VAT | incl. VAT |
|--|-----------------------------|-------------------|-----------|-----------------|
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-TB005ZW | 1.200,00 | 1.452,00 |
| | Solid Wood | MH-TB005ZW | 1.200,00 | 1.452,00 |
| | Evora Quartz Granite | CO/GR-TB005ZW | 1.372,00 | 1.660,12 |
| | Cosmolite Obsidiana | CO-TB005ZW | 1.372,00 | 1.660,12 |
| | Evora Ceramics * Dekton * | CE/LA-TB005ZW | 1.372,00 | 1.660,12 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |

| separate sink | | | | |
|----------------------|---------------|--------------|--------|-----------------|
| | Blanc - Noir | STB-TB005ZWL | 892,00 | 1.079,32 |
| | Other colours | STB-TB005OVL | 892,00 | 1.079,32 |

| service parts | | | | |
|----------------------|---------------------|--------------|-------|---------------|
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

Lanesto Tiled sink 500 chrome




Description

| | | |
|------------------------|-----------------|------------|
| Front: | <i>idefault</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |
| Tile size: | | 50 x 50 mm |

Stone sink complete with basket plug (chrome) and overflow.
Possible in combination with boiling water tap.


Please note: mounting of the supplied support set (not included in the price) is mandatory.




the tile colors (standard color combination is Blanc + Noir, for different combinations state on the order)



Blanc




Noir



Antracite



Ivoire



Gris uni



Rouge

| installation method | material | order no. | excl. VAT | incl. VAT |
|--|-----------------------------|-------------------|-----------|-----------------|
| under-mounted | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-TB006ZW | 1.260,00 | 1.524,60 |
| | Solid Wood | MH-TB006ZW | 1.260,00 | 1.524,60 |
| | Evora Quartz Granite | CO/GR-TB006ZW | 1.552,00 | 1.877,92 |
| | Cosmolite Obsidiana | CO-TB006ZW | 1.552,00 | 1.877,92 |
| | Evora Ceramics * Dekton * | CE/LA-TB006ZW | 1.552,00 | 1.877,92 |
| * Note: increased risk of damage from use due to chipping at the sink edge | | | | |

separate sink

| | | | |
|---------------|--------------|--------|-----------------|
| Blanc - Noir | STB-TB006ZWL | 952,00 | 1.151,92 |
| Other colours | STB-TB006OVL | 952,00 | 1.151,92 |

service parts

| | | | |
|---------------------|--------------|-------|---------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

TopZero

The solution for undermount sinks in stone worktops

The advantages of a TopZero sink:

- > Rimless: no visible edges
- > Supplied mounted
- > Luxurious appearance
- > Hygienic
- > Only with stone and Solid surface worktops



Sink TopZero Global 400 x 340 rimless installation method


TopZero Global 400 x 340 (950)



Description

Front: 90 mm
 Minimum cabinet width: 500 mm (450 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted
 Especially suitable for shallow blades.
 The minimum worktop thickness for handle-less kitchens is 30 mm.
 * for tops from 30 mm thick (due to the mounting method)



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0950 | 1.169,00 | 1.414,49 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0950 | 1.394,00 | 1.686,74 |
| | Cosmolite Obsidiana | CO-RIM-TZ0950 | 1.394,00 | 1.686,74 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0950 | 1.394,00 | 1.686,74 |

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240043 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set | 240023 | 29,00 | 35,09 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

TopZero Global 450 x 400 rvs (954)




Description

Front: 90 mm
 Minimum cabinet width: 600 mm (500 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted

* for tops from 30 mm thick (due to the mounting method)



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0954 | 1.190,00 | 1.439,90 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0954 | 1.415,00 | 1.712,15 |
| | Cosmolite Obsidiana | CO-RIM-TZ0954 | 1.415,00 | 1.712,15 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0954 | 1.415,00 | 1.712,15 |

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240043 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set | 240023 | 29,00 | 35,09 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

TopZero Global 450 x 400 Gun Metal (954GM)




Description

Front: 90 mm
 Minimum cabinet width: 600 mm (500 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted

* for tops from 30 mm thick (due to the mounting method)




| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|--------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0954GM | 1.347,00 | 1.629,87 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0954GM | 1.572,00 | 1.902,12 |
| | Cosmolite Obsidiana | CO-RIM-TZ0954GM | 1.572,00 | 1.902,12 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0954GM | 1.572,00 | 1.902,12 |

service parts

| | | | |
|-----------------------------------|----------|-------|--------------|
| Strainer plug (incl. magneto cap) | 240036GM | 39,00 | 47,19 |
| Overflow plate | 240045 | 19,00 | 22,99 |
| Drain set | 240039GM | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

TopZero Global 450 x 400 Copper (954CP)




Description

Front: 90 mm
 Minimum cabinet width: 600 mm (500 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted

* for tops from 30 mm thick (due to the mounting method)



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|--------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0954CP | 1.347,00 | 1.629,87 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0954CP | 1.572,00 | 1.902,12 |
| | Cosmolite Obsidiana | CO-RIM-TZ0954CP | 1.572,00 | 1.902,12 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0954CP | 1.572,00 | 1.902,12 |

service parts

| | | | |
|-----------------------------------|----------|-------|--------------|
| Strainer plug (incl. magneto cap) | 240036CP | 39,00 | 47,19 |
| Overflow plate | 240044 | 19,00 | 22,99 |
| Drain set | 240039CP | 74,00 | 89,54 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |

TopZero Global 450 x 400 Gold (954GO)




Description

Front: 90 mm
 Minimum cabinet width: 600 mm (500 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted

* for tops from 30 mm thick (due to the mounting method)



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|--------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0954GO | 1.347,00 | 1.629,87 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0954GO | 1.572,00 | 1.902,12 |
| | Cosmolite Obsidiana | CO-RIM-TZ0954GO | 1.572,00 | 1.902,12 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0954GO | 1.572,00 | 1.902,12 |

| service parts | | | | |
|---------------|-----------------------------------|----------|-------|--------------|
| | Strainer plug (incl. magneto cap) | 240036GO | 39,00 | 47,19 |
| | Overflow plate | 240046 | 19,00 | 22,99 |
| | Drain set | 240039GO | 74,00 | 89,54 |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


TopZero Global 550 x 400 stainless steel (955)

Description

Front: 90 mm
 Minimum cabinet width: 700 mm (600 mm *)

Complete with Magna and basket plug and luxury overflow
 Supplied mounted


* for tops from 30 mm thick (due to the mounting method)



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|-------------------------|------------------|-----------|-----------------|
| rimless | | | | |
| | Solid Surface | SS-RIM-TZ0955 | 1.240,00 | 1.500,40 |
| | Evora Quartz Granite | CO/GR-RIM-TZ0955 | 1.465,00 | 1.772,65 |
| | Cosmolite Obsidiana | CO-RIM-TZ0955 | 1.465,00 | 1.772,65 |
| | Evora Ceramics Dekton | CE/LA-RIM-TZ0955 | 1.465,00 | 1.772,65 |

service parts

| | | | |
|-------------------------------|--------|-------|--------------|
| Strainer plug stainless steel | 240018 | 19,00 | 22,99 |
| Overflow plate | 240043 | 15,00 | 18,15 |
| Magnacap | 240034 | 16,00 | 19,36 |
| Drain set | 240023 | 29,00 | 35,09 |
| Space-saving siphon | 240060 | 18,00 | 21,78 |



Sink TopZero Global 450 x 400 Gold

Reginox IB 400 x 400




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
under-mounted 80 mm
 Minimum cabinet width: 450 mm*

Complete with basket plug and overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0102 | 560,00 | 677,60 |
| | TopCore / Fenix 10 | TC/FE-VIB-0102 | 616,00 | 745,36 |
| | Solid Surface | SS-RE0102 | 680,00 | 822,80 |
| | Evora Quartz Evora Granite | CO/GR-RE0102 | 680,00 | 822,80 |
| | Cosmolite Obsidiana | CO-RE0102 | 680,00 | 822,80 |
| | Glass Inox | GL/R-RE0102 | 680,00 | 822,80 |
| | Evora Ceramics Dekton | CE/LA-RE0102 | 680,00 | 822,80 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0102 | 616,00 | 745,36 |
| | Solid Wood | MH-SON-0102 | 616,00 | 745,36 |

separate sink

Separate sink SRE-0102L 403,00 **487,63**

service parts

Space-saving siphon 240060 18,00 **21,78**

For other service parts, see www.reginox.nl/accessoires


Reginox IB 500 x 400



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
Undermount 80 mm
 Minimum cabinet width: 600 mm

Complete with basket plug and overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0103 | 661,00 | 799,81 |
| | TopCore / Fenix 10 | TC/FE-VIB-0103 | 753,00 | 911,13 |
| | Solid Surface | SS-RE0103 | 810,00 | 980,10 |
| | Evora Quartz Evora Granite | CO/GR-RE0103 | 810,00 | 980,10 |
| | Cosmolite Obsidiana | CO-RE0103 | 810,00 | 980,10 |
| | Glass Inox | GL/R-RE0103 | 810,00 | 980,10 |
| | Evora Ceramics Dekton | CE/LA-RE0103 | 810,00 | 980,10 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0103 | 753,00 | 911,13 |
| | Solid Wood | MH-SON-0103 | 753,00 | 911,13 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0103L | 445,00 | 538,45 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

Reginox Ohio 400 x 400

Description




Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with basket plug and luxury overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0105 | 913,00 | 1.104,73 |
| | TopCore / Fenix 10 | TC/FE-VIB-0105 | 921,00 | 1.114,41 |
| | Solid Surface | SS-RE0105 | 985,00 | 1.191,85 |
| | Evora Quartz Evora Granite | CO/GR-RE0105 | 985,00 | 1.191,85 |
| | Cosmolite Obsidiana | CO-RE0105 | 985,00 | 1.191,85 |
| | Glass Inox | GL/R-RE0105 | 985,00 | 1.191,85 |
| | Evora Ceramics Dekton | CE/LA-RE0105 | 985,00 | 1.191,85 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0105 | 921,00 | 1.114,41 |
| | Solid Wood | MH-SON-0105 | 921,00 | 1.114,41 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0105L | 708,00 | 856,68 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|


For other service parts, see www.reginox.nl/accessoires

Reginox Ohio 500 x 400

Description



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm
 Complete with basket plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0106 | 1.036,00 | 1.253,56 |
| | TopCore / Fenix 10 | TC/FE-VIB-0106 | 1.088,00 | 1.316,48 |
| | Solid Surface | SS-RE0106 | 1.145,00 | 1.385,45 |
| | Evora Quartz Evora Granite | CO/GR-RE0106 | 1.145,00 | 1.385,45 |
| | Cosmolite Obsidiana | CO-RE0106 | 1.145,00 | 1.385,45 |
| | Glass Inox | GL/R-RE0106 | 1.145,00 | 1.385,45 |
| | Evora Ceramics Dekton | CE/LA-RE0106 | 1.145,00 | 1.385,45 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0106 | 1.088,00 | 1.316,48 |
| | Solid Wood | MH-SON-0106 | 1.088,00 | 1.316,48 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0106L | 780,00 | 943,80 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires


Reginox New York 340 x 400



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 400 mm*

Complete with comfort plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0130 | 558,00 | 675,18 |
| | TopCore / Fenix 10 | TC/FE-VIB-0130 | 614,00 | 742,94 |
| | Solid Surface | SS-RE0130 | 678,00 | 820,38 |
| | Evora Quartz Evora Granite | CO/GR-RE0130 | 678,00 | 820,38 |
| | Cosmolite Obsidiana | CO-RE0130 | 678,00 | 820,38 |
| | Glass Inox | GL/R-RE0130 | 678,00 | 820,38 |
| | Evora Ceramics Dekton | CE/LA-RE0130 | 678,00 | 820,38 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0130 | 614,00 | 742,94 |
| | Solid Wood | MH-SON-0130 | 614,00 | 742,94 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0130L | 401,00 | 485,21 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires


Reginox New York 400 x 400



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with comfort plug and luxury overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0131 | 576,00 | 696,96 |
| | TopCore / Fenix 10 | TC/FE-VIB-0131 | 632,00 | 764,72 |
| | Solid Surface | SS-RE0131 | 696,00 | 842,16 |
| | Evora Quartz Evora Granite | CO/GR-RE0131 | 696,00 | 842,16 |
| | Cosmolite Obsidiana | CO-RE0131 | 696,00 | 842,16 |
| | Glass Inox | GL/R-RE0131 | 696,00 | 842,16 |
| | Evora Ceramics Dekton | CE/LA-RE0131 | 696,00 | 842,16 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0131 | 632,00 | 764,72 |
| | Solid Wood | MH-SON-0131 | 632,00 | 764,72 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0131L | 419,00 | 506,99 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|


For other service parts, see www.reginox.nl/accessoires

Reginox New York 500 x 400



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm
 Complete with comfort plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0132 | 692,00 | 837,32 |
| | TopCore / Fenix 10 | TC/FE-VIB-0132 | 784,00 | 948,64 |
| | Solid Surface | SS-RE0132 | 841,00 | 1.017,61 |
| | Evora Quartz Evora Granite | CO/GR-RE0132 | 841,00 | 1.017,61 |
| | Cosmolite Obsidiana | CO-RE0132 | 841,00 | 1.017,61 |
| | Glass Inox | GL/R-RE0132 | 841,00 | 1.017,61 |
| | Evora Ceramics Dekton | CE/LA-RE0132 | 841,00 | 1.017,61 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0132 | 784,00 | 948,64 |
| | Solid Wood | MH-SON-0132 | 784,00 | 948,64 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0132L | 476,00 | 575,96 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

Reginox New York 340 x 400 + 180 x 400




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm*

Complete with two comfort plugs and luxury overflow.
 Tap hole not possible.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0133 | 1.163,00 | 1.407,23 |
| | TopCore / Fenix 10 | TC/FE-VIB-0133 | 1.255,00 | 1.518,55 |
| | Solid Surface | SS-RE0133 | 1.312,00 | 1.587,52 |
| | Evora Quartz Evora Granite | CO/GR-RE0133 | 1.312,00 | 1.587,52 |
| | Cosmolite Obsidiana | CO-RE0133 | 1.312,00 | 1.587,52 |
| | Glass Inox | GL/R-RE0133 | 1.312,00 | 1.587,52 |
| | Evora Ceramics Dekton | CE/LA-RE0133 | 1.312,00 | 1.587,52 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0133 | 1.255,00 | 1.518,55 |
| | Solid Wood | MH-SON-0133 | 1.255,00 | 1.518,55 |

separate sink

| | | | |
|---------------|-----------|--------|-----------------|
| Separate sink | SRE-0133L | 947,00 | 1.145,87 |
|---------------|-----------|--------|-----------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240070 | 29,00 | 35,09 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

Reginox New York 180 x 400 + 340 x 400




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm*

Complete with two comfort plugs and luxury overflow.
 Tap hole not possible.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0134 | 1.163,00 | 1.407,23 |
| | TopCore / Fenix 10 | TC/FE-VIB-0134 | 1.255,00 | 1.518,55 |
| | Solid Surface | SS-RE0134 | 1.312,00 | 1.587,52 |
| | Evora Quartz Evora Granite | CO/GR-RE0134 | 1.312,00 | 1.587,52 |
| | Cosmolite Obsidiana | CO-RE0134 | 1.312,00 | 1.587,52 |
| | Glass Inox | GL/R-RE0134 | 1.312,00 | 1.587,52 |
| | Evora Ceramics Dekton | CE/LA-RE0134 | 1.312,00 | 1.587,52 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0134 | 1.255,00 | 1.518,55 |
| | Solid Wood | MH-SON-0134 | 1.255,00 | 1.518,55 |

separate sink

| | | | |
|---------------|-----------|--------|-----------------|
| Separate sink | SRE-0134L | 947,00 | 1.145,87 |
|---------------|-----------|--------|-----------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240070 | 29,00 | 35,09 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires


Reginox New Jersey 400 x 370



Description

Front: *flush-mounted* 70 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with comfort plug and luxury overflow.
 Extra suitable for shallow worktops and handleless kitchens
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0178 | 633,00 | 765,93 |
| | TopCore / Fenix 10 | TC/FE-VIB-0178 | 689,00 | 833,69 |
| | Solid Surface | SS-RE0178 | 753,00 | 911,13 |
| | Evora Quartz Evora Granite | CO/GR-RE0178 | 753,00 | 911,13 |
| | Cosmolite Obsidiana | CO-RE0178 | 753,00 | 911,13 |
| | Glass Inox | GL/R-RE0178 | 753,00 | 911,13 |
| | Evora Ceramics Dekton | CE/LA-RE0178 | 753,00 | 911,13 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0178 | 689,00 | 833,69 |
| | Solid Wood | MH-SON-0178 | 689,00 | 833,69 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0178L | 476,00 | 575,96 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires


Reginox New Jersey 500 x 370



Description

Front: *flush-mounted* 70 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm

Complete with comfort plug and luxury overflow.
 Extra suitable for shallow worktops and handleless kitchens



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0179 | 751,00 | 908,71 |
| | TopCore / Fenix 10 | TC/FE-VIB-0179 | 843,00 | 1.020,03 |
| | Solid Surface | SS-RE0179 | 900,00 | 1.089,00 |
| | Evora Quartz Evora Granite | CO/GR-RE0179 | 900,00 | 1.089,00 |
| | Cosmolite Obsidiana | CO-RE0179 | 900,00 | 1.089,00 |
| | Glass Inox | GL/R-RE0179 | 900,00 | 1.089,00 |
| | Evora Ceramics Dekton | CE/LA-RE0179 | 900,00 | 1.089,00 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0179 | 843,00 | 1.020,03 |
| | Solid Wood | MH-SON-0179 | 843,00 | 1.020,03 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0179L | 535,00 | 647,35 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires


Reginox New Jersey 100 mm 400 x 370



Description

Front: *flush-mounted* 70 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with basket plug. Please note: no overflow.
 *In case of flush installation, cut the carcass to mount the necessary clamps.
 For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0120 | 782,00 | 946,22 |
| | TopCore / Fenix 10 | TC/FE-VIB-0120 | 838,00 | 1.013,98 |
| | Solid Surface | SS-RE0120 | 902,00 | 1.091,42 |
| | Evora Quartz Evora Granite | CO/GR-RE0120 | 902,00 | 1.091,42 |
| | Cosmolite Obsidiana | CO-RE0120 | 902,00 | 1.091,42 |
| | Glass Inox | GL/R-RE0120 | 902,00 | 1.091,42 |
| | Evora Ceramics Dekton | CE/LA-RE0120 | 902,00 | 1.091,42 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0120 | 838,00 | 1.013,98 |
| | Solid Wood | MH-SON-0120 | 838,00 | 1.013,98 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0120L | 625,00 | 756,25 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|


For other service parts, see www.reginox.nl/accessoires

Reginox New Jersey 100 mm 500 x 370



Description

Front: *flush-mounted* 70 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm
 Complete with basket plug. Please note: no overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0121 | 896,00 | 1.084,16 |
| | TopCore / Fenix 10 | TC/FE-VIB-0121 | 988,00 | 1.195,48 |
| | Solid Surface | SS-RE0121 | 1.045,00 | 1.264,45 |
| | Evora Quartz Evora Granite | CO/GR-RE0121 | 1.045,00 | 1.264,45 |
| | Cosmolite Obsidiana | CO-RE0121 | 1.045,00 | 1.264,45 |
| | Glass Inox | GL/R-RE0121 | 1.045,00 | 1.264,45 |
| | Evora Ceramics Dekton | CE/LA-RE0121 | 1.045,00 | 1.264,45 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0121 | 988,00 | 1.195,48 |
| | Solid Wood | MH-SON-0121 | 988,00 | 1.195,48 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0121L | 680,00 | 822,80 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

Reginox New Jersey 100 mm 340 x 370 + 180 x 370



Description


Front: *flush-mounted* 70 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm*

Complete with two basket plugs.

Note: no overflow and no tap hole possible.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0122 | 1.357,00 | 1.641,97 |
| | TopCore / Fenix 10 | TC/FE-VIB-0122 | 1.449,00 | 1.753,29 |
| | Solid Surface | SS-RE0122 | 1.506,00 | 1.822,26 |
| | Evora Quartz Evora Granite | CO/GR-RE0122 | 1.506,00 | 1.822,26 |
| | Cosmolite Obsidiana | CO-RE0122 | 1.506,00 | 1.822,26 |
| | Glass Inox | GL/R-RE0122 | 1.506,00 | 1.822,26 |
| | Evora Ceramics Dekton | CE/LA-RE0122 | 1.506,00 | 1.822,26 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0122 | 1.449,00 | 1.753,29 |
| | Solid Wood | MH-SON-0122 | 1.449,00 | 1.753,29 |

separate sink

| | | | |
|---------------|-----------|----------|-----------------|
| Separate sink | SRE-0122L | 1.141,00 | 1.380,61 |
|---------------|-----------|----------|-----------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240070 | 29,00 | 35,09 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

Reginox Morena Description




Front: *flush-mounted* 65 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm*

Complete with two basket plugs (one cannot be closed) and stainless steel insert. Sink is reversible, tap hole possible.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0176 | 706,00 | 854,26 |
| | TopCore / Fenix 10 | TC/FE-VIB-0176 | 819,00 | 990,99 |
| | Solid Surface | SS-RE0176 | 876,00 | 1.059,96 |
| | Evora Quartz Evora Granite | CO/GR-RE0176 | 876,00 | 1.059,96 |
| | Cosmolite Obsidiana | CO-RE0176 | 876,00 | 1.059,96 |
| | Glass Inox | GL-RE0176 | 876,00 | 1.059,96 |
| | Evora Ceramics Dekton | CE/LA-RE0176 | 876,00 | 1.059,96 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0176 | 819,00 | 990,99 |
| | Solid Wood | MH-SON-0176 | 819,00 | 990,99 |

separate sink

| | | | |
|---------------|--------|--------|---------------|
| Separate sink | 310033 | 511,00 | 618,31 |
|---------------|--------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|---------------|
| Insert tray | 310117 | 97,00 | 117,37 |
| Space-saving siphon | 240070 | 29,00 | 35,09 |

For other service parts, see www.reginox.nl/accessoires

Reginox Queen 60




Description

Front: *flush-mounted* 65 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm*

Complete with two basket plugs, stainless steel insert and wall overflow.
 Sink is reversible, tap hole possible.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0177 | 915,00 | 1.107,15 |
| | TopCore / Fenix 10 | TC/FE-VIB-0177 | 1.007,00 | 1.218,47 |
| | Solid Surface | SS-RE0177 | 1.064,00 | 1.287,44 |
| | Evora Quartz Evora Granite | CO/GR-RE0177 | 1.064,00 | 1.287,44 |
| | Cosmolite Obsidiana | CO-RE0177 | 1.064,00 | 1.287,44 |
| | Glass Inox | GL-RE0177 | 1.064,00 | 1.287,44 |
| | Evora Ceramics Dekton | CE/LA-RE0177 | 1.064,00 | 1.287,44 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0177 | 1.007,00 | 1.218,47 |
| | Solid Wood | MH-SON-0177 | 1.007,00 | 1.218,47 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0177L | 699,00 | 845,79 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|--------|---------------|
| Insert tray | 310132 | 118,00 | 142,78 |
| Space-saving siphon | 240070 | 29,00 | 35,09 |


For other service parts, see www.reginox.nl/accessoires

Reginox Princess 80

Description



Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 800 mm
 Complete with two basket plugs and wall overflow.
 Tap hole possible



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SRE-0145 | 800,00 | 968,00 |
| | TopCore / Fenix 10 | TC/FE-VIB-0145 | 892,00 | 1.079,32 |
| | Solid Surface | SS-RE0145 | 949,00 | 1.148,29 |
| | Evora Quartz Evora Granite | CO/GR-RE0145 | 949,00 | 1.148,29 |
| | Cosmolite Obsidiana | CO-RE0145 | 949,00 | 1.148,29 |
| | Glass Inox | GL-RE0145 | 949,00 | 1.148,29 |
| | Evora Ceramics Dekton | CE/LA-RE0145 | 949,00 | 1.148,29 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0145 | 892,00 | 1.079,32 |
| | Solid Wood | MH-SON-0145 | 892,00 | 1.079,32 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SRE-0145L | 584,00 | 706,64 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240070 | 29,00 | 35,09 |
|---------------------|--------|-------|--------------|

For other service parts, see www.reginox.nl/accessoires

FUNCTIONAL **NEW JERSEY**



THE CROWN
FOR YOUR
KITCHEN



THE NEW JERSEY IS AN ATTRACTIVE DESIGNER SINK. DUE TO ITS REDUCED HORIZONTAL DEPTH (37 CM INSTEAD OF 40 CM), THE NEW JERSEY MAKES IT EASIER TO MOUNT FAUCETS ON A 60 CM WORKTOP. THIS LEAVES MORE PRACTICAL SPACE BEHIND THE FAUCET.

This very modern design sink has an inner and outer radius of 10 mm and a deep-drawn comfort plug. The New Jersey can be ordered in both single and double versions. We also supply a version with a depth of 10 cm. This is extremely suitable for high-low kitchens.

**REGINOX**

WWW.REGINOX.NL



Perfection in your kitchen

At Franke, we spend our time creating beautiful sinks designed with an eye for design and produced with craftsmanship. The Box sink is an example of this. Prized with the Red Dot award for best-in-class design. Stunning top quality models with high stain and corrosion resistance. Choose from our seven models with luxurious features and exquisite finishes.

Discover the Box on [Franke.com](https://www.franke.com)



red dot winner

FRANKE

FRANKE STAINLESS STEEL SINKS Smart

Franke Smart SRX 210.40




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 450* mm

Complete with integral basket strainer and deluxe overflow.

*For flush mounting, cut in the cabinet because of the necessary clamps. See explanation on page 17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|------------------|-----------|---------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0445 | 432,00 | 522,72 |
| | TopCore / Fenix 10 | TC/FE-VIB-0445 | 488,00 | 590,48 |
| | Solid Surface | SS-VIB-FR0445 | 552,00 | 667,92 |
| | Evora Quartz Evora Granite | CO/GR-VIB-FR0445 | 552,00 | 667,92 |
| | Cosmolite Obsidiana | CO-VIB-FR0445 | 552,00 | 667,92 |
| | Glass Inox | GL/R-VIB-FR0445 | 552,00 | 667,92 |
| | Evora Ceramics Dekton | CE/LA-VIB-FR0445 | 552,00 | 667,92 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0445 | 790,00 | 955,90 |
| | TopCore / Fenix 10 | TC/FE-SON-0445 | 488,00 | 590,48 |
| | Solid Wood | MH-SON-0445 | 488,00 | 590,48 |
| separate sink | | | | |
| | Separate sink | SFR-VIB-0445L | 275,00 | 332,75 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html


Franke Smart SRX 210.50



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

Complete with integral basket strainer and deluxe overflow



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0446 | 531,00 | 642,51 |
| | TopCore / Fenix 10 | TC/FE-VIB-0446 | 623,00 | 753,83 |
| | Solid Surface | SS-VIB-FR0446 | 680,00 | 822,80 |
| | Evora Quartz Evora Granite | CO/GR-VIB-FR0446 | 680,00 | 822,80 |
| | Cosmolite Obsidiana | CO-VIB-FR0446 | 680,00 | 822,80 |
| | Glass Inox | GL/R-VIB-FR0446 | 680,00 | 822,80 |
| | Evora Ceramics Dekton | CE/LA-VIB-FR0446 | 680,00 | 822,80 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0446 | 830,00 | 1.004,30 |
| | TopCore / Fenix 10 | TC/FE-SON-0446 | 623,00 | 753,83 |
| | Solid Wood | MH-SON-0446 | 623,00 | 753,83 |
| separate sink | | | | |
| | Separate sink | SFR-VIB-0446L | 315,00 | 381,15 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html


Franke Bolero Plus BXX 210.40

Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with basket plug and luxury overflow.

* For flush mounting, cut in the carcass because of the necessary clamps.
 See explanation on page 17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0484 | 835,00 | 1.010,35 |
| | TopCore / Fenix 10 | TC/FE-VIB-0484 | 861,00 | 1.041,81 |
| | Solid Surface | SS-FR0484 | 925,00 | 1.119,25 |
| | Evora Quartz Evora Granite | CO/GR-FR0484 | 925,00 | 1.119,25 |
| | Cosmolite Obsidiana | CO-FR0484 | 925,00 | 1.119,25 |
| | Glass Inox | GL/R-FR0484 | 925,00 | 1.119,25 |
| | Evora Ceramics Dekton | CE/LA-FR0484 | 925,00 | 1.119,25 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0484 | 861,00 | 1.041,81 |
| | Solid Wood | MH-SON-0484 | 861,00 | 1.041,81 |
| separate sink | | | | |
| | Separate sink | SFR-0484L | 648,00 | 784,08 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Bolero Plus BXX 210.50



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm
 Complete with basket plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0485 | 942,00 | 1.139,82 |
| | TopCore / Fenix 10 | TC/FE-VIB-0485 | 1.034,00 | 1.251,14 |
| | Solid Surface | SS-FR0485 | 1.091,00 | 1.320,11 |
| | Evora Quartz Evora Granite | CO/GR-FR0485 | 1.091,00 | 1.320,11 |
| | Cosmolite Obsidiana | CO-FR0485 | 1.091,00 | 1.320,11 |
| | Glass Inox | GL/R-FR0485 | 1.091,00 | 1.320,11 |
| | Evora Ceramics Dekton | CE/LA-FR0485 | 1.091,00 | 1.320,11 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0485 | 1.034,00 | 1.251,14 |
| | Solid Wood | MH-SON-0485 | 1.034,00 | 1.251,14 |

17

| | | | | |
|----------------------|---------------------|-----------|--------|---------------|
| separate sink | | | | |
| | Separate sink | SFR-0485L | 726,00 | 878,46 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Maris MRX 210.40




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 450 mm*

Complete with basket plug and overflow.

*In case of flush installation, cut the carcass to mount the necessary clamps.

For explanation, see p.17.3



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0402 | 720,00 | 871,20 |
| | TopCore / Fenix 10 | TC/FE-VIB-0402 | 776,00 | 938,96 |
| | Solid Surface | SS-FR0402 | 840,00 | 1.016,40 |
| | Evora Quartz Evora Granite | CO/GR-FR0402 | 840,00 | 1.016,40 |
| | Cosmolite Obsidiana | CO-FR0402 | 840,00 | 1.016,40 |
| | Glass Inox | GL/R-FR0402 | 840,00 | 1.016,40 |
| | Evora Ceramics Dekton | CE/LA-FR0402 | 840,00 | 1.016,40 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0402 | 776,00 | 938,96 |
| | Solid Wood | MH-SON-0402 | 776,00 | 938,96 |
| separate sink | | | | |
| | Separate sink | SFR-0402L | 563,00 | 681,23 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |


For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Maris MRX 210.50



Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
semi-undermount 80 mm
 Minimum cabinet width: 600 mm
 Complete with basket plug and overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|------------------------------------|----------------|-----------|-----------------|
| flush installation | | | | |
| | TopLaminate DecorTop Fenix 0.9 | SFR-0403 | 830,00 | 1.004,30 |
| | TopCore / Fenix 10 | TC/FE-VIB-0403 | 922,00 | 1.115,62 |
| | Solid Surface | SS-FR0403 | 979,00 | 1.184,59 |
| | Evora Quartz Evora Granite | CO/GR-FR0403 | 979,00 | 1.184,59 |
| | Cosmolite Obsidiana | CO-FR0403 | 979,00 | 1.184,59 |
| | Glass Inox | GL/R-FR0403 | 979,00 | 1.184,59 |
| | Evora Ceramics Dekton | CE/LA-FR0403 | 979,00 | 1.184,59 |
| semi-undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-SON-0403 | 922,00 | 1.115,62 |
| | Solid Wood | MH-SON-0403 | 922,00 | 1.115,62 |

separate sink

| | | | |
|---------------|-----------|--------|---------------|
| Separate sink | SFR-0403L | 614,00 | 742,94 |
|---------------|-----------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Mythos MYX 210.45




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
 Minimum cabinet width: 500 mm*


stainless steel sink, complete with integral basket strainer, drain cover and deluxe overflow.

*For flush mounting, cut in the cabinet because of the necessary clamps. See explanation on page 17.3



installation method

flush installation



material

Evora Quartz | Evora Granite
 Cosmolite | Obsidiana
 Inox
 Evora Ceramics | Dekton

order no.

CO/GR-VIB-FR0459
 CO-VIB-FR0459
 R-VIB-FR0459
 CE/LA-VIB-FR0459

excl. VAT

1.175,00
 1.175,00
 1.175,00
 1.175,00

incl. VAT

1.421,75
1.421,75
1.421,75
1.421,75

separate sink

Separate sink

SFR-VIB-0459L

810,00

980,10

service parts

Space-saving siphon

240060

18,00

21,78


For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Mythos MYX 210.50

Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
 Minimum cabinet width: 600 mm

stainless steel sink, complete with integral basket strainer, drain cover and deluxe overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|------------------------------|------------------|-----------|-----------------|
| flush installation | | | | |
| | Evora Quartz Evora Granite | CO/GR-VIB-FR0460 | 1.205,00 | 1.458,05 |
| | Cosmolite Obsidiana | CO-VIB-FR0460 | 1.205,00 | 1.458,05 |
| | Inox | R-VIB-FR0460 | 1.205,00 | 1.458,05 |
| | Evora Ceramics Dekton | CE/LA-VIB-FR0460 | 1.205,00 | 1.458,05 |

17

| | | | | |
|----------------------|---------------------|---------------|--------|-----------------|
| separate sink | | | | |
| | Separate sink | SFR-VIB-0460L | 840,00 | 1.016,40 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

Franke Mythos MYX 210.55




Description

Front: *flush-mounted* 60 mm (with stainless steel 80 mm)
 Minimum cabinet width: 600 mm*


stainless steel sink, complete with integral basket strainer, drain cover and deluxe overflow.

*For flush mounting, cut in the cabinet because of the necessary clamps. See explanation on page 17.3



installation method

flush installation



material

Evora Quartz | Evora Granite
 Cosmolite | Obsidiana
 Inox
 Evora Ceramics | Dekton

order no.

CO/GR-VIB-FR0461
 CO-VIB-FR0461
 R-VIB-FR0461
 CE/LA-VIB-FR0461

excl. VAT

1.235,00
 1.235,00
 1.235,00
 1.235,00

incl. VAT

1.494,35
1.494,35
1.494,35
1.494,35

separate sink

Separate sink

SFR-VIB-0461L

870,00

1.052,70

service parts

Space-saving siphon


240060

18,00

21,78

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html


Franke Fraganite Maris MRG 210.52 Black Edition



Description


Front: *flush-mounted* 80 mm
semi-undermount 80 mm
Undermount 90 mm
 Minimum cabinet width: 600 mm

Fragranite sink, complete with black basket strainer, drain cover and deluxe overflow. **Please note that mounting of a support set is mandatory for flush mount and (semi)-undermount sinks. This is included (not included in the price), unless only a separate sink is ordered.**




| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------|----------|-----------|-----------|-----------|
|---------------------|----------|-----------|-----------|-----------|

flush installation




| | | | |
|------------------------------|--------------------|----------|-----------------|
| Evora Quartz Evora Granite | CO/GR-VIB-FR0455BE | 1.035,00 | 1.252,35 |
| Cosmolite Obsidiana | CO-VIB-FR0455BE | 1.035,00 | 1.252,35 |
| Evora Ceramics Dekton | CE/LA-VIB-FR0455BE | 1.035,00 | 1.252,35 |

semi-undermount



| | | | |
|--------------------|------------------|----------|-----------------|
| Straight plywood | HPL-OND-0455BE | 1.185,00 | 1.433,85 |
| TopCore / Fenix 10 | TC/FE-SON-0455BE | 978,00 | 1.183,38 |
| Solid Wood | MH-SON-0455BE | 978,00 | 1.183,38 |

under-mounted



| | | | |
|------------------------------|--------------------|----------|-----------------|
| TopCore / Fenix 10 | TC/FE-OND-0455BE | 978,00 | 1.183,38 |
| Solid Surface | SS-OND-FR0455BE | 1.035,00 | 1.252,35 |
| Solid Wood | MH-OND-0455BE | 978,00 | 1.183,38 |
| Evora Quartz Evora Granite | CO/GR-OND-FR0455BE | 1.270,00 | 1.536,70 |
| Cosmolite Obsidiana | CO-OND-FR0455BE | 1.270,00 | 1.536,70 |
| Glass | GL-OND-FR0455BE | 1.270,00 | 1.536,70 |
| Evora Ceramics* Dekton* | CE/LA-OND-FR0455BE | 1.270,00 | 1.536,70 |

* Note: increased risk of damage from use due to chipping at the sink edge

separate sink

| | | | |
|---------------|-----------------|--------|---------------|
| Separate sink | SFR-VIB-0455BEL | 670,00 | 810,70 |
|---------------|-----------------|--------|---------------|

service parts

| | | | |
|---------------------|--------------|-------|---------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
| Support set | DIV-STEUN-GR | 94,00 | 113,74 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html


Franke Fraganite Maris MRG 210.52 Matt Black



Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>flush-mounted</i> | 80 mm |
| | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Fragranite sink, complete with stainless steel basket strainer, drain cover and deluxe overflow. **Please note that mounting of a support set is mandatory for flush mount and (semi)-undermount sinks. This is included (not included in the price), unless only a separate sink is ordered.**



Also available in colors: Polar White (PW), Oyster (OY), Stone Grey (SG).
Not in stock; delivery time approximately 2 weeks.

| installation method | material | order no. | excl. VAT | incl. VAT |
|---|--|--------------------|-----------|-----------------|
| flush installation | | | | |
| | Evora Quartz Evora Granite | CO/GR-VIB-FR0455MB | 1.005,00 | 1.216,05 |
| | Cosmolite Obsidiana | CO-VIB-FR0455MB | 1.005,00 | 1.216,05 |
| | Evora Ceramics Dekton | CE/LA-VIB-FR0455MB | 1.005,00 | 1.216,05 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0455MB | 1.155,00 | 1.397,55 |
| | TopCore / Fenix 10 | TC/FE-SON-0455MB | 948,00 | 1.147,08 |
| | Solid Wood | MH-SON-0455MB | 948,00 | 1.147,08 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0455MB | 948,00 | 1.147,08 |
| | Solid Surface | SS-OND-FR0455MB | 1.005,00 | 1.216,05 |
| | Solid Wood | MH-OND-0455MB | 948,00 | 1.147,08 |
| | Evora Quartz Evora Granite | CO/GR-OND-FR0455MB | 1.240,00 | 1.500,40 |
| | Cosmolite Obsidiana | CO-OND-FR0455MB | 1.240,00 | 1.500,40 |
| | Glass | GL-OND-FR0455MB | 1.240,00 | 1.500,40 |
| | Evora Ceramics* Dekton* | CE/LA-OND-FR0455MB | 1.240,00 | 1.500,40 |
| | * Note: increased risk of damage from use due to chipping at the sink edge | | | |
| separate sink | | | | |
| | Separate sink | SFR-VIB-0455MBL | 640,00 | 774,40 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |
| For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html | | | | |


Franke Fragranite Maris MRG 210.52 Onyx



Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>flush-mounted</i> | 80 mm |
| | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Fragranite sink, complete with stainless steel basket strainer, drain cover and deluxe overflow. **Please note that mounting of a support set is mandatory for flush mount and (semi)-undermount sinks. This is included (not included in the price), unless only a separate sink is ordered.**



Also available in colors: Polar White (PW), Oyster (OY), Stone Grey (SG).
Not in stock; delivery time approximately 2 weeks.

| installation method | material | order no. | excl. VAT | incl. VAT |
|---------------------------|--|--------------------|-----------|-----------------|
| flush installation | | | | |
| | Evora Quartz Evora Granite | CO/GR-VIB-FR0455ON | 1.005,00 | 1.216,05 |
| | Cosmolite Obsidiana | CO-VIB-FR0455ON | 1.005,00 | 1.216,05 |
| | Evora Ceramics Dekton | CE/LA-VIB-FR0455ON | 1.005,00 | 1.216,05 |
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0455ON | 1.155,00 | 1.397,55 |
| | TopCore / Fenix 10 | TC/FE-SON-0455ON | 948,00 | 1.147,08 |
| | Solid Wood | MH-SON-0455ON | 948,00 | 1.147,08 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0455ON | 948,00 | 1.147,08 |
| | Solid Surface | SS-OND-FR0455ON | 1.005,00 | 1.216,05 |
| | Solid Wood | MH-OND-0455ON | 948,00 | 1.147,08 |
| | Evora Quartz Evora Granite | CO/GR-OND-FR0455ON | 1.240,00 | 1.500,40 |
| | Cosmolite Obsidiana | CO-OND-FR0455ON | 1.240,00 | 1.500,40 |
| | Glass | GL-OND-FR0455ON | 1.240,00 | 1.500,40 |
| | Evora Ceramics* Dekton* | CE/LA-OND-FR0455ON | 1.240,00 | 1.500,40 |
| | * Note: increased risk of damage from use due to chipping at the sink edge | | | |
| separate sink | | | | |
| | Separate sink | SFR-VIB-0455ONL | 640,00 | 774,40 |
| service parts | | | | |
| | Space-saving siphon | 240060 | 18,00 | 21,78 |
| | Support set | DIV-STEUN-GR | 94,00 | 113,74 |

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html


Franke Sirius Tectonite SID 110.50 Carbon Black



Description

| | | |
|------------------------|------------------------|--------|
| Front: | <i>semi-undermount</i> | 80 mm |
| | <i>Undermount</i> | 90 mm |
| Minimum cabinet width: | | 600 mm |

Tectonite sink, complete with basket plug and luxury overflow.



| installation method | material | order no. | excl. VAT | incl. VAT |
|------------------------|------------------------------|--------------------|-----------|-----------------|
| semi-undermount | | | | |
| | Straight plywood | HPL-OND-0680CB | 909,00 | 1.099,89 |
| | TopCore / Fenix 10 | TC/FE-SON-0680CB | 702,00 | 849,42 |
| | Solid Wood | MH-SON-0680CB | 702,00 | 849,42 |
| undermount | | | | |
| | TopCore / Fenix 10 | TC/FE-OND-0680CB | 702,00 | 849,42 |
| | Solid Surface | SS-OND-FR0680CB | 759,00 | 918,39 |
| | Solid Wood | MH-OND-0680CB | 702,00 | 849,42 |
| | Evora Quartz Evora Granite | CO/GR-OND-FR0680CB | 994,00 | 1.202,74 |
| | Cosmolite Obsidiana | CO-OND-FR0680CB | 994,00 | 1.202,74 |
| | Glass | GL-OND-FR0680CB | 994,00 | 1.202,74 |
| | Evora Ceramics * Dekton * | CE/LA-OND-FR0680CB | 994,00 | 1.202,74 |

* Note: increased risk of damage from use due to chipping at the sink edge

separate sink

| | | | |
|---------------|-------------|--------|---------------|
| Separate sink | SFR-0680CBL | 394,00 | 476,74 |
|---------------|-------------|--------|---------------|

service parts

| | | | |
|---------------------|--------|-------|--------------|
| Space-saving siphon | 240060 | 18,00 | 21,78 |
|---------------------|--------|-------|--------------|

For other service parts, see www.frankewebshop.nl/nl/spoelbakken.html

| Lanesto waste set - plug & chain with overflow (DEK-3A) | | Description | order no. | excl. VAT | incl. VAT |
|---|--|-----------------|-----------|-----------|--------------|
| | | Stainless steel | 240020 | 15,00 | 18,15 |
| | | | | | |

incl.:

- > plug 1,5"
- > stop & chain
- > overflow

| Lanesto drain set - basket plug with luxury overflow (DEK-4ALO) | | Description | order no. | excl. VAT | incl. VAT |
|---|--|-----------------|-----------|-----------|--------------|
| | | Stainless steel | 240031 | 36,00 | 43,56 |
| | | gunmetal* | 240039GM | 74,00 | 89,54 |
| | | Copper* | 240039CP | 74,00 | 89,54 |
| | | Gold* | 240039GO | 74,00 | 89,54 |
| | | | | | |

incl.:

- > basket strainer plug 3,5"
- > luxury overflow
- > overflow cover

*Not suitable for the Urban series.
Please refer to the pages of the Urban sinks.

| Lanesto drain set - with Premeris plug | | Description | order no. | excl. VAT | incl. VAT |
|--|--|-----------------|-----------|-----------|--------------|
| | | Stainless steel | 240052 | 36,00 | 43,56 |
| | | | | | |

incl.:

- > Premeris plug
- > luxury overflow
- > Stainless steel overflow cover

Lanesto drain set - basket plug with overflow (DEK-4A)




| Description | order no. | excl. VAT | incl. VAT |
|-----------------|-----------|-----------|--------------|
| Stainless steel | 240023 | 29,00 | 35,09 |

incl.:

- > basket strainer plug 3,5"
- > overflow

Lanesto drain set - basket plug with overflow black (DEK-4A)



| | | | |
|-------|--------|-------|--------------|
| Black | 240029 | 49,00 | 59,29 |
|-------|--------|-------|--------------|

incl.:

- > black plastic basket strainer 3,5"
- > luxury overflow black
- > black overflow cover

Lanesto drain set - basket plug with waste and overflow (DEK-4E)



| | | | |
|-----------------|--------|-------|--------------|
| Stainless steel | 240024 | 48,00 | 58,08 |
|-----------------|--------|-------|--------------|

incl.:

- > basket strainer plug 3,5"
- > overflow
- > turning waste (hole 35 mm)

This is an overview page. The service parts per sink can be found on the page of the relevant sink.

Lanesto stop - without overflow (DEK-3)



| Description | order no. | excl. VAT | incl. VAT |
|-----------------|-----------|-----------|--------------|
| Stainless steel | 240021 | 11,00 | 13,31 |

- incl.:
- > plug 1,5"
 - > plug

Lanesto basket plug - without overflow (DEK-4)



| | | | |
|-----------------|--------|-------|--------------|
| Stainless steel | 240022 | 25,00 | 30,25 |
|-----------------|--------|-------|--------------|

- incl.:
- > basket strainer plug 3,5"

Lanesto siphon - single (DEK-50)





| | | | |
|-------|--------|-------|--------------|
| White | 240060 | 18,00 | 21,78 |
|-------|--------|-------|--------------|



Space-saving siphon.
Without plugs, for single sinks

incl. connection for (dish) washing machine


This is an overview page. The service parts per sink can be found on the page of the relevant sink.

| Lanesto siphon - double (DEK-60) | Description | order no. | excl. VAT | incl. VAT |
|---|-------------|-----------|-----------|--------------|
|  <div data-bbox="679 474 758 551" style="border: 1px solid black; padding: 2px; width: fit-content; margin: 10px auto;">  DE0240 </div> <p data-bbox="113 573 389 624">Space-saving siphon. Without plugs, for double sinks</p> <p data-bbox="113 651 494 678">incl. connection for (dish) washing machine</p> | White | 240070 | 29,00 | 35,09 |

| Lanesto drain set with siphon - single (DECK 5) | | | | |
|--|-------|--------|-------|--------------|
|  <div data-bbox="679 1115 758 1191" style="border: 1px solid black; padding: 2px; width: fit-content; margin: 10px auto;">  DE0240 </div> <p data-bbox="113 1214 357 1346">For the single sink incl.: > basket strainer plug 3,5" > overflow > siphon</p> <p data-bbox="113 1373 496 1397">Incl. connection for (dish)washing machine.</p> | White | 240037 | 51,00 | 61,71 |



| Lanesto drain set with siphon - double (DEK-6) | | | | |
|---|-------|--------|-------|--------------|
|  <div data-bbox="679 1742 758 1818" style="border: 1px solid black; padding: 2px; width: fit-content; margin: 10px auto;">  DE0240 </div> <p data-bbox="113 1841 346 1973">Available for a double sink incl.: > 2 basket strainers 3.5" > overflow > siphon</p> <p data-bbox="113 2000 494 2027">Incl. connection for (dish)washing machine.</p> | White | 240040 | 57,00 | 68,97 |

This is an overview page. The service parts per sink can be found on the page of the relevant sink.



| Lanesto Magnadop | Description | order no. | excl. VAT | incl. VAT |
|---|-----------------|-----------|-----------|--------------|
|   | Stainless steel | 240034 | 16,00 | 19,36 |

Loose cap that can be placed over the Lanesto plug (240018).

Note: once assembled, no longer removable!

| Lanesto Powerplug | Description | order no. | excl. VAT | incl. VAT |
|--|-----------------|-----------|-----------|--------------|
|   | Stainless steel | 240032 | 24,00 | 29,04 |

Includes strainer plug.
Fits in the Lanesto basket strainer.

| Lanesto basket strainer stainless steel | Description | order no. | excl. VAT | incl. VAT |
|---|-----------------|-----------|-----------|--------------|
|   | Stainless steel | 240018 | 19,00 | 22,99 |

Loose stainless steel strainer
Excl. magnacap

This is an overview page. The service parts per sink can be found on the page of the relevant sink.

Lanesto Premeris strainer plug



| Description | order no. | excl. VAT | incl. VAT |
|-----------------|-----------|-----------|--------------|
| Stainless steel | 240041 | 23,00 | 27,83 |

Loose stainless steel strainer for Premeris plug

Only suitable for sinks from the Giro and Destra series with Premeris plug and the Lanesto Victoria.


Lanesto basket strainer black



| | | | |
|-------|--------|-------|--------------|
| Black | 240019 | 25,00 | 30,25 |
|-------|--------|-------|--------------|

Loose plastic strainer
Magnacap not possible

Lanesto basket strainer pvd, Urban series



| | | | |
|-----------------|--------|-------|--------------|
| Gun Metal | 881017 | 25,00 | 30,25 |
| Copper | 881018 | 25,00 | 30,25 |
| Gold | 881019 | 25,00 | 30,25 |
| Patinated Brass | 881026 | 25,00 | 30,25 |
| Sturdy Black | 881024 | 30,00 | 36,30 |
| Rose Copper | 881029 | 25,00 | 30,25 |

Loose pvd strainer
Magnadop is not available

Only suitable for the sinks of the Urban Series

Lanesto basket strainer pvd, other series



| Description | order no. | excl. VAT | incl. VAT |
|-------------|-----------|-----------|--------------|
| Gun Metal | 240036GM | 39,00 | 47,19 |
| Copper | 240036CP | 39,00 | 47,19 |
| Gold | 240036GO | 39,00 | 47,19 |



Loose pvd strainer
Incl. Magnacap

Not suitable for the Urban series sinks

| Lanesto Insert tray | Description | order no. | excl. VAT | incl. VAT |
|---|---|-----------|-----------|---------------|
|  | Stainless steel | 311550 | 102,00 | 123,42 |
| |  | | | |



- Matching for Lanesto series:
- > Como
 - > Destra
 - > Giro (except Lanesto Giro 55 x 40)

Dimensions: 190 x 417 x 80 mm (wxdxh)

| Lanesto Insert tray | Description | order no. | excl. VAT | incl. VAT |
|--|---|-----------|-----------|---------------|
|  | Stainless steel | 311551RVS | 97,00 | 117,37 |
| | Gun Metal | 311551GM | 170,00 | 205,70 |
| | Copper | 311551CP | 170,00 | 205,70 |
| | Gold | 311551GO | 170,00 | 205,70 |
| | Patinated Brass | 311551PB | 189,00 | 228,69 |
| | Sturdy Black | 311551SB | 231,00 | 279,51 |
| | Rose Copper | 311551RC | 170,00 | 205,70 |
| |  | | | |

- Matching for Lanesto series:
- > Como
 - > Destra
 - > Giro (except Lanesto Giro 550 x 400)
 - > Nordic
 - > Urban

Dimensions: 163 x 426 x 70 mm (wxdxh)

| Universal support set | Description | order no. | excl. VAT | incl. VAT |
|---|---|--------------|-----------|---------------|
|  | Per set | DIV-STEUN-GR | 94,00 | 113,74 |
| |  | | | |

for the purpose of undermount sinks (max. 1200 mm cabinet size)

- Contents:
- > four side supports
 - > two universal carriers
 - > mounting and adjusting screws

This is an overview page. The service parts per sink can be found on the page of the relevant sink.

| Lanesto Pan grid rollable | | Description | order no. | excl. VAT | incl. VAT |
|---------------------------|--|-----------------|-----------|-----------|---------------|
| | | Stainless steel | 300075 | 60,00 | 72,60 |
| | | Gun Metal | 300076 | 95,00 | 114,95 |
| | | Copper | 300077 | 95,00 | 114,95 |
| | | Gold | 300078 | 95,00 | 114,95 |
| | | Patinated Brass | 300079 | 95,00 | 114,95 |
| | | Sturdy Black | 300074 | 95,00 | 114,95 |
| | | Rose Copper | 300073 | 95,00 | 114,95 |

Matching for Lanesto series:

- > Como
- > Destra
- > Giro
- > Urban


Dimensions: 450 x 290 x 13 mm (wxdxh)

| Lanesto Bottom Rack | | Description | order no. | excl. VAT | incl. VAT |
|---------------------------|----------|---------------------------|---------------|-----------|---------------|
| | | 40 x 40 - stainless steel | 311560RVS | 70,00 | 84,70 |
| | | 40 x 40 - Gun Metal | 311560GM | 82,00 | 99,22 |
| | | 40 x 40 - Copper | 311560CP | 82,00 | 99,22 |
| | | 40 x 40 - Gold | 311560GO | 82,00 | 99,22 |
| | | 40 x 40 - Patinated Brass | 311560PB | 82,00 | 99,22 |
| | | 40 x 40 - Sturdy Black | 311560SB | 113,00 | 136,73 |
| | | 40 x 40 - Rose Copper | 311560RC | 82,00 | 99,22 |
| | | 50 x 40 - Stainless Steel | 311561RVS | 82,00 | 99,22 |
| | | 50 x 40 - Gun Metal | 311561GM | 94,00 | 113,74 |
| | | 50 x 40 - Copper | 311561CP | 94,00 | 113,74 |
| 50 x 40 - Gold | 311561GO | 94,00 | 113,74 | | |
| 50 x 40 - Patinated Brass | 311561PB | 94,00 | 113,74 | | |
| 50 x 40 - Sturdy Black | 311561SB | 125,00 | 151,25 | | |
| 50 x 40 - Rose Copper | 311561RC | 94,00 | 113,74 | | |

Matching for Lanesto series:

- > Como
- > Destra
- > Urban

| Magisso Dishcloth holder stainless steel | | Description | order no. | excl. VAT | incl. VAT |
|--|--|-----------------|-----------|-----------|---------------|
| | | Stainless steel | 300060 | 85,00 | 102,85 |
| | | Gun Metal | 300070 | 101,00 | 122,21 |
| | | Copper | 300071 | 101,00 | 122,21 |
| | | Gold | 300072 | 101,00 | 122,21 |
| | | Patinated Brass | 300087 | 101,00 | 122,21 |
| | | Sturdy Black | 300086 | 101,00 | 122,21 |
| | | Rose Copper | 300088 | 101,00 | 122,21 |



Sink Lanesto Urban 400 x 400 Gold, Magisso Dishcloth Holder Gold

Icons



Price group to which this article belongs. Some articles have a different discount, this is mentioned separately.



FRAMES

Table legs and bases made to measure

Table legs and bases made to measure? Dekker Zevenhuizen realizes each idea with stability and quality as a starting point.

Please provide your sketch, design, technical drawing with: - the desired dimensions - choice of material (steel or stainless steel) - the desired final finish (steel blasted and powder coated ..., stainless steel brushed, directionless brushed ...)

and we will create for you a perfectly finished product with a timeless character.

Content


- 18.2 Custom connecting bar parts
- 18.8 Custom table bases
- 18.12 Order form

FRAMES Custom connecting bar parts




FRAMES Custom connecting bar parts

| Frame Capri | | | excl VAT | incl. VAT |
|--------------------------|--------------|-----------------|----------|-----------------|
| Frame Capri-1500 | sample price | CAPRI-1500-1000 | 1.464,00 | 1.771,44 |
| Frame Capri-2000 (shown) | sample price | CAPRI-2000-1000 | 1.669,00 | 2.019,49 |
| Frame Capri-2500 | sample price | CAPRI-2500-1000 | 1.874,00 | 2.267,54 |
| Frame Capri-3000 | sample price | CAPRI-3000-1000 | 2.077,00 | 2.513,17 |



Frame Capri-2000

| Frame Ponza | | | excl VAT | incl. VAT |
|--------------------------|--------------|-----------------|----------|-----------------|
| Frame Ponza-1500 (shown) | sample price | PONZA-1500-1000 | 1.692,00 | 2.047,32 |
| Frame Ponza-2000 | sample price | PONZA-2000-1000 | 1.987,00 | 2.404,27 |
| Frame Ponza-2500 | sample price | PONZA-2500-1000 | 2.140,00 | 2.589,40 |
| Frame Ponza-3000 | sample price | PONZA-3000-1000 | 2.293,00 | 2.774,53 |




Frame Ponza-1500

The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom connecting bar parts




| Frame Elba | | excl. VAT | incl. VAT |
|-------------------------|-----------------------------|-----------|-----------------|
| Frame Elba-1500 (shown) | sample price ELBA-1500-1000 | 966,00 | 1.168,86 |
| Frame Elba-2000 | sample price ELBA-2000-1000 | 1.193,00 | 1.443,53 |
| Frame Elba-2500 | sample price ELBA-2500-1000 | 1.420,00 | 1.718,20 |
| Frame Elba-3000 | sample price ELBA-3000-1000 | 1.647,00 | 1.992,87 |




FRAMES Custom connecting bar parts

| Frame Ischia | | | excl. VAT | incl. VAT |
|---------------------------|--------------|-----------------|-----------|-----------------|
| Frame Ischia-1500 | sample price | ISHCIA-1500-100 | 1.609,00 | 1.946,89 |
| Frame Ischia-2000 (shown) | sample price | ISHCIA-2000-100 | 1.664,00 | 2.013,44 |
| Frame Ischia-2500 | sample price | ISHCIA-2500-100 | 1.766,00 | 2.136,86 |
| Frame Ischia-3000 | sample price | ISHCIA-3000-100 | 1.856,00 | 2.245,76 |



The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

| Frame Panarea | | | | |
|----------------------------|--------------|-----------------|----------|-----------------|
| Frame Panarea-1000 (shown) | sample price | PANAREA-1000-10 | 1.010,00 | 1.222,10 |
| Frame Panarea-1500 | sample price | PANAREA-1500-10 | 1.124,00 | 1.360,04 |
| Frame Panarea-2000 | sample price | PANAREA-2000-10 | 1.237,00 | 1.496,77 |




The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom connecting bar parts




| Frame Salina | | | excl VAT | incl. VAT |
|---------------------------|--------------|-----------------|----------|-----------------|
| Frame Salina-1500 (shown) | sample price | SALINA-1500-100 | 1.362,00 | 1.648,02 |
| Frame Salina-2000 | sample price | SALINA-2000-100 | 1.618,00 | 1.957,78 |
| Frame Salina-2500 | sample price | SALINA-2500-100 | 1.805,00 | 2.184,05 |
| Frame Salina-3000 | sample price | SALINA-3000-100 | 1.959,00 | 2.370,39 |




The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom connecting bar parts

| Frame Linosa | | | excl. VAT | incl. VAT |
|---------------------------|--------------|-----------------|-----------|-----------------|
| Frame Linosa-1500 (shown) | sample price | LINOSA-1500-100 | 1.283,00 | 1.552,43 |
| Frame Linosa-2000 | sample price | LINOSA-2000-100 | 1.533,00 | 1.854,93 |
| Frame Linosa-2500 | sample price | LINOSA-2500-100 | 1.737,00 | 2.101,77 |
| Frame Linosa-3000 | sample price | LINOSA-3000-100 | 1.942,00 | 2.349,82 |



| Frame Levanzo | | | excl. VAT | incl. VAT |
|----------------------------|--------------|-----------------|-----------|-----------------|
| Frame Levanzo-1500 | sample price | LEVANZO-1500-10 | 1.283,00 | 1.552,43 |
| Frame Levanzo-2000 (shown) | sample price | LEVANZO-2000-10 | 1.533,00 | 1.854,93 |
| Frame Levanzo-2500 | sample price | LEVANZO-2500-10 | 1.737,00 | 2.101,77 |
| Frame Levanzo-3000 | sample price | LEVANZO-3000-10 | 1.942,00 | 2.349,82 |



The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom table bases



Frame Razzoli

| | | | excl. VAT | incl. VAT |
|----------------------------|--------------|-----------------|-----------|-----------------|
| Frame Razzoli-1500 (shown) | sample price | RAZZOLI-1500-10 | 1.447,00 | 1.750,87 |
| Frame Razolli-2000 | sample price | RAZZOLI-2000-10 | 1.669,00 | 2.019,49 |
| Frame Razolli-2500 | sample price | RAZZOLI-2500-10 | 1.839,00 | 2.225,19 |
| Frame Razolli-3000 | sample price | RAZZOLI-3000-10 | 2.010,00 | 2.432,10 |



Frame Razzoli-1500

The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom table bases

| Frame Capraia | | excl. VAT | incl. VAT |
|----------------------------|------------------------------|-----------|-----------------|
| Frame Capraia-1500 (shown) | sample price CAPRAIA-1500-10 | 1.801,00 | 2.179,21 |
| Frame Capraia-2000 | sample price CAPRAIA-2000-10 | 1.959,00 | 2.370,39 |
| Frame Capraia-2500 | sample price CAPRAIA-2500-10 | 2.128,00 | 2.574,88 |
| Frame Capraia-3000 | sample price CAPRAIA-3000-10 | 2.299,00 | 2.781,79 |



Frame Capraia-1500

| Frame Torcello | | excl. VAT | incl. VAT |
|-----------------------------|-------------------------------|-----------|-----------------|
| Frame Capraia-1500 | sample price TORCELLO-1500-10 | 1.652,00 | 1.998,92 |
| Frame Torcello-2000 (shown) | sample price TORCELLO-2000-10 | 1.792,00 | 2.168,32 |
| Frame Capraia-2500 | sample price TORCELLO-2500-10 | 1.969,00 | 2.382,49 |
| Frame Capraia-3000 | sample price TORCELLO-3000-10 | 2.128,00 | 2.574,88 |




Frame Torcello-2000

The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

FRAMES Custom table bases



| Frame Monaci | | | excl VAT | incl. VAT |
|---------------------------|--------------|-----------------|----------|-----------------|
| Frame Monaci-1500 (shown) | sample price | MONACI-1500-100 | 2.085,00 | 2.522,85 |
| Frame Monaci-2000 | sample price | MONACI-2000-100 | 2.265,00 | 2.740,65 |
| Frame Monaci-2500 | sample price | MONACI-2500-100 | 2.447,00 | 2.960,87 |
| Frame Monaci-3000 | sample price | MONACI-3000-100 | 2.555,00 | 3.091,55 |




Frame Monaci-1500

The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.


FRAMES Custom table bases

| Frame Lampione | | excl. VAT | incl. VAT |
|-----------------------------|--------------|-----------------|--------------------------|
| Frame Lampione-1500 | sample price | LAMPIONE-1500-1 | 2.301,00 2.784,21 |
| Frame Lampione-2000 | sample price | LAMPIONE-2000-1 | 2.558,00 3.095,18 |
| Frame Lampione-2500 | sample price | LAMPIONE-2500-1 | 2.746,00 3.322,66 |
| Frame Lampione-3000 (shown) | sample price | LAMPIONE-3000-1 | 2.899,00 3.507,79 |



Frame Lantern-3000

| Frame Chiesa | | excl. VAT | incl. VAT |
|---------------------------|--------------|---------------|--------------------------|
| Frame Chiesa-1500 | sample price | CHIESA-1500-1 | 2.214,00 2.678,94 |
| Frame Chiesa-2000 | sample price | CHIESA-2000-1 | 2.384,00 2.884,64 |
| Frame Chiesa-2500 (shown) | sample price | CHIESA-2500-1 | 2.582,00 3.124,22 |
| Frame Chiesa-3000 | sample price | CHIESA-3000-1 | 2.860,00 3.460,60 |



Frame Chiesa-2500


The prices mentioned are based on the dimensions in the examples and serve as a guideline. Adjustments to the sizes mentioned may have consequences for the pricing.

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing

 no

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
length measure

 B: _____ mm
width measure

 C: _____ mm
height measure
(total height frame)

 D: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____


 Email this order form to projects@dznet.nl

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing

 no

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
 length measure

 B1: _____ mm
 width measure

 B2: _____ mm
 width measure

 C: _____ mm
 height measure
 (total height frame)

 D1: _____ mm
 tube size

 D2: _____ mm
 tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

 Email this order form to projects@dznet.nl

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing


 no

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A1: _____ mm
length measure

 A2: _____ mm
length measure

 B: _____ mm
width measure

 C: _____ mm
height measure
(total height frame)

 D1: _____ mm
tube size

 D2: _____ mm
tube size

 D3: _____ mm
tube size

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing


 no

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
length measure


 B: _____ mm
width measure

 C: _____ mm
height measure
(total height frame)

 D1: _____ mm
tube size

 D2: _____ mm
tube size

 E: _____ mm
length measure
(front to center leg)



Material:

Powder Coated Steel

RAL colour: _____

Stainless steel, grinded smooth

Worktop:


Countertop on frame (frame visible under the top)

Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):

Yes, mark position in the drawing

no



Variant: 1500 / 2000 / 2500*

*delete what is not applicable.

Dimensions:

A: _____ mm
length measure

B: _____ mm
width measure

C: _____ mm
height measure
(total height frame)

D1: _____ mm
tube size

D2: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____


Belonging to order number: _____

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing

 no

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
length measure

 B1: _____ mm
width measure

 B2: _____ mm
width measure

 C: _____ mm
height measure
(total height frame)

 D1: _____ mm
tube size

 D2: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

 Email this order form to projects@dznet.nl

ORDER FORM

Frame Linosa



Material:

Powder Coated Steel

RAL colour: _____

Stainless steel, grinded smooth

Worktop:


Countertop on frame (frame visible under the top)

Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):

Yes, mark position in the drawing

no



Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:

A: _____ mm
length measure

B1: _____ mm
width measure

B2: _____ mm
width measure

C: _____ mm
height measure
(total height frame)

D1: _____ mm
tube size

D2: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____


Email this order form to projects@dznet.nl

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing

 no

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
 length measure

 B1: _____ mm
 width measure

 B2: _____ mm
 width measure

 C: _____ mm
 height measure
 (total height frame)

 D1: _____ mm
 tube size

 D2: _____ mm
 tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

 Email this order form to projects@dznet.nl


Material:
 Powder Coated Steel


RAL colour: _____

 Stainless steel, grinded smooth

Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing

 no

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:

 A: _____ mm
 length measure

 B: _____ mm
 width measure

 C: _____ mm
 height measure
 (total height frame)

 D1: _____ mm
 tube size

 D2: _____ mm
 tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

 Email this order form to projects@dznet.nl

ORDER FORM

Frame Capraia



Material:

Powder Coated Steel

RAL colour: _____

Stainless steel, grinded smooth

Worktop:


Countertop on frame (frame visible under the top)

Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):

Yes, mark position in the drawing

no



Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:

A: _____ mm
length measure

B: _____ mm
width measure

C: _____ mm
height measure
(total height frame)

D: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Email this order form to projects@dznet.nl

ORDER FORM

Frame Torcello



Material:

Powder Coated Steel

RAL colour: _____

Stainless steel, grinded smooth

Worktop:


Countertop on frame (frame visible under the top)

Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):

Yes, mark position in the drawing

no



Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:

A: _____ mm
length measure

B: _____ mm
width measure

C1: _____ mm
height measure
(total height frame)

C2: _____ mm
height measure

D1: _____ mm
tube size

D2: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Email this order form to projects@dznet.nl

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing


 no

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A: _____ mm
 length measure


 B: _____ mm
 width measure

 C: _____ mm
 height measure
 (total height frame)

 D: _____ mm
 tube size

ORDER FORM

Frame Lampione



Material:

Powder Coated Steel

RAL colour: _____

Stainless steel, grinded smooth

Worktop:


Countertop on frame (frame visible under the top)

Countertop over frame (frame visible under top)

Apply L-profile (for mounting on cabinet/wall):

Yes, mark position in the drawing

no



Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:

A: _____ mm
length measure

B: _____ mm
width measure

C: _____ mm
height measure
(total height frame)

D: _____ mm
tube size

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

**Material:**
 Powder Coated Steel

RAL colour: _____

 Stainless steel, grinded smooth
Worktop:
 Countertop on frame (frame visible under the top)

 Countertop over frame (frame visible under top)
Apply L-profile (for mounting on cabinet/wall):
 Yes, mark position in the drawing


 no

Debit number: _____

Company Name: _____

Commission name: _____

Reference: _____

Belonging to order number: _____

Variant: 1500 / 2000 / 2500 / 3000*

*delete what is not applicable.

Dimensions:
 A1: _____ mm
 length measure

 A2: _____ mm
 length measure

 B: _____ mm
 width measure

 C: _____ mm
 height measure
 (total height frame)

 D: _____ mm
 tube size

GENERAL TERMS & CONDITIONS

All our quotations, offers and agreements are subject to the general terms and conditions of Dekker Zevenhuizen, which were filed on 11 January 2018 at the registry of the Court of The Hague under number 2/2018. The general terms and conditions are also posted on our website. The paper version of the general terms and conditions will be sent free of charge upon first request. The applicability of other general purchase or delivery conditions is explicitly rejected.

ARTICLE 1:

DEFINITIONS AND APPLICABILITY

1. In these general terms and conditions the following definitions apply:
 - a) Customer: any customer, including the wholesaler, processor and / or retailer and not being a consumer, who enters into an Agreement with De Dekker;
 - b) General Terms and Conditions: the present general sales, delivery and payment terms and conditions;
 - c) Dekker: Dekker Zevenhuizen BV or a company of Dekker Groep BV, or Dekker Groep BV itself;
 - d) Agreement: the entirety of agreements between Dekker and the Customer regarding the sale and delivery of kitchen worktops, kitchen accessories and all accessories, in the broadest sense.
2. These General Terms and Conditions form part of and apply to all Agreements between Dekker and the Customer, as well as to all (legal) acts and non-contractual obligations of Dekker with, for or towards the Customer in the conclusion and / or implementation thereof.
3. Clauses originating from the Customer that deviate from these General Terms and Conditions are only valid if they have been explicitly accepted by Dekker in writing. Dekker explicitly rejects the applicability of the (general) terms and conditions used by the Customer.
4. In the event of a conflict between a provision in an Agreement and a provision in these General Terms and Conditions, the provision in the Agreement will prevail.
5. Dekker is authorized to make use of third parties in the performance of an Agreement, the costs of which will be passed on to the Customer in accordance with the quotation provided.

ARTICLE 2:

FORMATION OF AGREEMENTS

1. Dekker's offers are always without obligation in the sense that they must be understood as an invitation to place an order. The Agreement is concluded when the order of the Customer - based on the offer - is accepted by Dekker by means of a sales confirmation in whatever form.
2. The prices stated in the catalogs, price lists or other brochures published by Dekker are indicative and do not bind Dekker; the Customer cannot derive any rights from this. The

forementioned prices can always be changed by Dekker. With due observance of the provisions of article 12 in this regard, the Buyer owes the price that Dekker has included in its order confirmation or invoice to the Buyer.

3. Any additional agreements or changes made later, as well as verbal agreements and / or promises made by Dekker or on behalf of Dekker, only bind Dekker if they have been confirmed in writing.
4. All costs arising from changes to a previously concluded and confirmed Agreement desired by the Customer and accepted by Dekker will be carried by the Customer.

ARTICLE 3:

GUARANTEES

1. If a defect occurs within the agreed warranty period, Dekker will - if a complaint has been lodged in time, in accordance with the provisions of Article 4 and Article 5, and the complaint is accepted by it - arrange for repair or redelivery from within a period specified by the Customer after consultation with Dekker. within a reasonable period of time. If the complaint is not accepted by Dekker, the Customer can appeal to the Kitchen Worktops Disputes Committee Foundation in The Hague in accordance with the provisions of Article 4.
2. If Dekker is unable to comply with the provisions of the previous paragraph, for example because the product is not in its program anymore, or at least is no longer in the same shape or quality, Dekker will proceed to delivery of an equivalent product after consultation with the Customer, or Dekker will refund the purchase price of the product for which the defect has manifested itself to the Customer.
3. Once Dekker has performed on the basis of this article, the warranty will remain in force for the remaining warranty period of the original product with regard to the repaired or replaced product.
4. Minor, commercially acceptable and unavoidable deviations (including a tolerance of 2 mm in the dimensions of kitchen worktops must be taken into account) and in color and / or structure (where samples or samples always only give a rough impression of the goods to be delivered) do not constitute a shortcoming by Dekker. Defects that are the result of normal wear and tear and / or improper use and / or improper installation or fitting also do not constitute a shortcoming on the part of Dekker.
5. The Customer is deemed to be aware and to accept that products made from natural materials (natural stone, marble, wood, etc.) or products in which natural raw materials have been processed may have a different appearance on delivery than on the basis of a showed sample.
6. The Customer can only invoke the guarantee or hold the Dekker liable in any other way if he has fulfilled all his obligations, more in particular his payment obligations and the

GENERAL TERMS & CONDITIONS

conditions referred to in the following article.

ARTICLE 4:

COMPLAINT

1. With a view to the guarantee to be provided by Dekker and to prevent unnecessary damage for one of the parties involved in the event of a defect covered by the guarantee, the Customer is obliged to thoroughly inspect the product supplied by Dekker for any defects. and as soon as possible after delivery, but in any case before onward delivery to third parties or processing. Any visible defects must be reported to Dekker in writing within two calendar days after delivery. Only those defects that could not reasonably have been detected by the Customer within the aforementioned period, but which are still discovered within one month after delivery, must be reported to Dekker in writing within the latter period. If this is not done, the Customer is deemed to have accepted the delivered products in conformity. The above notification must contain a description of the defect that is as detailed as possible, so that Dekker is able to respond adequately. The Customer must give Dekker the opportunity to investigate a complaint or have it investigated.
2. The Customer is obliged or guarantees to Dekker that the processing or installation of the product is carried out in a professional manner and that materials are used that allow the product, if necessary with a view to compliance with the warranty, can be removed or replaced in an easy manner.

ARTICLE 5:

DISPUTES

1. If a defect occurs - which in the opinion of the Customer is attributable to Dekker - as referred to in Article 3 paragraph 2, the Customer must immediately report this to Dekker in accordance with the provisions of Article 4.1, under penalty of forfeiture of rights.
2. If Dekker accepts the complaint as referred to in the previous paragraph, it will arrange for repair or redelivery or delivery of the missing items in accordance with Article 3 paragraph 2.

ARTICLE 6:

DELIVERY

1. The Customer is obliged to accept the product as soon as it is offered to him for delivery.
2. A consignment note, delivery note or similar document provided with the delivery of goods is deemed to accurately reflect the quantity of the goods delivered, unless the Customer reports his objection to this to Dekker immediately after receipt of the goods.
3. Even if the Buyer notifies Dekker timely that less has been delivered than stated on the document referred to in the second paragraph of this article, this does not give him the

- right to suspend payment of the number actually delivered.
4. Unless otherwise agreed, the costs of transport are at the expense of the Customer and the goods travel at his risk. Delivery will then take place when the goods are loaded onto the means of transport. However, if delivery free of charge to the Customer's warehouse has been agreed, the product travels at the expense and risk of Dekker. In the event of delivery free of charge to the Customer's warehouse, Dekker does not need to transport the item further than to the place where the vehicle can pass over a properly accessible and safe terrain. Delivery always takes place next to the vehicle, at which place the Customer is obliged to receive the good. The Customer must make a reasonable contribution - including by making auxiliary staff available - to ensure that the Dekker can easily fulfill its obligation to unload an item. If the Customer remains in default in this respect, the costs caused by this will be for his account.
5. Damage that occurs as a result of the use of a hoist, lift, forklift, crane or any other aid is at the risk and expense of the person responsible for that use.

ARTICLE 7:

DELIVERY TIME; DELIVERY ON DEMAND

1. The expected delivery time is stated by Dekker as accurately as possible. Dekker is obliged to make every effort to perform within this expected time. The delivery time is always considered to be approximately stated or agreed unless a deadline has been explicitly agreed.
2. The Buyer is not entitled to any compensation in any form whatsoever in the event of a possible exceeding of the specified delivery time, unless this has been expressly agreed or if the exceeding is the direct and immediate result of gross negligence on the part of Dekker.
4. Due to the delivery time being exceeded, the Buyer cannot dissolve the Agreement or refuse receipt and / or payment of the goods. However, the Buyer is entitled, after the expiry of the delivery time, to summon Dekker in writing to deliver within three weeks of the date, under penalty of dissolution. In that case, the Customer is not entitled to any compensation.
5. In the event that delivery on demand has been agreed without deadlines for the on-call time being set, Dekker is authorized, if one or more cost factors have undergone a change after the date of confirmation and before delivery, to adjust the agreed price accordingly. The Buyer is authorized, unless reasonableness opposes this, to dissolve the Agreement on the basis of that price change. If not all goods have been called up within three months after the Agreement, Dekker is entitled to demand that the Customer specify a date within which everything will be ordered, whereby the Customer is also obliged to accept.

GENERAL TERMS & CONDITIONS

ARTICLE 8:

PACKAGING

1. The packaging (packaging, pallets, etc.) used by Dekker for the delivery and which can be used several times will be charged by Dekker to the Customer. Returned packaging as referred to in the previous sentence will be credited by Dekker upon receipt. The Buyer must send this packaging "carriage paid". Packaging that is in poor condition, at the discretion of Dekker, will not be credited.

ARTICLE 9:

POSTPONEMENT OF DELIVERY; NON-PURCHASE AND CANCELLATION

1. If the Customer requests a postponement of delivery for a product already produced, and Dekker agrees to this, the risk of the good will transfer at the time of the original delivery date and Dekker will be entitled to invoice the agreed price and after a storage period of four weeks of storage costs.
2. If the Customer does not receive the product or does not receive it on the agreed date or if he cancels an order, Dekker has the right to terminate the Agreement and to charge compensation for damages. If it concerns custom work, this compensation consists at least of the costs incurred in connection with the unsuccessful delivery, plus the full purchase price. If it does not concern customization, the compensation will at least consist of the costs of the unsuccessful delivery, and the full purchase price less 50% of the price for which the product was sold by Dekker to third parties or reasonably within sixty days after the original delivery period. could have been sold.

ARTICLE 10:

RETENTION OF TITLE

1. The products delivered by Dekker remain its property until the purchase price of those products, previously delivered products or of products still to be delivered has been paid by the Customer, and that which has also been paid by the Customer with regard to work or costs in connection with the delivery.
2. Ownership of those products also remains with Dekker, as long as the Customer has not paid a claim from Dekker due to breach of contract committed by the Customer in connection with those products / activities.
3. Without a prior written consent of Dekker, the Buyer may not sell, resell or alienate the products, before the ownership thereof has passed to the Buyer, other than in the normal course of its business, nor encumber or burden them in any other way. This clause has legal effect.

4. If third parties seize the products delivered under retention of title or wish to establish or assert rights thereon, the Buyer is obliged to immediately notify Dekker thereof.
5. In the event that the Customer does not comply with his obligations and Dekker wishes to realize his right of ownership, he has the right to unhindered access to the products and the place where they are located and the Customer already undertakes to cooperate fully with Dekker in order to enable him to to exercise the retention of title by taking back the delivered products.
6. If a product supplied by Dekker, of which Dekker has retention of title, is imported into another Member State of the European Union, the law of that Member State governs the retention of title in the event that the relevant law contains more favorable provisions for Dekker.

ARTICLE 11:

FORCE MAJEURE

1. In addition to the circumstances that the law accepts as such, force majeure also includes, and in any case, strikes and / or illness of the employees or auxiliary persons of Dekker, non-delivery, incomplete and / or delayed delivery or other attributable shortcomings or unlawful behavior by suppliers of Dekker, war and danger of war, full or partial mobilization, import and export bans, measures by Dutch and / or foreign government bodies that make the implementation of the Agreement more difficult and / or more costly than could have been foreseen at the conclusion of an Agreement, natural disasters (including earthquakes, water damage and frost), traffic disruptions, loss or damage during transport, fire, theft, disruptions in the supply of energy, defects to machines, all at Dekker's company and at third parties whose required materials or raw materials are entirely or must partially involve and furthermore all other causes that arise outside of will and / or doing by Dekker. In the event of temporary force majeure, the delivery time can be extended by the duration of the force majeure plus a period within which Dekker can reasonably proceed to deliver, in which case the Customer is not authorized to terminate. The Buyer does have the right, after the expiry of the delivery time, to demand in writing Dekker to deliver within four weeks of the date, failing which the Buyer can immediately dissolve the Agreement. In that case, the Customer is not entitled to any compensation.

GENERAL TERMS & CONDITIONS

ARTICLE 12:

PRICE, PAYMENT AND CONSEQUENCES OF LATE PAYMENT

1. The prices stated by Dekker in his offer or stated in the Agreement are, unless stated otherwise, exclusive of VAT and exclusive of transport costs.
2. Dekker may increase prices after the Agreement has been concluded on the basis of external factors, such as increases in taxes, external supplier prices, exchange rates, raw materials, freight costs, wages and / or social security charges, import duties, levies or other charges.
3. Payment of the final amount of Dekker's invoice - less any credit limitation surcharge charged - must be made within 30 days of the invoice date, unless expressly agreed otherwise between Dekker and the Customer. The date of payment is the date on which the amount owed by the Customer is credited to the bank account specified by Dekker.
4. The right to setoff / suspension of any payment obligation can never be invoked by the Customer against Dekker.
5. If the Customer exceeds the payment term as referred to in paragraph 4 of this article, the Customer will be in default towards Dekker without any reminder or notice of default and the Customer will owe the statutory commercial interest, plus 5% per year on the final amount of the invoice from the due date to the day of payment. After each year, Dekker has the right to increase the amount on which the statutory commercial interest is calculated by the interest owed for that year. The place of payment is always the bank account indicated by Dekker...
6. If the Customer is in default with payment, the Customer also owes the extrajudicial and judicial costs. The extrajudicial costs are charged on the basis of the costs actually incurred, with a minimum of 10% of the amount not paid or not paid on time.

ARTICLE 13:

LIABILITY

1. Dekker, its employee (s) or third parties engaged by Dekker are respectively liable for any damage of whatever nature and of whatever nature suffered by the Customer or any third party in connection with the delivery of products, the use of products, possession of products or defects in delivered products, including non-proper compliance with the obligation to repair or redelivery, all this except in the case of intent or willful recklessness on the part of Dekker or if and insofar as legally stipulated otherwise.
2. If and insofar as any liability exists on the part of Dekker by virtue of the first paragraph of this article, it is only liable for direct damage. The indirect damage suffered by the Customer, including consequential damage, consisting of, among other things (but not limited to) lost profit, lost turnover or

lost income, will never be eligible for compensation by Dekker.

3. Liability for direct damage on the part of Dekker is in any case always limited to the obligation to redeliver, or to the obligation to pay the invoice amount relating to the Agreement, with a maximum of the amount that Dekker's professional liability insurance policy in that case pays out (plus the amount of the deductible), at the discretion of Dekker.
4. The Customer indemnifies Dekker against all claims from third parties who suffer damage in connection with the performance of the Agreement and the cause of which can be attributed to someone other than Dekker, and against claims from third parties related to the agreements concluded between the Customer and those third parties.
5. Unabated to the provisions of articles 4 and 5 regarding complaints and the provisions of this article regarding liability of Dekker, the limitation period or expiry period of all claims and defenses against Dekker and the third parties involved by Dekker in the performance of the Agreement is one year or a shorter term if this applicable by law.

ARTICLE 14:

APPLICABLE LAW AND COMPETENT COURT

1. All agreements concluded by De Dekker are governed by Dutch law, with the exclusion, where necessary, of the United Nations Convention on Contracts for the International Sale of Goods (Vienna Sales Convention).
2. All disputes that arise between the Dekker and the Customer will be settled, unabated to the provisions of Article 5 and without prejudice to the legal authority of the Subdistrict Court, by the court having jurisdiction in the place where Dekker has its registered office. Filed on 11 January 2018 at the registry of the District Court of The Hague under number 2/2018.



Dekker Zevenhuizen BV

Post Address

PO Box 11 2760 AA Zevenhuizen

Visiting

Nijverheidscentrum 2 2761 JP Zevenhuizen

MAIN +31 180 63 76 37

KITCHEN +31 180 63 09 72

BATHROOM +31 180 63 09 74

info@dznet.nl

bestellingen@dznet.nl

www.dekkerzevenhuizen.com

DEKKER